



# FIFTY EIGHTH REGISTRATION REPORT RHODE ISLAND.

1910











### FIFTY-EIGHTH REPORT

RELATING TO THE

### REGISTRY AND RETURN

OF

# Births, Marriages, and Deaths,

AND OF DIVORCE,

IN THE

### STATE OF RHODE ISLAND,

FOR THE

YEAR ENDING DECEMBER 31, 1910.

PREPARED BY

GARDNER T. SWARTS, M. D.

STATE REGISTRAR OF VITAL STATISTICS; SECRETARY OF THE STATE BOARD OF HEALTH;

PROVIDENCE:

E. L. FREEMAN COMPANY, STATE PRINTERS,
1913.



### MEMBERS

OF THE

### RHODE ISLAND STATE BOARD OF HEALTH.

Post Office Address.

ALEXANDER B. BRIGGS, M. D., President	.AshawayWashington County.
SAMUEL M. GRAY, C. E.	.ProvidenceProvidence County.
JAMES O'HARE	.ProvidenceProvidence County.
REV. GEORGE L. LOCKE	BRISTOLBRISTOL COUNTY.
RUFUS E. DARRAH, M. D	.Newport Newport County.
JOHN H. BENNETT, M. D	.PAWTUCKETPROVIDENCE COUNTY.
ROBERT MORTON SMITH, M. D	.RIVERPOINTKENT COUNTY.
GARDNER T. SWARTS, M. D	.PROVIDENCE PROVIDENCE COUNTY.

GARDNER T. SWARTS, M. D., Secretary.



### State of Rhode Island and Providence Plantations.

Providence, R. I., February 1, 1912.

To the Honorable General Assembly:

The fifty-eighth Annual Report upon the Registration of Births, Marriages, and Deaths in Rhode Island, including judicial procedure in relation to divorce, and the report of cases of death by violence which were viewed by the medical examiners during the year 1910, with compendiary tables of the results of registration in the previous years, is herewith respectfully submitted.

The plan of the preceding years, in regard to the general arrangement of the tables, summaries, and comments, has been followed in this report. Since 1900, Table IX of the yearly report of causes of deaths has been re-adjusted to conform to the nomenclature of the so-called Bertillon system.

While this classification does not reach a perfection which may be desired by all registrars, it has been adopted in order that it may be in conformity with the registration reports of all other principal cities and States having a system of registration. It also places the report in conformation with the registration reports of Canada and other foreign countries, which have agreed to adopt this system.

In the special tables the object has been to present the important facts of many years of registration, as well as of single years, in such manner as to make them readily apparent and relieve the reader of the statistics of much of the labor of personal examination of each of the general tables of the preceding reports for the purpose of ascertaining the relation the various facts bear to each other.

The tabular presentation of the causes of deaths is now arranged in sequence accepted by the Bertillon system instead of alphabetically. The Roman numerals designating the tables have been discarded and the Arabic numerals of the Bertillon system affixed.


The value of a report on vital statistics decreases in proportion to the delay in its publication. Failure on the part of one small town necessarily holds back the compilation of the totals.

An unfortunate delay in issuance of the present report was occasioned by retention of the copy by the Printing Commission for nearly a year.

Respectfully,

GARDNER T. SWARTS,

State Registrar.



### CONTENTS.

See Index, page 227.

### GENERAL TABLES.

	PAGE.
TABLE I. General summary of the births, marriages, and deaths, in 1910,	
in each town and each county in the State, showing the number of	
births, the sex and parentage of those born; the number of marriages,	
with the nativity of those married; the number of deaths, with the sex and nativity of those who died; the aggregate and average age of the	
decedents of each sex, and of the whole number of decedents whose	
age was given	2-5
TABLE II. Births; showing the number of each sex born in each month	2-0
of the year, in the several divisions of the State	6-7
Table III. Plurality births; arranged by months, sexes, and divisions	
of the State, and showing the nativity of the parents	8-9
TABLE IV. Marriages; the number in each month and in each quarter	
of the year, in the several divisions of the State	10
Table V. Deaths; showing the number of decedents of each sex in each	
month, in the several divisions of the State	12-13
Table VI. Deaths; showing the number of each sex that died at cer-	
tain stated periods of life in each town and division of the State; also	
the population of every town and division, with the percentage of	
deaths to population	14-21
Table VII. Causes of death and season, in 1910, arranged alphabeti-	
cally; showing the number of decedents of each sex from each cause,	
in each month and in the whole year, the number of native born and	
foreign born, and also the number of native and of foreign parentage	
for the whole year	22–38
Table VIII. Causes of death, and age; arranged alphabetically, and	
showing the number of decedents of each sex from each cause, in each	
period of life	39–49
Table IX. Classification (International) and parentage; showing the	
number and percentage of deaths from each cause and in each class of	
causes, in the whole State, and in each division of the State, in 1910	50-61
Table X. International classification of causes of death in Rhode Island	W ^
for fifty-eight years, 1853–1910	52

	PAGE.
Table XI. Occupations and ages at death; showing the number and the aggregate and average age of death of the decedents, in each occupation and class of occupations, in the whole State, for 1910 and for 58	
years and 7 months, ages under 20 omitted	63-75
Table XII. Occupations and causes of death; showing the number in	
each occupation and class of occupations, who died from each specified	
cause, during 1910, omitting ages under 20	76-94
Table XII. Supplemental diseases	95–98
Special Tables, Results, and Comments.	
Births, Marriages, and Deaths. Tables XIII–XVI	01-108
Diagram I. Birth Rates	12-113
Births. Special Results. Tables XVII-XXX	10–130
Marriages. Special Results. Tables XXXI-XLIII	32-145
Divorces. Tables XLIV-XLV	47-151
DIVORCES. Ratio of, to Marriage, different States. Table XLVI1	
Deaths. Special Results. Tables XLVII-LVI	56-165
Births. Occupations of the Fathers2	05-209
Marriages. Occupations of the Grooms	10-214
Deaths. Occupations and Ages of Decedents	
Diagram II. Death Rates	
Diagram III. Deaths. Comparative mortality from twenty principal	
causes	221
Returns of the Medical Examiners	
Index	





### REPORT UPON THE REGISTRATION

OF

## BIRTHS, MARRIAGES AND DEATHS



FOR

### THE YEAR ENDING DECEMBER 31, 1910,

AND

FOR VARIOUS YEARS FROM 1853 TO 1910,

INCLUSIVE.

Table I.

Grand Summary of Births and Marriages in the State of Rhode Island during the year 1910.

			Bl	RTH	š. 	*			MAR	RIAG	ES.	
TOWNS		SE	x.		PAREN	TAGE.				NATIV	ITY.	
AND DIVISIONS OF THE STATE.	Whole number.	Males.	Females.	Native.	Foreign.	Native Father. Foreign Mother.	Foreign Father, Native Mother.	Whole number.	Native.	Foreign.	Native Groom, Foreign Bride.	Foreign Groom, Native Bride.
Barrington Bristol Warren	62 152 212	75		21 46 30	36 86 148	1 14 15	4 6 19	13 58 62	9 17 23	2 33 28	1 1 3	1 7 8
BRISTOL COUNTY	426	214	212	97	270	30	29	133	49	63	5	16
Coventry East Greenwich West Greenwich Warwick	198 62 5 817		92 30 1 389	5	74 18	16 3 60	18 6 102	39 30 209	19 24	17 2 57	2 3 16	35
KENT COUNTY	1,082	570	512		505	79	126		144	76	21	37
Jamestown Little Compton Middletown NewPort Cirty New Shoreham Portsmouth Tiverton	16 31 45 550 22 54 54	16	5 15 24 263 14 27 25	7 13 8 264 20 19 21	2 12 32 178 34 25	4 1 2 53 2 1 4	3 5 3 55	5 2 5 212 12 20 16	4 2 5 127 10 6 10	43 8	20 1 3 1	22 1 3 4
NEWPORT COUNTY	772	399	373	352	283	67	70	272	164	53	25	30
Burrillville . CENTRAL FALLS . CRANSTON . Cumberland . East Providence . Foster . Glocester .	149 672 459 212 325 20	66 349 240 107 154 11	83 323 219 105 171 9	51 116 146 79 151 15	59 380 236 95 119 2	20 82 41 17 23 1	19 94 36 21 32 2	33 277 109 59 80	17 47 55 30 49	7 142 30 17 14	3 43 7 6 8	6 45 17 6 9
Johnston Lincoln North Providence North Smithfield PAWTUCKET PROVIDENCE CITY Scituate Smithfield WOONSOCKET	203 250 130 64 1,098 5,727 53 60 1,149	107 124 65 36 566 2,887 19 37 629	96 126 65 28 532 2,840 34 23 520	45 49 26 25 361 1,613 44 24 233	122 157 69 28 462 3,243 2 24 645	16 16 16 5 125 405 4 6 123	20 28 19 6 150 466 3 6 148	21 70 38 21 455 2,148 17 17 361	8 15 8 10 189 804 14 8 113	6 26 25 6 132 884 6	4 19 3 3 57 215 2 1 43	3 10 2 2 77 245 1 2 53
PROVIDENCE COUNTY	10,590	5,407	5,183	2,994	5,645	900	1,051	3,710	1,371	1,447	414	478
Charlestown Exeter Hopkinton Narragansett North Kingstown South Kingstown Richmond Westerly	20 8 39 23 67 86 15 226	11 3 22 14 41 50 9 117	9 5 17 9 26 36 6 109	14 5 30 14 59 56 11 82	4 1 5 6 3 18 1 121	1 2 1 1 4 4 1 7	3 2 1 8 2 16	6 1 15 6 25 34 4 74	6 1 15 6 23 29 3 42	3	1 1 1 6	1 1
Washington County	484	267	217	271	159	21	33	165	125	26	9	

Table I.—Continued.

Grand Summary of Deaths in the State of Rhode Island during the year 1910.

### DEATHS.

	s	ex.	NAT	IVITY.		TE AGE IN	AVERA	GE AGE CARS.		
Whole number.	Males.	Females.	Native.	Foreign,	Males,	Fernales.	Males.	Females.	Aggregate Age.	Average Age.
29 171 125	14 96 53	15 75 72	23 134 100	6 37 25	677 3,621 1,357	760 2,435 1,844	48.36 37.72 25.60	50.67 32.47 25.61	1,437 6,056 3,201	49.55 35.42 25.61
325	163	162	257	68	5,655	5,039	34.69	31.10	10,694	32.90
116 66 7 481	59 34 2 256	57 32 5 225	103 54 7 352	13 12 129	2,212 1,484 65 8,433	2,514 1,653 317 7,454	37.49 43.65 37.50 32.94	44.11 51.66 63.40 33.13	4,726 3,137 382 15,887	40.74 47.53 54.57 33.03
670	351	319	516	154	12,194	11,938	34.74	37.24	24,132	36.02
19 16 24 383 16 54 62	8 9 11 210 9 27 28	11 7 13 173 7 27 34	15 14 22 272 16 50 50	4 2 2 111 4 12	380 304 500 7,259 400 709 741	450 441 786 8,430 331 1,009 1,073	47.50 33.78 45.45 34.57 44.44 26.26 26.46	40.91 63.00 60.46 48.73 47.28 37.37 31.56	830 745 1,286 15,689 731 1,718 1,814	40.91 46.56 53.58 40.96 45.69 31.81 29.26
574	302	272	439	135.	. 10,293	12,520	34.08	46.03	22,813	39.74
122 355 227 141 233 19 31 79 162 66 43 825 3,982 58 42 626	58 181 115 74 110 10 13 38 83 32 20 419 2,099 32 18 315	64 174 112 67 123 9 18 41 79 34 23 406 1,883 26 24 311	84 241 170 81 180 16 27 50 104 42 36 497 2,711 54 30 438	38 114 57 60 53 3 4 29 58 24 7 328 1,271 4 12 188	2,435 4,100 4,500 2,525 3,151 950 1,829 686 538 15,251 74,761 1,472 823 6,830	2,362 5,061 4,414 2,599 4,461 1,710 2,516 1,002 1,067 15,468 70,821 1,271 1,101 10,596	41.98 22.65 39.13 34.12 28.65 56.60 36.23 25.00 22.04 21.44 26.90 36.40 35.61 46.00 45.72 21.68	36.91 29.09 39.41 38.79 36.27 51.89 61.72 41.71 31.85 29.47 46.39 38.10 37.61 48.88 45.87 34.07	4,797 9,161 8,914 5,124 7,612 1,033 1,582 2,660 4,345 1,605 30,719 145,582 2,743 1,924 17,426	39.32 25.81 39.27 36.34 32.67 54.37 51.03 33.67 26.82 25.58 37.33 37.24 36.56 47.29 45.81 27.84
7,011	3,617	3,394	4,761	2,250	120,888	126,027	33.42	37.13	246,915	35.22
19 12 36 26 70 73 21 145	11 7 18 17 40 33 13 86	8 5 18 9 30 40 8 59	17 12 34 18 65 62 20 113	2 8 5 11 1 32	673 441 1,008 744 2,060 1,701 709 3,710	392 256 1,046 321 1,672 1,941 468 2,426	61.18 63.00 56.00 43.76 51.50 51.55 54.54 43.14	49.00 51.20 58.11 35.68 55.73 48.52 58.50 41.12	1,065 697 2,054 1,065 3,732 3,642 1,177 6,136	56.05 56.42 57.06 40.96 53.31 49.89 56.05 42.32
402	225	177	341	61	11,046	8,522	49.09	48.15	19,568	48.68

TABLE I.—Continued.—RECAPITULATION.

Grand Summary of Births and Marriages in the State of Rhode Island, by Counties, during the year 1910.

			ВІ	RTHS	š.				MAR	RIAG	ES.	
TOWNS		SE	х.		PAREN	TAGE.				NATIV	ITY.	
AND DIVISIONS OF THE STATE.	Whole number.	Males.	Females.	Native.	Foreign.	Native Father. Foreign Mother.	Foreign Father, Native Mother.	Whole number.	Native,	Foreign,	Native Groom, Foreign Bride.,	Foreign Groom.
Bristol	426	214	212	97	270	30	29	133	49	63	5.	16
Kent	1,082	570	512	372	505	79	126	278	144	76	21	37
Newport	772	399	373	352	283	67	70	272	164	53	25	30
PROVIDENCE	10,590	5,407	5,183	2,994	5,645	900	1,051	3,710	1,371	1,447	414	478
Washington	484	267	217	271	159	21	33	165	125	26	9	5
STATE INSTITUTIONS												
WHOLE STATE	13,354	6,857	6,497	4,086	6,862	1,097	1,309	4,558	1,853	1,665	474	566

TABLE I.—Concluded.—RECAPITULATION.

Grand Summary of Deaths in the State of Rhode Island, by Counties, during the year 1910.

### DEATHS. AGGREGATE AGE IN YEARS. AVERAGE AGE IN YEARS. SEX. NATIVITY. Whole Number. Aggregate Age. Females, Males. 5,655 5,039 34.69 31.10 10,694 32.90 325 163 162 257 68 670 319 516 154 12,194 11,938 34.74 37.42 24,132 36.02 10,293 12,520 34.08 46.03 22,813 39.74 574 302 272 439 126,027 33.42 37.13 246,915 35.22 2,250 120,888 4,761 7,011 3,617 3,394 19,568 341 61 11.046 8,522 49.09 48.15 48.68 402 225 177 6,391 51.23 50.71 16,124 51.03 316 190 126 158 158 9,733 2,826 4,450 6,472 169,809 170,437 35.03 38.30 340,246 36.59 9,298 4,848

Table II.—BIRTHS, 1910..

Arranged by Months, Sexes, and Divisions of the State.

					DI	VISI	ons o	F Tl	HE S	TATE.		
MONTHS.	SEX.	Whole State,	Bristol County.	Kent County.	Newport County, Towns.	Newport City.	Providence County, Towns.	Central Falls,	Pawtucket.	Providence City.	Woonsocket,	Washington County.
January	Males	571	13	49	6	26	64	41	36	264	49	23
	Females	532	11	57	8	14	63	28	36	250	45	20
	Total	1,103	24	106	14	40	127	69	72	514	94	43
February	$\mathbf{Males}$	502	20	43	4	23	84	13	34	222	48	11
	Females	507	12	41	8	22	86	21	41	219	39	18
	Total	1,009	32	84	12	45	170	34	75	441	87	29
March	Males	596	15	52	8	24	94	34	48	238	58	25
	Females	586	28	45	7	27	79	28	44	260	47	21
	Total	1,182	43	97	15	51	173	62	92	498	105	46
April	Males	602	13	55	8	24	92	25	42	243	68	32
	Females	515	18	38	9	20	68	31	43	232	41	15
	Total	1,117	31	93	17	44	160	56	85	475	109	47
May	Males	565	21	43	8	21	76	21	53	253	50	19
	Females	561	13	64	13	21	78	35	41	224	49	23
	Total	1,126	34	107	21	42	154	56	94	477	99	42
June	Males	611	21	45	13	31	90	26	48	259	54	24
	Females	- 538	26	37	10	27	84	20	51	224	37	22
	Total	1,149	47	82	23	58	174	46	99	483	91	46
July	Males	603	14	40	13	23	84	23	53	285	45	23
	Females	576	15	35	12	25	83	28	48	270	41	19
	Total	1,179	29	75	25	48	167	51	101	555	86	42

Table II.—BIRTHS, 1910—.Concluded.

Arranged by Months, Sexes, and Divisions of the State.

					DI	VISI	ons o	F TH	HE STA	ATE.		To constitution of the con
MONTHS.	SEX.	Whole State.	Bristol County.	Kent County.	Newport County, Towns.	Newport City.	Providence County, Towns.	Central Falls.	Pawtucket.	Providence City.	Woonsocket.	Washington County.
August	Males	570	16	56	11	24	78	34	52	230	43	26
	Females.	558	16	30	5	16	95	23	40	260	54	19
	Total	1,128	32	86	16	40	173	57	92	490	97	45
September	Males	534	14	50	11	25	83	30	47	217	46	21
	Females.	514	15	42	5	21	73	33	42	230	36	17
	Total	1,048	29	92	16	46	156	63	89	447	82	38
October	Males	570	21	45	12	24	73	32	38	245	50	20
	Females.	527	15	45	10	27	87	31	61	191	46	14
	Total	1,097	36	90	22	51	160	63	99	436	96	34
November	Males	568	18	51	8	23	87	28	62	213	55	23
	Females.	541	17	42	9	30	84	21	43	231	50	14
	Total	1,109	35	93	17	53	171	49	105	444	105	37
December	Males	565	28	41	10	19	71	42	53	218	63	20
	Females.	542	26	36	14	13	88	24	42	249	35	15
	Total	1,107	54	77	24	32	159	66	95	467	98	35
Whole Year.	Males	6,857	214	570	112	287	976	349	566	2,887	629	267
	Females.	6,497	212	512	110	263	968	323	532	2,840	520	217
	Total	13,354	426	1,082	222	550	1,944	672	1,098	5,727	1,149	484

### TABLE III.—PLURALITY BIRTHS, 1910.

Arranged by Months, Sexes, and Divisions of the State; and Showing the Nativity of the Parents.

· 					Di	VISIONS	OF THE	STATE	*	
MONTHS.	Number of Cases.	SEX.	Number of Children.	Bristol County.	Kent County.	Newport County.*	Newport City.	Providence County.†	Providence City.	Washington County.
January	15	Males	19 11		1		1	4	9	
February	9	$\left\{ \begin{array}{l} \text{Males} \\ \text{Females} \end{array} \right.$	10	.,.,.	1		1		7	
March	4	$\left\{ \begin{array}{l} \text{Males} \\ \text{Females} \end{array} \right.$	2 6					2	2	
April	20	$\left\{ egin{array}{ll}  ext{Males} \  ext{Females} \end{array}  ight.$	27 14		2		2	11	5	
May	15	Males Females	16 14	2	1	. 1		4	7	
June	16	{ Males Females	19 13	1			1	8	6	
July	15	$\left\{egin{array}{l}  ext{Males} \  ext{Females} \end{array} ight.$	16 14				2	5	8	
August	10	Males	6 16		1			5	4	
September	13	Males				1	. 2	4	6	
October	10	Males			1			. 5	. 4	
November		Males			1			1	. •	3
December		$\left\{ egin{array}{l}  ext{Males} \  ext{Females} \end{array}  ight.$	. 13						3 8	5
Whole Year	. 14	$egin{array}{c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & $	. 14'		6	6	3	8 5	2 69	9

<sup>\*</sup>Not including Newport City. †Not including Providence City.

### TABLE III.—PLURALITY BIRTHS, 1910.—Concluded.

Arranged by Months, Sexes, and Divisions of the State; and Showing the Nativity of the Parents.

· <u>·</u>							-							_	N.	ATI	VIT	Y	OF	PA	REI	NT	8.	-												-	=
American.	Armenian.	Austrian.	Bermudan.	British-American.	Danish.	English.	French-Canadian.	German.	Greek.	Irish.	Italian.	Portuguese.	Russian.	Swedish.	American and English.	American and French-	Canadian.	American and German.	American and Irish.	Austrian and German.	British-American and	American.	British-American and	English and American	English and Irish	French and American.	French-Canadian and	American.	French-Canadian and	German and American	Greek and English	Trick and American	Inish and Charlish	Dunglen and Lonland	russian and Lapland.	Scotch and American.	Swedish and American.
4							4			1	2	2	1										1	L													
4											3	1																									1
1		3				٠.	1				٠.				1																				1 .		
3	1	1			1		1				2			1	2	 						1		.   1		. 1	 			1						1 .	
1			1			1	2		1		2	2					1		2																	1	
1							2			1	3	1	1				1		3	1								1	,	. 1						-	
2							1	2			3		2	1	1				1							١, .		1							-		
3							1	1			3	1		١													ļ.,					.   .					
4				1			1			1	3		1												ι.			1									
1						1	1					2	1				1					1										1 .		1 .			
2				1							2								1			1			1 .							-	1 .				
4											1		2						1																	]	
30	1	4	1	_	1	2	14	3	1	3	24	9	8	2	4		3	1	8	1		3		1	4	1	1	3		1	1	1	1	1	1	2	1

### Table IV.—MARRIAGES, 1910.

Arranged by Months and Divisions of the State.

				DIV	/ISI	ONS	OF '	THE	STA	TE.			
MONTHS.	Whole State, 1910.	Bristol County.	Kent County.	Newport County Towns.	Newport City.	Providence County Towns.	Central Falls.	Cranston.	Pawtucket.	Providence City.	Woonsocket.	Washington County.	Whole State, 1909.
January	425	12	24	4	18	26	35	10	36	201	47	12	395
February	283	7	19	3	12	21	19	9	24	125	26	18	425
March	145	3	8	2	.4	4	7	3	13	86	8	7	235
First Quarter	853	22	51	9	34	51	61	22	73	412	81	37	1,055
April	440	19	26	6	23	34	24	10	39	213	34	12	432
May	300	6	23	5	10	23	26	9	21	140	29	8	364
June	648	26	37	5	32	51	32	15	76	303	49	22	724
Second Quarter	1,388	51	86	16	65	108	82	34	136	656	112	42	1,520
July	314	8	31	5	15	30	24	9	23	137	20	12	395
August	361	11	14	6	12	36	21	4	46	178	24	9	462
September	450	10	28	7	28	36	20	7	50	212	33	19	545
Third Quarter	1,125	29	73	18	55	102	65	20	119	527	77	40	1,402
October	465	10	36	6	17	38	28	13	44	218	40	15	578
November	492	17	23	6	24	38	29	12	59	226	39	19	627
December	235	4	9	5	17	23	12	8	24	109	12	12	280
Fourth Quarter	1,192	31	68	17	58	99	69	33	127	553	91	46	1,485
Whole Year	4,558	133	278	60	212	360	277	109	455	2,148	361	165	5,462



### TABLE V.—DEATHS, 1910.

Arranged by Months, Sexes, and Divisions of the State.

					DI	VISI	ons o	F T	HE S	STAT	re.		
MONTHS.	SEX.	Whole State.	Bristol County.	Kent County.	Newport County Towns.	Newport City.	Providence County Towns.	Central Falls.	Cranston.*	Pawtucket.	Providence City.	Woonsocket.	Washington County.
January	Males	435	17	25	4	21	43	17	31	29	205	20	23
3	Females.:.	390	11	25	7	19	55	10	12	37	175	19	20
	Total	825	28	50	11	40	98	27	43	66	380	39	43
February	Males	392	21	25	9	18	41	17	18	34	179	12	18
	Females	398	9	22	9	13	48	15	23	36	178	26	19
	Total	790	30	47	18	31	89	32	41	70	357	38	37
March	Males	518	14	36	9	34	49	15	28	48	234	30	21
	Females	437	19	30	9	17	50	19	24	37	197	22	13
	Total	955	33	66	18	51	99	34	52	85	431	52	34
April	Males	439	16	28	6	7	47	20	32	40	192	23	28
	Females	408	19	37	5	19	34	21	24	46	156	24	23
	Total	847	35	65	11	26	81	41	56	86	348	47	51
May	Males	342	16	27	5	11	35	11	20	22	158	25	12
	Females	347	16	29	7	16	30	11	14	33	156	22	13
	Total	689	32	56	12	27	65	22	34	55	314	47	25
June	Males	390	6	25	10	15	31	20	19	39	174	36	15
	Females	329	9	24	8	8	40	7	14	39	144	29	7
	Total	719	15	49	18	23	71	27	33	78	318	65	22
July	Males	466	14	30	8	16	59	16	30	42	192	41	18
	Females	451	19	28	12	12	43	24	18	53	179	46	
	Total	917	33	58	20	28	102	40	48	95	371	87	35

<sup>\*</sup> Includes State Institutions.

Table V.—DEATHS, 1910.—Concluded.

Arranged by Months, Sexes, and Divisions of the State.

		-			DI	VISI	ONS C	F T	HE	STA	TE.		=
MONTHS.	SEX.	Whole State.	Bristol County.	Kent County.	Newport County Towns.	Newport City.	Providence County Towns.	Central Falls.	Cranston.*	Pawtucket.	Providence City.	Woonsocket.	Washington County.
August	Males	470	19	41	15	29	56	19	27	43	170	26	25
	Females	375	11	36	9	16	46	12	23	26	136	41	19
	Total	845	30	77	24	45	102	31	50	69	306	67	44
September	Males	324	9	37	8	12	32	17	24	26	126	17	16
	Females	302	10	20	14	13	40	16	16	20	117	24	12
	Total	626	19	57	22	25	72	33	40	46	243	41	28
October	Males	358	13	32	5	12	38	9	31	34	137	31	16
	Females	329	12	19	7	14	34	14	24	23	147	19	16
	Total	687	25	51	12	26	72	23	55	57	284	50	32
November	Males	349	9	22	4	13	32	11	16	34	170	25	13
	Females	315	12	23		9	40	13	26	27	136	18	11
	Total	664	21	45	4	22	72	24	42	61	306	43	24
December	Males	365	9	23	9	22	25	9	29	28	162	29	20
	Females	369	15	26	12	17	48	12	20	29	162	21	7
	Total	734	24	. 49	21	39	73	21	49	57	324	50	27
Whole Year	Males	4,848	163	351	92	210	488	181	305	419	2,099	315	225
	Females	4,450	162	319	99	173	508	174	238	406	1,883	311	177
	Total	9,298	325	670	191	383	996	355	543	825	3,982	626	402

<sup>\*</sup>Includes State institutions.

### TABLE VI.—DEATHS, 1910.

Exhibiting the Whole Number, the Proportion to Population, and Number of each Sex, in every Town and Division of the State.

				DEATHS.	
TOWNS,  AND DIVISIONS OF THE STATE.	Total Deaths.	Population, 1910	Deaths per 1,000 of population.	Sex.	Number of each sex.
Barrington	29	2,452	11.8	Males	14 15
Bristol	171	8,565	20.0	Males	96 75
Warren	125	6,585	19.0	Males	53 72
Bristol County	325	17,602	18.5	Males	163 162
Coventry	116	5,848	19.8	Males	59 57
East Greenwich	66	3,420	19.3	Males	34 32
West Greenwich	7	481	14.6	Males	2 5
Warwick	481	26,629	18.1	Males	256 225
KENT COUNTY	670	36,378	18.4	Males	351 319
Jamestown	19	1,175	16.2	Males	8 11
Little Compton	16	1,276	12.5	Males	
Middletown	24	1,708	14.1	Males	
NEWPORT CITY	383	27,149	14.1	Males	
New Shoreham	16	1,314	12.2	Males	
Portsmouth	. 54	2,681	20.1	Males	2 24 8

Exhibiting the Number of Deaths in each Period of Life, in every Town and Division of the State.

						PER	LIODS	of Li							
						1	1								
Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
3 1	1					1	• • • • •	1	2	<u>1</u>	2 5	2	3	2 2	
26 18	7 3	2 6	2 3	$\frac{2}{\cdots}$	2 1	$\frac{1}{2}$	1	2 6	2 3	5 5	4	18 10	14 7	6	3 1
21 25	1 10	$\frac{1}{2}$	1 1	1	2 1	1 3	1 1	6	4 2	2 1	2 5	2 4	6 8	3 4	1
50 44	8 14	3 8	3 4	2	$\frac{4}{2}$	3 5	$\frac{1}{2}$	9 10	6 7	7 7	8 16	22 15	23 16	11 9	$\frac{3}{2}$
12 <sub>8</sub>	6 6	5 1	$\frac{2}{2}$		1	1	3	4	1 2		$\frac{1}{2}$	9 8	13 7	2 11	$\frac{2}{2}$
7 2		$\frac{1}{2}$				$\frac{1}{2}$		1 1	3	3 2	3 5	3 6	3 5	6 3	2 1
1											1	1 3	 1		
76 65	12 15	5 6	2	2 4	7 7	3 2	1 3	19 10	20 13	23 19	18 14	28 19	28 30	13 13	1 3
96 75	19 21	10 9	3 4	3 4	7 8	5 4	1 6	20 15	24 18	30 21	22 22	41 36	44	21 27	5 6
1 1				1	2	1		1 1		 1	1 1	2	1 4		
1 1	3									2 1		2	1 4		1
4							1		1	2		5 2	1	1 6	
44 27	3	3 2	1	2	5 1	2 1	25 1		12 18	17 16	24 14	22 33	21 22	9 15	10
1							1 1		1	3	1 2	2	2 1		
10 10	2 2					1			1 1	4 2	4 1	$\begin{vmatrix} \dots \\ 2 \end{vmatrix}$	$\begin{array}{ c c }\hline 1\\ 2 \end{array}$	2 5	1

Exhibiting the Whole Number, the Proportion to Population, and Number of each Sex, in every Town and Division of the State.

		wn ana Divis			
		9.	0	DEATHS.	
TOWNS,  AND DIVISIONS OF THE STATE.	Total Deaths.	Population, 1910.	Deaths per 1,000 of population.	Sex.	Number of each sex.
Tiverton	62	4,032	15.4	Males	28 34
NEWPORT COUNTY	574	39,335	14.6	Males	302 272
Burrillville	122	7,878	15.5	Males	58 64
CENTRAL FALLS	355	22,754	15.6	Males	181 174
CRANSTON	*227	*18,287	12.4	Males	115 112
Cumberland	141	10,107	13.9	Males	7·1 67
East Providence	233	15,808	14.7	Males	110 123
Foster	19	1,124	16.9	Males	10 9
Glocester	31	1,404	22.1	Males	13 18
Johnston	79	5,935	13.3	Males	38 41
Lincoln	162	9,825	16.5	Males	83 79
North Providence	66	5,407	12.2	Males	32 34
North Smithfield	43	2,699	15.9	Males	20 23
PAWTUCKET	825	51,622	15.1	Males	419 406
PROVIDENCE CITY	3,982	224,326	17.7	Males	2,099 1,883

<sup>\*</sup>Not including State institutions.

### TABLE VI.—DEATHS, 1910.—Continued.

Exhibiting the Number of Deaths in each Period of Life, in every Town and Division of the State.

						PERI	ods c	F LIF	Е.						
Under I year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
12 12	1 2		1 3			1	1	1	1	2	2 2	2 4	4 7	1 .	· · · ·
72 53	9	4 2	2 4	3 1	6 3	3	28 4	23 10	15 20	28 23	32 20	33 43	31 40	13 27	12
15 15	1	1 5	1	1	: :: 1	3	1 1	1 4	3 1	4 5	9	12	7	3 .	
70 57	14 17	8	2	2 2	6 1	2 6	4	10 6	7 8	13 8	12 15	13 18	13 18	5 .	1
27 29	3	3 2	1	1 1	1 1	1	4	4 5	9 10	10 8	12	17 17	15 16	5	3 2
14 10	1 5	1 1		1 2	6 2	3 1	1 1	3 4	9	5 2	7	9 15	9	3	
29 26	7	2 2	1	1		2	1	5 11	6	7 9	10 13	19 21	15 15	6	1
				1				1	2	2	2	1 3	4	1	
2	2					2		1 2		1 1	1 1	1 4	2 5	1 4	
11	2 5	1	1		1		1	4	3	2 3	7 8	3 4	4 5	1 5	
38 23	4	3	$\frac{2}{1}$	$\frac{2}{1}$	5	1	1	6		5 4	2 11	5 8	3	6 6	
12 6	$rac{2}{2}$	2	1		4 2			$\begin{vmatrix} 2\\2 \end{vmatrix}$			2 4	2 3	3		
7	2				1		1		2	$\frac{2}{1}$	2 1	1 4	2 6	. 1	
102 88	23 17				3 *							61 58	58 44	12 23	3
452 383	100 95	37	24	11	38	22		1			236 209	257 255	232 209	86	20

Exhibiting the Whole Number, the Proportion to Population, and Number of each Sex, in every Town and Division of the State.

				DEATHS.	
TOWNS, and divisions of the state.	Total Deaths.	Population, 1910.	Deaths per 1,000 of population.	Sex.	Number of each sex.
Scituate	58	3,493	16.6	Males Females	32 26
Smithfield	42	2,739	15.3	Males	18 24
Woonsocket	626	38,125	16.4	MalesFemales	315 311
Providence County,	*7,011	*421,533	16.6	Males	3,617 3,394
Charlestown	19	1,037	18.3	Males	11 8
Exeter	12	778	15.4	Males Females	7 5
Hopkinton	36	2,324	15.5	MalesFemales	18 18
Narragansett	26	1,250	20,8	Males Females	17 9
North Kingstown	70	4,048	17.3	Males	40 30
South Kingstown	73	5,176	14.1	Males Females	33 40
Richmond	21	1,633	12.8	Males	13 8
Westerly	145	8,696	16.7	Males Females	86 59
Washington County	402	24,942	16.1	Males	225 177
STATE INSTITUTIONS	316	2,820	112.1	Males	190 126

<sup>\*</sup>Not including State institutions.

Exhibiting the Whole Number of Deaths in each Period of Life, in every Division of the State.

						PERI	ods o	r Lif	Ε.						
Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15,	15 to 20.	20 to 30.	30 to 40.	40 to 50,	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
8 5			1			1	1		2	5	2 5	4 2	8 7	3	
2 4	1		2	مدرد ۰	1		1 1	1 2		1 1	3	2	4 6	3 1	
119 93	32 32	8 7	7 6	3	12 5	2 3	10 6	14 24	19 9	26 27	20 28	16 30	16 25	11 11	2
908 752	192 186	72 63	42 39	22 33	79 64	40 48	86 63	214 204	$277 \\ 245$	356 291	373 375	421 447	395 382	127 172	13 30
1 2										1	2 1	$\frac{2}{2}$		2 2	
1								1 1 1	1		1				2
3 1					1			2		2	$egin{array}{c} 1 \ 2 \end{array}$	3	5 8		1
1 2		1			1		1		4	 1	5 3	2 1		$\frac{2}{\dots}$	
6 4	1						2	1 1	$\frac{2}{2}$	1	8 4	6 10	5 5	6 4	2
4 5	1			1	3		$\frac{2}{2}$	$rac{1}{2}$	$\frac{1}{2}$	3	5 2	8 5	8	3 6	
2 1									1 1		· 2 1		4 5	3	
20 14	4		1	1 1	1 3	2		3 4	3 4	5 4	12 2	11 12	9	10 8	4
37 30	6	1	1	1 2	$\begin{array}{ c c c }\hline 2\\ 7 \end{array}$	3	$\begin{array}{ c c c c } 6 \\ 2 \end{array}$	6 10	13 10	10 9	35 16	33 33	33 33	32 20	7 4
5						2 1		11 15	29 17	29 14	50 16	31 24	17 24	14	

### (RECAPITULATION.)

Exhibiting the Whole Number, the Proportion to Population, and Number of each Sex, in every Town and Division of the State.

		0.	0.	DEATHS.	
DIVISIONS OF THE STATE.	Total Deaths.	Population, 1910	Deaths per 1,000 of population.	Sex.	Number of each sex.
Bristol County	325	17,602	18.5	Males	163
				Females	162
KENT COUNTY	670	36,378	18.4	Males	351
				Females	319
NEWPORT COUNTY	574	39,335	14.6	Males	302
·				Females	272
Providence County	7,011	421,533	16.6	Males	3,617
				Females	3,394
Washington County	402	24,942	16.1	Males	225
				Females	177
STATE INSTITUTIONS	316	2,820	112.1	Males	190
				Females	126
WHOLE STATE	9,298	542,610	17.1	Males	4,848
				Females	4,450

### TABLE VI.—DEATHS, 1910.—Concluded.

### (RECAPITULATION.)

Exhibiting the Number of Deaths in each Period of Life, in every Division of the State.

						PER	IODS (	of Li	E.						
Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5,	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
50	8	3	- 3	2	4	3	1	9	6	7	8	22	23	11	3
44	14	8	4	1	2	5	2	10	7	7	16	15	16	9	2
96	19	10	3	3	7	5	1	20	24	30	22	41	44	21	5
75	21	9	4	4	8	4	6	15	18	21	22	36	43	27	6
72	9	4	. 2	3	6	3	28	23	15	28	32	33	31	13	
53	7	2	4	1	3	3	4	10	20	23	20	43	40	27	12
908	192	72	42	22	79	40	86	214	277	356	373	421	395	127	13
752	186	63	39	33	64	48	63	204	245	291	375	447	382	172	30
37	6		1	1	2	3	6	6	13	10	35	33	33	32	7
30		1		2	7		2	10	10	9	16	33	33	20	4
5			1			2		11	29	29	50	31	17	14	1
5						1	3	15	17	14	16	24	24	6	1
1,168	234	89	52	31	98	56	122	283	364	460	520	581	543	218	29
959	228	83	51	41	84	61	80	264	317	365	465	598	538	261	55

# TABLE VII.—CAUSES OF DEATH, 1910.

Arranged Alphabetically; showing the Number of each Sex who have died from each cause, in each month and in the whole year 1910; the Number of Native-born and Foreign-born, and also the number of Native and of Foreign Parentage, from each cause, for the year.

CATISES OF DEATH	Jan.	Feb.		Mar.	April.		May.	June.		July.	Aug.		Sept.	Oct.		Nov.	Dec.		NATIVITY.		PARENT-		SEX.	'II'
	M. F.	M.	F. N	M. F.	M. F.		ᄕ	M. F.	. M.	Fi	M. F.	. M.	E	M. I	F. M	E.	M. ]	F. Am.	n. For.	r. Am.	1. For.	M.	F	ToT
Abscess of Abdominal Wall.	:	:	:	:	i	:	:	- <u>:</u>	:	:	:		:	:		:	:	<u> </u>	:					
Brain		-	-	:	:	:		•	:		:	7-1	-	-	•		=		5		2	4		
Liver	:	-		:	-:		:	- :	•	:		<u>:</u>	:	-	-			-	2		$\frac{2}{1}$	က	•	ಣ
Lung (non-tuberculous)	-	:				:	:		:	:	<u>.</u>	:	:	:	:	:	- :		2		2			27
Neck	-		•				:			:	•		•	•					:		2	-		
Pancreas	:	:		:	•	:			:-		- :		•	•		:							:	
Prostate Gland	•	:		:	- :	:	:	•	•		-	:	:	:	:	:	-:		-				_ :	
Spleen	<u>:</u> :	:	:	:	:	:	:	:	:	:	· ·	:	:		:	:	:		-	:	-			
Pelvic	-	:			-:					:	•		:	•	•	2	:		-	22	1 2	· :	೧೦	ಣ
Perinephritic	:	·	· :	-:	-	:		•	:	•	•	:	:	:	1	:	•					_		2
Pharyngeal	:	:	•	-	:	:	:	:	· ·	:	•	:	:	•	:	:	:		:			:		r 1
Abscess, Multiple	•	:	•		:	:	:	•	:	:	:	:	:			:	:		-:	- :				
Accidents, Asphyxia	1 1	်က က		3 1	8	2 1	_	3	-:	:	1		-	2		_	2	1 1	19 1	12 1	10  21	21	10	31
Automobile		Н		3	:			2	es .	:	:	:	-	2	3	:			12	00	6 14	16	2	20
Burns and Scalds.	6	~	4	K.	7	4 1		6	4	T	-	6 1	6	-	0	6 1	3	4	_	1	7	00	99	70

TABLE VII.—CAUSES OF DEATH, 1910,—Continued.

M. F.	CAUSES OF DEATH.	Jan.	Feb		Mar.	April.		May.	June.		July.	Aug.		Sept.		Oct.	Z	Nov.	Dec.		NATIVITY	ITY.	PARENT-	LT.	SEX.	, i	Vr.	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$											Fi						_	E4		Et.		For.	Am.	For.	M.	표.	тоТ	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	ecidents. Drowning	6	-			00		_	1	-	1	0	3	G					ଦ	-	12	96	93	×	200	19	71	
7       4       9       4       4       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Electric Car	:	1	•	•	0	<del>'</del>	:	- 6	<del>-</del>	-	2 00	-	1 0				•	- c	-	10	0 rc	1 6	10	14	77	1 1	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Flootried Chook	:			· ·	1 -	:	:	1 -	· '	-	5		<u> </u>	-	· -	٠ 	-	+		177	) C	- 7	07	H G	2	٠,	
7 4 5 4 9 4 4 1 2 3 5 4 10       4 3 5 1 9       5 1 4 2       5 2 4         1 1 2 3 5 4 10       4 3 5 1 9       5 1 4 2       5 2 4         1 1 2 3 5 4 10       4 3 5 1 9       5 1 4 2       5 2 4         1 1 2 1 1       1 1 1 2 4 1       1 1 1 2 1       1 1 1 1         2 1 1 1 2 3 3 4 1 2 1 5 7 7 5 5 5 2 1       1 1 2 2 1 1       1 1 3 1         3 1 1 5 3 3 4 4 1 2 1 5 7 7 5 5 5 5 7 1       3 1 10       3 3 1 10         3 1 2 2 1 3 1 4 2 3 3 3 1 10       3 3 2 1         3 1 1 1 3 2 2 1 3 1 4 2 3 3 3 1 10       3 3 2 1	Eleculical Bilock	:	:	:	•	<u>-</u>	•	•	Ť	•	:	:	:	•	:	<u>:</u>	:	:	:		<u> </u>	.7	-	.7	3	:	3	
7 4 5 4 9 4 4 1 2 3 5 4 10       4 3 5 1 9       5 1 4 2       52 4         1       1       1       2       1 4 2       52 4         1       1       1       1       1       1       1         1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1 <td>Elevator</td> <td><u>:</u> :</td> <td>:</td> <td></td> <td>2</td> <td>•</td> <td>•</td> <td></td> <td>:</td> <td>-</td> <td>:</td> <td>:</td> <td><u>:</u></td> <td><u>:</u></td> <td>•</td> <td><u>.</u></td> <td>_:</td> <td>:</td> <td><u>:</u></td> <td></td> <td>2</td> <td>ī</td> <td>T</td> <td>2</td> <td><u>භ</u></td> <td>:</td> <td>ಣ</td> <td></td>	Elevator	<u>:</u> :	:		2	•	•		:	-	:	:	<u>:</u>	<u>:</u>	•	<u>.</u>	_:	:	<u>:</u>		2	ī	T	2	<u>භ</u>	:	ಣ	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Exposure to Cold	:	2	:	:	<u>:</u>	•		:	·	:	:	:	<u> </u>	:			:	2		:	9	-	9	9	:	9	
3       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Falls.	~~~				4	1		70	4 1(	_:	4	ಣ	10		<u>.</u> .	70		4	2	52	44	34	62	69	27	96	
3       1       2       1       5       5       2       1       3         7       1       1       1       1       1       1       1       1       3       1       1       3       1       1       3       1       1       3       1       1       3       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Firearms	:	•	<u> </u>	:	:		_:	-:		:	:	:	•		:		:	:		3	_	2	2	4	:	4	
3       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Heat	:	•	•		•		2	:				2	•	·			:	_ <u>:</u>		11	4	20	10	5	10	15	
3       1       1       5       3       3       4       1       2       4       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	Machinery	:	-						:		:		•	-				:	=		ಣ	4	T	9	7	:	7	
3 1 1 5 3 3 4 1 2 1 5 7 6 3 1 2 2 1 19         1 1 5 3 3 4 1 2 1 5 7 5 5 2 1 30         3 1 1 5 3 2 7 1 3 2 2 1 3 1 4 2 3 3 110 33         3 1 1 2 2 1 1 1 2 1 3 1 1 1 3 1 1 1 3 1 1 1 1 3 1 1 1 1	Poison	-			1		•				_	2	4	·		_		2	:		13	3	6	<u></u>	9	10	16	
3 1 1 5 3 3 4 1 2 1 5 7 5 5 2 1 30         1 1 5 3 2 4 1 2 1 5 7 5 5 2 1 30         2 1 1 1 3 2 7 1 3 2 2 1 3 1 4 2 3 3 110 33         3 1 1 2 2 1 1 1 2 1 3 1 1 1 3 1 1 1 1 3	Railroad	-	:		1 1	5	_	:	:		:	9	:	<del>.</del>			2	:	7		19	11	12	18	28	2	30	
1       1         3       1         4       2         1       1         2       1         3       1         3       1         4       2         3       1         4       2         3       1         4       2         5       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         2       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1       1         1	Various other	3 1	H			<u>භ</u>	- 4		7	-	:	7	:	50		:	2		-		30	19	14	35	43	9	49	
3.       4       2       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	ddison's Disease	:	:					:	*		_	:			-	:	:	:	:	•		1		H	:	-	-	
3       4.2       1       3.2       2.1       3.1       4.2       3       3.110       33          3       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       3       1       1       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3       3	denitis, Cervical			- :	· ·		•	:	· :		- :	:	•						•		<del>ب</del>	:	2	-	2	_	ಣ	
3 1	leholism	· ·	4	2	:	ಣ		_	೧೦		-1	3	-			:	3	-	0			25	18	40	46	12	58	
3 1 2 2 1 1 2 1 3 1 11 1 13	myloidosis Enteric	:	:	•	:	:	·		:		:	:	:	•	•			:	•	-	<u>-</u>		-	:	:	7—1	Н	
2 1 1 2	nemia, Pernicious	3	•	•		2	<del>-</del>		:	:		:	<u>:</u>			<u>ന</u>	_	П		-	13	70	ඉා	6	9	12	18	
Subelavian	neurism of Aorta	:	- ;	- :	2 1		•	_:	:	7	:	:	· ·	_:		-:	:	:	:-		ಣ	9	7	1	7	2	6	
A CALL CALL CALL CALL CALL CALL CALL CA	Subclavian	— <u>:</u>	· ·	:	- :	-:		:			_:	·	:	_:	<u> </u>				-:	:		-	:	1	=	:	1	

Table VII.—CAUSES OF DEATH, 1910.—Continued.

PARENT-		Am. For. M. F.	3 20 19 24 15 39	8 116 132 119 129 248	0 143 144 127 160 287	13 18 37 32 23 55	3 73 68 86 55 141		. 1 1 2 2	8 2 9 4 7 11	8 7 8 7 15		14 32 106 66 72 138	7 24 22 15 31 46	1 1 2 3 3	3 1 3 1 3 4		4 4 4 3 5 8	1 1 1	3 33 16 49 49	
	NATIVITY	Am. For.	26 13	140 108	177 110	42 1	78   63	:	2	ಣ	15	4	124  1	29 1	2	7	:	4	:	36 1	
Dog		E. M. F.	. 1 3	11 11 17	8 8 16	6 3 3	2 10 7	:	:	1 1		1 1	2 9 9	2 3 2	•		:	1 1 1	:	2 4	
Oot Now		M. F. M.	3 2	12 9 9	9 911	2 2 3	6 12 6	:		1 2 2	31		1 4 3	3 2	1	:			:	9	
Sont		F. M. F.	1 3	6 6 8 1	2 7 10	1 2	6 5	:		:	2	111	3 2 1	1 2	:	•	:	•	:	6 4	
Tuly Ang	uiy. Aug.	F. M.		7 8 13	6 12 8 1	6 2 4	8 4 10	:	:	:	•		5 1	. 4	•		:		: -	00	
ii .	dune.	M. F.   M	 	4 7 7	12 14 (		ಣ	·  :		:	•		7 4	:	•	-	:	:	:	20	
il Mox		F. M. F.	3 2	14 12:16	16 14 10	2 2 2	4 4 1	-: : :	:	2		-:	11 5 5	6 2			:	1 2	:	3 4	
Mor Arril		M. F. M.	2 1 1	20 9 8	10 20 9	2 1 4	20	:		1			7 11 13	4 3 4		•	:		:	66	
4°C	ren.	M. F.	2 1	1.10 13 2	6 13 17 1	2		:	:	:	2 2 1		1 9 8	3 2 3	:	:	:	-	:	3. 1	-
200	Jan.	M. F		711	20/1	.: .:	6	•	:	:		:	811	:	:	era 1 1	- :	:	-:	60	
	CAUSES OF DEATH.		Angina Pectoris	Apoplexy	Cerebral Hemorrhage	Appendicitis	Arteriosclerosis	Arthritis, Deformans	Infectious	Asthma	Atelectasis Pulmonum	Brain, Softening	Bronchitis, Acute	Chronic	Calculi, Renal	Cancer of Abdominal Viscen	Axilla	Bladder	Brain	Breast	

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

.IA	TOT	4	63	Η	20	18	-	4	ಣ		-	44	1	4	2	4	51	ಣ	7	_
, i	Ei		-		:	6	П	4	ಣ			28	П	ಣ		П	33	2		
SEX	M.	4	-	-	20	6		:	:	-		16	9	-	0	ಣ	18	-	2	_
Į	For.	67	-	Ţ	20	6	:	-	П	-	Н	21	ಣ	07	-	01	31	2	H	-
PARENT-AGE.	Am. ]	2	-	•		0	<u> </u>	ಣ	2	•		23	4	2	-	7	20	T	-	
TY.	For.	C)	-	-	4	9	•		-	-	_	15	ಣ	2	_	2	25	2	:	-
NATIVITY	Am. F	2				12	-	ಣ	7			29	4	2	<del>y-</del> (	2	26	7-4	2	
	F		,*		•	_		-		•	•		:	:	:	-	7	<del></del>	:	
Dec.	M.	<del>-</del>		•	*	2	•	:	:	:	:	_		:	:	-	2		:	
Nov.	压		:		:	_	:					1 3	-		:		٠ ص	:		
	. W		•	•			-:	-:	-		•	4	•	•	•	•	-	:	•	
Oct.	M. F			:		:	:	:	:	:	=		=	:	?	:	:	:	-	
Sept.	Fi			•	:	:		:	-			1 3		:			4	:	:	
	. M.				-	:		<u>:</u>	•	•	•	3	•	2		•	<u>.</u>	•	•	
Aug.	M. E		•		•	-	:	· :	•	:	•		•		:	:	_	:	-	
July.	드					ಣ	:	_ :		:	:		2	:	:	:	~ co	:	:	
	- W.		:		•	:	- :	<u>:</u>			:	2 3		-	•		2	-		
June.	M. F					•	:	<u>:</u>		<del>-</del>	•	2	*	:	-		20	•	:	
May.	떋					7		:	:	:	1	3	:		:	:	9		:	
	M.						_:	2		- :			<u>۔</u>		-:		4 4			
April.	M. F.	-									•	2	•	· :	•		-		•	
	E.					2		-				70			:			:		
Mar.	W.					_	:	-:		•		2	-	-:	:		2		•	
Feb.	M. F.				-	2				•		2		•			-	•	•	_
	H.	-								:			:	:			S	:		
Jan.	M.						:	:	:			_	:		_ :	_ :		:	•	
									:	:				:					:	
<b>.</b>	•							:		:	:			:						
T. V.S.	1147										500									
id is	<u> </u>	to.									and									uni
, C	2	Che			us.			dde		:	1 G1	9								timit
CATTSES OF DEATH	TO O	Sancer of Chest	Colon	Elbow	Esophagus	Face.	Forehead	Gall Bladder	Head	Hip.	Inguinal Glands	Intestine	Jaw	Kidney	Larvnx	Lin	Liver	Lung	Maxilla	Modiostimum
ć	j i	ופטו	olo	lbo	Sop	ace	ore	all	Lead	lip.	ngu	nte	aw	Zidi.	ar	in.	ive	יוווי	Max	Mon

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

משאחת הס מתפוזאס	Jan.	Feb		Mar.	April.		May. J	June.	July		Aug.	Sept.	Ŏ	Oct.	Nov.	Ã.	Dec.	NATIVITY		PARENT- AGE.	SE	SEX.	וני.
CAUSES OF DEATH.	M. F.	W.	F. M	E.F.	M. F.	M.	F. M	L. F.	M. F	. M.	F.	M. F.	M.	표.	M. F.	M.	Ei	Am. For.	Am.	For.	M.	Ē	ToT
Cancer of Mesentery			.		:			:	:	:	:		:	:	:	:	:					_	-
Mouth	:	:	•		<del>-</del>			:	:		•	•	<del></del> -	:	•		-	ಣ	2	2	ಣ	2	20
Neck	:	:	•	:	2		:		•		:	•	2	•		:	:	<del>ر</del> ن		4	9		9
Nose	:	:	•	:	•	:	•	:	<u>:</u>	:	:	:	:	:		_:	<u>:</u>		_	:	:		
Omentum	<u>:</u> :	:	:	:	:	:	:	:	:		-	<u>:</u>	:	<del>-</del>	<u>:</u>	<u>:</u>	:		2	:	:	2	2
Ovary	:	-:	:	-	:		<del>-</del> i		•		•	•	:	•		:			: :	4	:	4	4
Pancreas	:	:	-				•	•	•		•	:	:	-	•	:	y	2	2	-	:	ಣ	က
Pelvic Bone	:	:	•			:	•		•		•	-		•	-	:	7		<u>ආ</u>	:		2	ಣ
Penis	:	:	•		•	:	:		•		•		:	•	:				_	-	2		77
Prostate Gland	:	:	•		•		•	:	•	-	•	-		•		_		2			2	:	7
Pylorus	:	:	•	:	:				•				•	•					_		_		7
Rectum	-			:	7	:	4	. 2		:	යා			-	<u>:</u>	:		11 (	0   10	10	4	16	20
Shoulder	:	:	_ <u>:</u> :	:		:	•		-		:		-		:	:		C1	_	23	2		හ
Side	:	:	<u>:</u>	:	· ·	:	-	:	:	:	<del>-</del>	·	:	•	<u>:</u>		:	:	_	:	:	_	_
Sigmoid Flexure	:	÷		T		:					:	•		•	:	•	-	-	3	4		4	4
Spleen	:	•					-		*		:	•		<del>-</del>		:	:	-	2	<u></u>		ಣ	ಣ
Sternum	:	:	:			:		:	:	:	•	:	:	:	:	:		:	:	_	:		
Stomach	7	_	3	4	4 3	2	3	3 4	3	2 3	4	6 3	3	20	∞ ∞	3	9	50 45	38	57	45	50	95
Testicle	-:	:	-		•	•		:	•	•	•	-:	:	•	•	:		2			2	_:	2

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

	Jan.	Feb.	-ç	Mar.		April.		May.	June.		July.	Aug.	ъį.	Sept.		Oct.	Z	Nov.	Dec.	es.	NATIVITY	TITY.	PARENT AGE.	ENT-	202	SEX.	Vr.
CAUSES OF DEATH.	E.F.	M.	ĮŦ,	M.	F. M	1. F.	M.	E	M.	F. M	[. F.	Z.	ഥ	M. I	F.	E4	M	Er,	M.	E E	Am.	For.	Am.	For.	M.	면	ToT
Cancer of Thigh	<u>:</u>	:	:	:	:	:	:	:	:	:	:	:	:	<u>:</u>		-	_:	:	:	•		:			_	:	_
Throat			:	:	•		:	:			<u>:</u>	:	:	:	•			:	:	•	2	:	П				2
Tonone				7		-	7			-	7						:	:	:	-	ಣ	3	2	4	9	:	9
				1					r		_								,			6		6	6		6
LOUSIL	. 12	:	: 1	:	1 .	-	:	. 1		1 :	. 24	:		:	· c			ં ૯	1			1 00		1 70	1	7.	707
Uterus	<u>.</u>	:	0	*	-			-				:	ກ	•				V V	•		7	07	27	TO.	:	2	2
	•			:	•		:	:		•	_		:	<del>-</del> :	•			:	:	•	_	:		:	:	_	
Multiple	:					-				-	-:	-	:	:	•			:	:	•	33	-	2	2	4	:	4
•	•		:	=	•				:	•	•	:	:	:		<u>.</u>	:	:	:	•		:	:			<u>:</u>	
Hip	•						:		:	•	•		•	:	•			:	:		:	-			:	<b></b>	
Cellulitis of Neck				-		:	:	:	:	•			:	•	•	•	<u>:</u>	:	:		:	П	:	_	7	:	
Childbirth, Post - Partum	-																							*			
Hemorrhages			:	:	:		:	:	:	:	:	:	:	•	•		:	_	:	_	_	2		7	:	ಞ	ಣ
Puerperal Embolism	•	:		:	:		:		0	•	:	•	•	:	•		:	:	•	2	ຕິ	:		2	:	ಣ	ಣ
Puerperal Nephritis		2	2	:	5.		: 5	2	:	4		:	2	•	50	•	<u>.                                    </u>		•	ಣ	23	I	16	18	:	34	34
Puerperal Peritonitis			:	:			:	_	:		<u>.</u>	:	:	:	<u>·</u>	· :	<u>:</u>	:	:	•	5		ಣ	ಣ	:	9	9
Puerperal Septicemia		:	2	:			: :	2	:	7	<u>က</u>	:	:	:	•		2	ಣ	:	7	6	12	00	13	:	21	21
Other Puerperal Accidents		· ·	2	:	· ·		2	2	:	7	<u>.</u>	:	2	:					:		∞ <sup>~</sup>	12	70	15	:	20	20
Cholecystitis.		•		-				:	:	-			П	<u>:</u>	•			:	:		4	П	ಣ	2	_	4	ಸಾ
Cholera Infantum		3	2	-	2				26]	18 70	940	58	41	21 2	25	8 10	) 4	2	•	07	361	11	97	275	191	181	273

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

	Jan. Fe	Feb. M	Mar.	April.	May.		June.	July.		Aug.	Sept.		Oct.	°Z	ov	Dec.	NA	NATIVITY		PARENT-	00	SEX.		
CAUSES OF DEATH. M	[. F. M.	F. M.	Fi	M. F.	M.	F. M	Fi	M. F	M.	E4	M. F	F. M	Fi	Z.	F	M. F.	Am.	For.	Am.	For	X X	E.	ToT	,
Chorea.	:	:	:		:	-:	:	:	:	:	:			:	· ·	<u>.</u>			:			:		
Colitis (under 2 years)		:	:	:	:		:	:	-:	:	2	:	:	:	•			2 1		7	2	-		~
Entero (under 2 years)	•	-	:	2	:		9	15	8 20	116	9	00	2 4	:	-	•	0	92 3	36	59	52	43	95	, (
Ileo (under 2 years)		:	:	2	2	<u>ب</u>	2	1	8	4	4	7	3	ಣ			4	46 1		14 33	28	3 19	47	~
Colitis (over 2 years)		:	:		:		:	•	- :	:	:		:	:	·	-:	:	_	:		:		, ,	_
Entero (over 2 years)	:	2	:	2		<u>.</u>			1			2	2	:	-	-		1 8	∞	6 13	6	10	<u> </u>	6
Ileo (over 2 years)	:	:	:	:	:	:		П	-	ಣ	:	-	:	_	-			9		3	3	3.4		_
Convulsions of Children	1 1 2	ص :		2	:		:	2	1 2		-	-		:		3	2	9	=	3 13	3 14	1 12	26	0
Croup, Spasmodic	2 1		I	-	:	1	:	•		:	:	2		:	•		-	2	_	4	00	9 9		2
	4	2	:		=	:	:	-		:	Y-1	=	:		•	2		00	00	00	00	15 .1	-	91
•	3 4	5.4	-	8	П	က က	ಣ	4	4 6	4	4	<u>ಟ</u>	5 4	4	-	<u>හ</u>	2	83	4	) 43	3 49	34	88	62
n		•	2	:	01	1 3			:	:	:	7	:		•	·		:		6 1.		о О		12
longed														-	-									(
:	2 1 1		-	ಬ	-	<u>ත</u>	:	4	07 07	-		7	<u>:</u>	07			7 	39		21		=	20 20 20 20 20 20 20 20 20 20 20 20 20 2	೨
Injury at Birth					2	-	_	೧೦	:	-	•		:	2	:		_			10	7 11		6 1	~
	0 9 14	11 16	3101	11 7	101	0 01	6 13	8	1 5	13	10	7	$\infty$	10	9	1	9 232	2	. 10	02 130	_	18 114	1 232	7
Dermatitis Exfoliativa			:	:	:	:	:	-	:	:	:		:	:	:			3.		· භ		භ		ಣ
:	00	6, 2	~	2 6	3	1 1	10	က		4	9	4	3 2	5	7	<u>က</u>	7 6	67   36		56  47		44 59	$\frac{3}{10}$	က္ဆ
	4 3 3	2 2	3	3 3	5	4 5	3	-	3 1	20	2	5 4	4 6	00	9.1	0	4  10	07,	4. 4	44 6	7 5	56 55	5  11	

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

-,IA]	гоТ	<u>-</u>	37	4	12	9		14	33	10	85	46	34	26	10	_	ಣ	Н	-
	Ei	0	20	ಣ	00	9	:	4	18	52	75 1	24	19	8	5		2		
SEX.	.	1		-	4		-	0	15	58	0	22 2	15 1	13 1	20		-	-	-
	M		2			:		1		[ 5	11					:			
PARENT-AGE.	For		28	~	70		:	6	20	74	1112	32	24	19	9	•	2	_	
PAJ	Am		0		1,-	25.0		1(2)	13	36	73	14	10		4	_		:	
NATIVITY	For.		21		ಣ		:	9	12	2	ಬ	19	15	6	4		2		
NAT	Am.	14	16	43	6	70	T	90	21	108	182	27	19	17	9	_	Н	-	-
Dec.	Fi	c	1	:		_	:	:	ಣ		_	_	-			-		:	
Α	. N		• •			- :	:	2	2	:	4			2	:				
Nov.	M. H				_		:	<u>:</u>	2	3 4	3 4	1 2		4			•	•	
	H.		: 07		2	-	·	<u>.</u>		4	1		2	4		:	<u>:</u>	*	
Oct.	M.	c	· ·	•	-		•	<del>-</del>		4	_	7			<u>:</u>	•	•	•	
ot.	Fi	,	1 03		-		<u>:</u>	•	2	7	41	-		-:	•	•	•	•	-
Sept.	M.		. 4		:		-	:	:	~	18	3	_	:	-	:			
Aug.	Fi		: 4	7	:	:	:		:	6	00	3	4	_	:	:	:		
¥	M		: 4				:	_	:	15	29	2	4	_	:	:		:	
July.	<u> </u>		7				:	-:	2	3 13	8 17	$\infty$	4	_	· :	:			
			· ~				<u>:</u>		1 2	6 13	7 18	1 5		_	:	<u>:</u>	-:		
June.	M. F				•	•	- :	-	_		1								
	E	-	<del>-</del> <del>-</del> -	<del>-</del>	•	0	•			7		ಣ		_		•		•	
May.	M.	7		-:	:	•	:	2	2	ಣ	3	:		_		•	:	:	-
April.	Fi			:		:	:	07	ಣ	9	ಣ	$\overline{\Box}$	÷	63	-	:	_	:	
Ap	M.			•	-	:	:	:	T	7	30	-				:	:		7
Mar.	[ [				_					2	1	-	7	-	ಣ	_:	. :	:	
	N		: -	•			_ :		<u>က</u>		1	:	€			•			_
Feb.	I.F				-		:		- 2		3 2	_			:	_:	:	<u>.</u>	
	F.	-		•	က	•	•	•	-		4				•	•	•		
Jan	M.	0	<u>1 · </u>	•	-	•	•	<del>-</del> i		-	2	-		<del>-</del>	-	•	•	•	
	1	- <u>s</u>		<u> </u>					-				•			•	:	•	
		Membranous	: :	:	:			:		:					:	:	:	:	
Ħ		ora	: :		:		ar	:	:	ars	ars	(S)	rs)	:		•	:	•	
ZAT		am			:		nou	:	:	ye	ye	ean	/ea	:		:	:	:	
, D		Me	: :	era	:		uln	:	:	r 2	r 2	2	23	:	ace	:	:	:	
OF				Arte	:	У.	d'	:		ıde	nde	rer	ver	:	f F	:	:	:	
SES		ia,		1, A	Ę.	lar.	ma		litis	11	<u>E</u>	0)	0		S	:	:	:	
· CAUSES OF DEATH.		ntheria, M	ter	isn	br	noı	yse	em	ard	tis	tro	tis	tro	Sy.	ela	g.		كا	
		Diphtheria,	Oysentery	Embolism, Arteral	Cerebral	Pulmonary	Emphysema, Pulmonary.	Empyema	Endocarditis	Enteritis (under 2 years).	Gastro (under 2 years).	Enteritis (over 2 years).	Gastro (over 2 years)	Epilepsy	Erysipelas of Face	Head	Leg	Neck	
		)iţ	V.	Hand.			Em	Em	En	En En		En		Ep.	Ery	-	Н	H	0

Table VII.—CAUSES OF DEATH, 1910.—Continued.

	Jan. Feb. Mar. April. May. June. July	y. Aug. Sept.	ot.   Oct.	Nov.	. Dec.	NATI	NATIVITY.	PARENT AGE.	1	SEX.		
CAUSES OF DEATH.	M. F.	F. M. F. M.	F. M. F	M.	F. M. F.	Am.	For.	Am. F	For.	M. F.	TOT	
Umerino o Conono			,					-		-		_
Fibroid of Uterus.	1 2 1 1 1					10	. 2			: =	12	· 27
Fistula in Ano		:	:	<u>:</u>	:-		:	<u>-</u>	:	:		
Gallstones	1 1 1 2 1 1 1 1	1 2	:	-	2 2	00	6	9	11	6 .1	=	~
Gangrene of Foot		:	:	:	:	:	-	•				
Senile of Foot	3 1 2 1 1 1 1 1.	:	•	-:		00	20	7	9	9	7 15	က
Leg		:	· ·	:	:	:	_	<u>:</u>		:		_
Gastrie Ulcer	1 3 1 1 2 2 1 2 1 1 1 1 1 1.	. 1 3	·:	:	2 2	20	10	6	21	14 1	3. 3.	0
Gastritis	1 1 2				•		-	9	2	<u>10</u>	60	00
Goitre		:		*	*		Н	•	2		2	7
Exopthalmic.		:	:	:	:		2	_	2	:	ಣ	ಣ
Heart Disease, Organic	27 25 20 16 28 15 21 15 14 22 18 10 21 1	17 14 18 15	9 18 1	8 14	20 26 21	1 212	230	1532	289	236 20	6 44	7
Fatty Degeneration	1 1 2 1 1 1 1	•	2	:	<del>-</del>	00	9	00	9	9	00	4
Hypertrophy		:			-	1 5	9	_	10	~	4 1	_
Valvular	17 15 18 19 23 20 13 18 8 11 21 14 10 1	1111 8 3	16 19 1	8 14	19191	3 206	145	1561	95 1	73 17	[28] 82]	
Hemiplegia	1	3 1 1.	1 2	2	:	2	10	7	10	6 1	-	_
Hemophilia		:	•	. 2	*	4.		ಣ	-	<del></del>	-	4
Hemorrhage, Nasal			:	:	:		:	=	:	:		
Pulmonary (no T. B.)		-	•	:	•	•	22		2	=	=	2

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

CAUSES OF DEATH.	Jan.	<u> </u>	Feb.	Mar.		April.	11	May.	June.	Je.	July.	li — — —	Aug.		Sept.	0	Oct.	Nov.		Dec.		NATIVITY		PARENT-	-	SEX.	AL.	11
	M. F	M.	圧	M.	Fi	M.	. W	_F	Ä	压	M.	F.	M. F	M	균.	M.	됴	M.	듔	M. 1	F	Am. For.	r. Am.	n. For.	W	Fi .	ToT	
Hemorrhage, Newborn, from																												ı
Intestines	:	:				•					:			•			- 5		2	•		4		27	2	- 27		4
Stomach	:		:	:	•	•	-	:	П	:	:	•		•				, .		•		2					-	2
Umbilieus	:		7-1	_	$\overline{}$	=			_			•			•	:		:	:			. 9		2 4		4		9
Hepatitis	•	:	<u>:</u>	:	:	<u>:</u>		:	:	-	:	·			:	:	-	:	:	<u>:</u>		2					2	2
Hernia*	:	:		2	•	•	<u> </u>	:			•	-		•		7	2	2				00	4	4 8		9 9	6 15	0
Femoral	_:	:	:	:	<u>:</u>	•	<u>:</u>	_:	:	-:	:	<del>_</del>	<u>:</u>			:	:	:		•			:					_
Inguinal	:	<u>.</u> ص		7-4	•			•			:		<u>:</u>	:	:	:	:	:		-	-		٠ م	3		7	∞	00
Umbilical	:	2	:	:	•	-	:	-	:		•	-		:	-		:	:		•		4		4		1 4		30
Hodgkin's Disease	:	:	:	-	•	-			•	•		•	•		*	_	:	:			-	ಣ	1	1 3		3	4	+
Homicide		<u>ෆ</u>	:	:		-		•	N	:	4			:		7	2	9	<u>:</u>	<del></del>		10 1	10	4 16		17 3		
Hydrocephalus, Congenital	:	-	:	:	:	•	<u>:</u>	· :	_:	:	<del>-</del>	•	_ <u>:</u>	:	_ :	:	:	:	:	<u> </u>			:	. 2		2 2	2	$\sim$
Icterus, Neonatorum	<u>:</u> :		_	:			ري دي		2	7	<del>-</del>	•			•			:	:	<del>-</del> i	-	18		10 8		7		$\sim$
Indigestion, Acute	4 7	2	4	ಣ	50	2	5 3		9	7	4	20	1 3		ಣ	_	9	3	<del>ب</del>	2	4	73 1	12 4	40 45	32	2 53		١.
Chronic	2	2	10	70	2		2 1	_		2	1	٠ ص	4 4	5	50	S	50	1	7	ಣ	ಣ	75	6 34	4 47	44	1 37	81	
Influenza	4	- 5	7	9	00	2	6 3			•	*	•	•			:	:	3	9	2		32 2	28   26	6 34	21	68 1	09	
Insanity, Confusional	:	:	:	:	:		-	<u>:</u>		:	•	•	•	:			:	:	:	•		:	:	T .	:		_	
Delusional	: :	:	:	:	·		-			•	•		-	:		:	:	:	•				:	<b>-</b>	:	_		
Dementia, Paretic	-	:		:			<u>.</u>				-		-	_:	:	-	-		•	•		7	2	3	2	2	11	
										*IIndefine	John	200														D. D.		

Table VII.—CAUSES OF DEATH, 1910.—Continued.

'av.	roT	-	$\infty$	G	ر د	54	1	ಣ	4	10	10	14		13	92	98	487	7	1		<u>ප</u>
	뇬		9	, ,	3	14		2	2	4	00	10		22	35	48	218	4	5		2
SEX.	M.		2	i	:	40			7	9	2	4		11	41	38	269	ಣ	2		
TA.	For.	F	70	) 7	=	33		7	က	<u></u>	1	10		20	51	56	287	20	5		2
PARENT-AGE.	Am.	-	65		.7	21		-		က	ಣ	4		00	25	30	200	2	2		-
ITY.	For.	-	-	1	:	24			က	ಣ	4	00		ಬ	44	28	215	2			
NATIVITY	Am.		7		3	30		07	-	1	9	9		œ	32	58	272	20	9		2
Dec.	Ė	:		_	:	:		:	-	:	-	:		:		ಣ	18	:	:		
Q.	Ä.				:		_	:	:	-:	:	1 1		:	3 2	4 6	8 20	•			
Nov.	M. F				-	က ' '		•	•	<u>.</u>		•		•	4		151	•	_		
	둄	:			:	-		:	:	:	:	:		:	T	2	10	:	=		
Oct.	M.	:			:	20		:		:	:	:			5 3	3	9 20	-:			
Sept.	T.F.	:			•	4		- <u>:</u>	·	:	•			<u>:</u>	2	4	22 19	-			
	F	:			•	<u> </u>		-	•	•	:					ಣ	162	:	_		<u>:</u>
Aug.	Ä.	;			:	4			:	_	:			0	3	4	24	:			
July.	Fi	:		. 7	<u> </u>	_		•	•	-:		2			3 2	3	7 23	:			-
	F. M				:	<u>01</u>		•		-	-			. 4		60	317				
June.	M. F	:			:	<del>ا</del> ت		· · ·		2	:	:		-:	2	3	28 1	:	-		
May.	Fi				:	:		:	_	_:	:	2		:		20	20	:			
	M.	1 :		· -	:			:		1 1	1 1				1 5	0 2	5 14				
April.	M. F				- :-	٠ ص		·		-		-		-	ಣ	21	31 25	-			
	[H	-	C	1	:	ಎ		:	-:		:	2		:	9	4	243	-	-	4	=
Mar.	M.				:			_:						2	1	9	29				
Feb.	F. F.		0	1	:	4		- :		-					2	3	23/19				
	F.   M		: <del>-</del>	<b>-</b>	<u>.</u>	<u>.</u>		·			_		-	·		~~			1		
Jan.	M.	i	-	<u></u>	:	9		,	-			-		_	70	4	26	<u>'                                    </u>			-
	CAUSES OF DEATH.	Inconity Demontia Precox	Train A conto	Mama, Acute	Mania, Chronic	Paralysis, General	Intestinal Obstruction from	Adhesions	Fecal Impaction	Intrissuscention	Volvalus	Conso Inknown	Kidney Disease, Acute,	Bright's	Chronic Bright's	Acute Nephritis			Tour Landson	Liver Acute Vellow At-	rophy

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

Table VII.—CAUSES OF DEATH, 1909.—Continued.

'TV.	TOT	3 186	5 42	34	4	-	3 20		e2		691 2	1 26	1 2	6 14	0 10	2 2	-	-	1 19	-
SEX.	떈	96	15	16		:	13	:	:		107	114			=			:	8	
SI	M.	90	27	15	ಬ	_	1		ಭ	:	62	12	-		:	<u>:</u>	:			
LEN.	For.	133	26	22	ಣ		14	:	2	:	80	14	7	00	4	2	:	:	14	
PARENT-AGE.	Am.	53	16	12	П	:	9		_		89	12	:	9	9	:	-	_	3	-
ITY.	For.	11	-	4	ಣ	П	9	:	-	:	74	13	:	:	4	:	:	:	13	
NATIVITY	Am.	175	41	30	П	:	14	_	2	_	95	13	2	14	9	7	_	-	9	-
Dec.	ᄄ	-		_	:	:		:		:	9	ಣ	:	22	•	:	:		-	
Ď.	M.		ಣ	2	:	:	:	:	:	:	9	2	:		:	:	:	:		
Nov.	<u>F</u>		2 5		:	<u>:</u>		<u>:</u>	:	:	8		:		<u>:</u>	2	:	<u>:</u>	4	
					-	•	-	·			<u> </u>		•		·	•		•	•	
Oct.	M. F		2			:	-	-:	-:	•	ಸ್	2	<u>:</u>	<del>د</del>		•	•	•		
ئ	F	· :	4	2	•	•	•	-	•	· ·	01	:	•		•	•	•	:	•	_
Sept.	M.	2	ಣ	:	:	_	:	:	:	:	3		:	:	:	:	:	:		
Aug.	[E]	9		2	:	:		:	:	:	00	:	:	:	-	:	:	:	+	
¥.	×	4	3	4		:	:	_:	_:		50	:	:	:		:				
July.	Fi	510	2			:		:	•		0			. :				:		
j	M		1 2	3 2			2		_	:	8				•	:				
June.	M. F	318	4	7		•		· ·			35	-		•						
	F. 1	8 1	_		•	•	-		<u>·</u>	•	00	-	•		<u>67</u>	-:	•	<u>.</u>	-	
May.	M.	22		_			_	:			_	•	- :	_			:	:	_	
rij.	Fi	13		:	-:	:	_		:		4	-	:	_	-	:			_	
April.	M.	Ξ		:	-		_	:	_	:	4	2	:	:		:	:	:	:	
Mar.	<u>F</u>	9	:	9	:	:	2	:	:	_	10	ಣ	:	:	_	:	·	:	2	
	M	4 16		_			.:	:	:	. :	10	2		2	:	_:	:	:	2	
Feb.	M. F.	101				<u>:</u>	2			<u>.</u>	7 14	ന — .	_		2			-	:	
	H	7		ಣ	•		7	•	•	•	3	2	- :						~	
Jan.	M.	9	4	2	<u> </u>	-:	ಬ	:			_	7	-:-	•		•	-:		÷	-
									•	-:				- <u>·</u>			-			
				:	:	:	:					:		:	:	:		:		
H	i	:	:	:					:	:	:	:	al.	:	:	:	:	:	:	
EAT		:	٠.	:	:	:	:	:	:	:	:		rhe	:		a		:	:	A 4
Į.	4	:	npl	lal.	:	50	:	0		:		ntie	nor			cut	nus		:	
C.	2		Sir	Spir		liti		Hij	:		:	meı	Go	٠.	st.	, A	f A	:	:	
CAITSES OF DEATH	200	:	tis,	0.		nye	litis	of	:	:	:	Del	ia,	edia	Cys	itis,	B 0.1	r	:	
O.A.	5	les.	ngi	Cerebro-Spinal	tis.	eor	ard	Sis	7	tis.	ge.	ile	lm	Me	an (	eati	oma	dde	Sis	
		Measles	Meningitis, Simple	Cer	Myelitis	Osteomyelitis	Myocarditis	Necrosis of Hip	Jaw	Neuritis	Old Age	Senile Dementia	Opthalmia, Gonorrheal	Otitis Media	Ovarian Cyst	Pancreatitis, Acute	Papilloma of Anus	Bladder	Paralysis	*
	]	M	M		M		M	Ne		Ne	O	92	Op	Oti	OV	Paı	Pal	1	Par	Í

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

CATTSES OF DEATH	Jan.	Feb.	Mar.		April.	May.	June.		July.	Aug.	Sept.		Oct.	Nov.		Dec.	NATIVITY	TTY.	PARENT AGE.	F.F.	SEX		·1v
CACCED OF DEATH.	M. F.	M. F	. M.	F. M	Gri	M. F.	M. F.	M.	F. M	F.	M.	F. M	E	M. F.	. M.	[파	Am.	For.	Am.	For.	M.	Ei	тоТ
Paralysis, Bulbar	:	:	:	:		:	,	=	•		2			•	:	:	•	4		4	4	:	4
of Vocal Cords	*			:	:	•					-:	:	. :	-	:	:	:	-	:		-	-	:
Paresis	:			:	_	•		:	•			-	:	:	-:		2	-	Τ	2	-	7	3
Parotitis				-	•		:	:	•	•	•	•	*	•	-:	, .	:	-	:	П	•		-
Pellagra	- : :	:	:	-	:	:	:		•	-	_		:	- :	•		2	2	1	ಣ	2	7	4
Pemphigus, Neonatonum	= :	:	:	:	:	-:	:		:	:	· :	:	:	:	:	:	3	:	_	2	2	-	ಣ
Pericarditis				:	•		:				-	_	•	•	•		ಣ	-	-	9	7	2	4
Periostitis	*	•	•		:	:	:		•	-		•	:	:		:	H	•	:	-	:	1	_
Peritonitis, Idiopathic	:		1 1	<u>:</u> :	:	<u>:</u>	_ <del>:</del>			:		1 1			Ĺ	:	7	က	ිඟ	7	10	70	10
Pertussis	٠. 	~	1 4	2 6	50	= :	2	4 4	2	2 5	2	2 1		10	2 1	2	55	-	29	27	27	29	99
Phlebitis	:	:		:	:	:		:	•			-		:		:	7	:		:	:	_	
Pleurisy.		-	1 3		2	:	2	:	:	:	2	:	_	:	:	3	0	10	20	14	11	00	19
Pneumonia	62 53	3 53 48	80	60 59	46	37 31	19 18	5 14	1111	3 5	6 1	0 15	100	34 21	1 40	31	528	253	287,4	494 4	132 3	349 7	181
Broncho.	21 22	181	5 20	21 15	25	13,17	13	5 6	5	5 7	4	1 12	6	7	14 17	20	268	44	1171	195	151	161 3	312
Poliomyelitis		-:	:			-:	2	9	ಣ	6 5	7	7	10	•	1 2	20	44	2	22	24	24	22	46
Pott's Disease of Spine	:	:			:		-	:	:		•	:	—	····	<u>:</u>	_	1		က	50	4	4	$\infty$
Prostate, Hypertrophy of			:		•	: ന	. 2		:		-		:	<u>.</u>	-	:	15	9	14,	1	21	:	21
Purpura Hemorrhagica		:	:	-	:	-:	· ·	_;	:	:	•	:	:	· :	<u>:</u>		2	:	2		2	-	7
Pyemia (cause unknown)	:	· :				- :-	<u>:</u>	<u>:</u>	<del>-</del> :	:	· ·			_ :	<u>:</u>		H	-:		<u>:</u>	:		<u></u>
				-																			

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

TABLE VII.—CAUSES OF DEATH, 1910.—Continued.

CATISES OF DEATH	Jan.	Feb.		Mar.	April.		May.	June.		July.	Aug.		Sept.	Oct.		Nov.	A	Dec.	NATIVITY	VITY.	PARENT-	AGE.	38	SEX.	VIV.
CITATION OF DESCRIPTION	M. F.	M.	F.	M. F.	M.	F. M	Fi	M. F	M.	뇬	M. F	. M.	F	M.	- F4	M. F.	M.	压	Am.	For.	Am.	For.	M.	Ë	ToT
Suicide by Drowning	:				-	•	:	<del></del>		-	-	:	-		· ·	<u>:</u>	:		7	4	4	1	9	5	11
Hanging		<del></del>	•	•		1 3	:	:	2	:	•	-:	:	<u></u>	•				00	9	9	00	12	2	14
Illuminating Gas	<u>:</u>	2	-	:		_	:	2	·:	7	2	<u>:</u>	-	:	-		-		0	20	9	00	10	4	14
Jumping from Window		:	•	<u>.</u>	:	-:	:	:	•	:	·	<u>:</u>	:	:	•	<u>:</u>	:	-:	:	Н	:	_	:	-	I
Shooting	.:		:	-	9		-	2	1 3	:	<del>.</del>			4		-:	_	:	17	1	14	10	22	2	24
Poison, Arsenic	:	:	:	•	:	•	:	-	:	:	•	<u>:</u>	:	•	•	:	:	:	_		-	:		:	
Carbolic Acid	:	:	•	:	:	:	:	•	:	:	· ·	•	:	:	•	-:		:	:	-		_	_	:	-
Cyanide Potassium	:	_		:		_	:	:	:	:			:	:	•	:	:	:	2	ಣ		4	50	:	20
Paris Green	:	:	•	:	=		:		:	· ·	•	-:	:	:				:	_			_	2		2
"Rat Poison"	:	:	· :	:	:	:	:	:	:	:	•	_:	:	<u>:</u>	•		:	:		:	T		:	:	1
Strychnine	:		:	<u>:</u>	:	:	<u>:</u>	:	_:	:		<u>:</u>	:	<u></u>	•	_:	:	:	:	-	:	-		:	_
Sulphuric Acid	:		•		-		:	•	:	:	•	:		:	•	•	:	:	:	Н		Ħ	1	:	
Syphilis		7—1	•	•	2		:		•	-	-	<u>:</u>	7	:	-	:	ಣ	-	0	4	9	7	0	4	13
Congenital	2 1		2		:	-		2	-	-	-		:	2	·		2	:	20	:	10	10	12	00	20
Tabes Dorsalis	:		-	:	•	•	:			:	<u>:</u>	:	:	:	-	-	:	:	•	2	:	2	2	:	2
Tonsilitis	:				:	•	:	:	-	<del>-</del>	-	:		-			*	:	20	2	70	2	ಣ	4	1
Tuberculosis, General	:	_	_	1	•		_ :	:			-	3	:				_	:	14	7	9	10	10	9	16
Miliary	:	:	:	:		-	_:	-	:			:	:	:	•	:	:	:	4	2		10	ಣ	3	9
Pulmonary	41 26	26.46	26 40	0 31	493	34 38	45	35 26	32	314	49 29	30	27	382	28 39	30	26.35		472 356		207	621	463 365		828

TABLE VII.—CAUSES OF DEATH, 1910.—Concluded.

CALIFORN OF DEATH	Jan.	Feb.	Mar.	April.	May.	June,	July.	Aug.	Sept.	Oet.		Nov.	Dec.		NATIVITY.	FARENT AGE,	E. E.	SEX		ΥP.
CAUSES OF DEATH.	M. F.	M. F.	M. F.	M. F.	M. F	M. F.	M. F.	M. F.	M.	F. M.	F. 'M	1. F.	M. F	. M.	Fi	M.	Pi	M.	-	ToT
Tuberculous Arthritis	:				:		:			:	:	:	:			:			:	-
Enteritis		:			:		3 4 1	2	2	:	-		:	1 1	5 4	50	14	9	13	19
Glands, Lymphatic	:	:		<u>:</u> 	:	:	:	:	:	•	-	:	:			_	-	:	2	2
Hip Joint		:	:	:		:	-	•	:				•		•	:	_	:		_
Larygitis		1		:	- 0	:	:	:	•				•		2	-	2	-	7	က
Meningitis.	4	×	4	7 4 8	9	5 6 4	1 3 2	4	_:	2 3	-	es .	2	8 79	9 6	30	55	36	49	85
Peritonitis.	:		2	:	:		:		2	1 2	:	:	-	1	3	4	6	00	70	13
Tumor of Abdomen	:	:	:	:	:	:	:	- :	_	:	:	-	:	:		:	2	-	-	7
Brain		:	-		H	:		:		. 2	:	-	1	$1 \parallel 10$	3	7	9	1	త	13
Maxillary Sinus		:			•	:	:	:		:	:	:	:	:		:	-	:	_	-
Spine	0 0 0	:		•			=				•	•	•	-	: : :	<del></del>	:	-	•	-
Typhoid Fever	4		9	2 3 ]	:		9	3 6	3 6	5 6	70	2	4	2 37	2 38	28	47	51	24	72
Umbilicus, Septic Infection.			•	:	:		:	:	<u>:</u>	:	:	:	:		4	_	က	03	2	4
Varicella	:	:	=	:	:	:	:	:	:	:	:	:	:	-	:	:			:	_
Varicose Ulcers of Leg	:	:	-	:	:	:	:	<u>:</u>	<u>:</u>	•	:	:	:		2 1	2	-	2	-	ಣ
Varicose Veins in Leg, Hem-																				
orrhage	:	:	:	:	:	:	:	· :	:-	:	:	:	:	:	-	:	<del>-</del>	:	<del>,                                    </del>	
Veins, Ruptured, in Thigh.		: ~	: -	. 6			: =	: 0	- :	: 01	: -		· ~	1 95	1			1 0.7	: 0	1 26

TABLE VIII.—CAUSES OF DEATH, 1910.

Arranged Alpbabetically; Showing the Number of each Sex who Died from each Cause, in each Period of Life.

VT.	гоТ	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
SEX.	[ <del>_</del>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SE	M.	148611111111111111111111111111111111111
Age not stated.	Ę	
A D	M.	
90 and over	M.	
80 0 90.	F	
+2	F. M.	0
70 to 80.	M.	: :H : :H : : : : : : : : : : : : : :
60 0 70.	F	
+	F. M	
50 to 60.	M.	H
40 to 50.	L. F.	
	F. M	
30 to 4(	M.	10.1 11.1 13.8 23.8 23.0 11.1 11.1 11.1 11.1 11.1 11.1 11.1 1
20 30.	E.	: : : : : : : : : : : : : : : : : : :
¥	. W.	# 55 · · · · · · · · · · · · · · · · · ·
15 to 20.	M. F	
10 15. t	F	::::::::=a::::=a::::::=
9	F. M.	
5 to 10	M.	ρ; : +Ω : +Ω - Ω - Ω - Ω - Ω - Ω - Ω - Ω - Ω - Ω
4.	124	
4, to	F.	· · · · · · · · · · · · · · · · · · ·
3 to 4	M.	
2 to 3.	1. F.	
	F. M	::::::::::::::::::::::::::::::::::::::
1 and under 2.		4
Under 1.	Fi	
Un	M.	i i i i i i i i i i i i i i i i i i i
CAUSES OF DEATH.		Abseess of Abdominal Wall Brain Liver Lung (non-tubercular) Neck Pancreas Prostate Gland Spleen Pelvic Perinephritic Pharyngeal Abseesses, Multiple Accidents, Asphyxia Automobile Burns and Scalds Drowning Electric Car Electric Shock Elevator Exposure to Cold Falls Firearms Heat Machinery Poison Railroad
CAL		Abscess of Al Brain Liver Lung (non- Neck Pancreas Prostate G Spleen Pelvic Perirephi Pharyngea Abscesses, M Accidents, A Automobil Burns and Drowning, Electric of Electric

TABLE VIII.—CAUSES OF DEATH, 1910.—Continued.

*TV	ToT	49 118 118 118 12 12 138 138 138 138 141 141 141 140 140 140 140 140 140 140
J.	<u>F</u>	11211222122233333333333333333333333333
SEX.	M.	45. 11. 11. 12. 11. 12. 12. 12. 13. 13. 13. 13. 14. 15. 16. 16. 16. 16. 16. 16. 16. 17. 18. 18. 18. 18. 18. 18. 18. 18
ed.	<u> </u>	
Age not stated	M.,	
90 and over.	Œ.	
	F. M.	7. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.
80 to 90.	M. F	9 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 1
70 80.	굨	2 : : : : : : : : : : : : : : : : : : :
4	Σ.	1 · · · · · · · · · · · · · · · · · · ·
60 to 70.	I.	25 · · · · · · · · · · · · · · · · · · ·
50 60. t	E.M	1
45	M.	7 : 2 : : : : : : : : : : : : : : : : :
40 50.	프	6 - 4 : 6 : 11126
	F. M	· 는 · 한부 · · · · · 4000 · · · 는 · · · · · · · · · · · · · ·
30 to 40.	M.	υ · · · 4 · · · · · · · απα · · · · · · · · · · ·
	邑	
20 to 30.	M.	4
15 20.	Fi	
Č.	M.	T : : : : : : : : : : : : : : : : : : :
10	<u>F</u>	10 · · · · · · · · · · · · · · · · · · ·
5 10. to	F. M	н : н : : : : : : : : : : : : : : : : :
40	M.	ο : <u>μ</u> : : : : : : : : : : : : : : : : : : :
4 to 5.	<u>F</u>	
	F.	
to 4	M.	H:::::::::::::::::::::::::::::::::::::
2 to 3.	Fi	
	M	
1 and under 2.	F1	
	I. M	
Under 1.	-	
1 -	M	
H H		
AT		the m m like
DE		rrhs vas.
CAUSES OF DEATH.		Accidents, Various Other. Addison's Disease Adenitis, Cervical Alcoholism. Emyloidosis, Enteric Anemia, Pernicious Subclavian Applexy Cerebral Hemorrhage Appendicitis Arterio Sclerosis Arthritis Deformans Arthritis Deformans Arthritis, Infectious Brain Softening Concouli, Renal Cancer of Abdominal Viscera Axilla Bladder Brain Brain Colcouli Brain Colcoun Chest Colon Colcoun
SES		No. 1 April 19 April
CAU		supposed to the supposed to th
		ccidents, V ddison's D denitis, Ce leoholism. myloidosinemia, Per neurism of neurism of Subclavian negina Pect neurism of Subclavian negina Pect poplexy. Thritis Del thritis
11		Call British Ar Ar British Call Call Call Call Call Call Call Cal

TABLE VIII.—CAUSES OF DEATH, 1910.—Continued.

VT.	тоТ	
	표.	: : 0 = 4 & : : 52 = : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & : 1 & :
SEX.	M.	100 : 1100 100 00 100 100 100 100 100 10
ed.	SEE	
Age not stated.		<del> </del>
	F.	· · · · · · · · · · · · · · · · · · ·
90 and over		1
	FM	
80 to 90.		· · · · · · · · · · · · · · · · · · ·
+ _	F. M	
70 to 80.	M.	· N= · · · · · · · · · · · · · · · · ·
0.0	F. A	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
60 to 70.	M.	·=4 · · · · · · · · · · · · · · · · · ·
11 42 1	E.	
50 to 60.	-	.dw
4	F. M	
40 to 50.		
	F. M	
30 to 40.		
	M.	
20 0 30.	<u>F</u>	
2 2	M.	
15	Œ	
t 03	M.	
10	j±,	
to 10	M.	
5 10.	F	
to 55	M.	
4 0 5.	Ŀ	
<b>1</b> ₹ 3	M.	
4	F	
3 to 4	M.	
	E	
to 3	M.	
er	দ	
1 and under 2.		
Under 1.	Į.	
ğ	M.	
H		
ATI		
)E/		
E4		
0		In the second se
SES		Ellingen Service Control of Contr
CAUSES OF DEATH.		hage had been had bee
2		Cancer of Elbow Esophagus Face Forehead Gall Bladder Head Hip Inguinal Glands Intestine Jaw Kidney Larynx Lip Lip Liver Lung Maxilla Mediastnum Mesentery Mouth Neck Nose Omentum Ovary Pancreas Pelvic Bone Penis Prostate Gland Fylorus Rectum
		AND THE PROPERTY OF THE PROPER
		Ö

6

TABLE VIII.—CAUSES OF DEATH, 1910.—Continued.

.AL.	тоТ	3021334111	34 34 34 37 20 20 20 37 37 37 37 37
ایرا	댠	1 4 8 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	34 34 34 20 20 20 1181
SEX.	M.	2	191
Age not stated.	표		
Andreas	. W.		
90 and over.	M. F		
80 to 90.	H	::::::0::::::0::::::	
0.to	F.M.		· · · · · · · · · · · · · · · · · · ·
70 to 80.	M.		
60 0 70.	<u> </u>		
50 60. to	F.H	110	
	M		: : : : : : : : : : : : : : : : : : :
40 to 50.	M. F	222	
	E	1	13.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.
30 to 40.	. W.		219478
20 0 30.	- H		
15 20. to	F.		: : : : : : : : : : : : : : : : : : :
5	×	: : : : : : : : : : : : : : : : : : : :	: : : : : : : : : : : : : : : : : : :
10 to 15.	M.F		
5 10. t	E .		:
9	F. M.		
to 5.	M.		
3 50 4.	E.		
, e.j	F.M		
¥_	N.		
1 and under 2.	1. F		24
	F. M		1. 552
Under 1.	M.		2 5 671
			<u> </u>
	,	150 00	He
	CAUSES OF DEATH.		tum s sis nia cide
	T DE	re	par polisi hriti fonit icen al Ac
	S C	lexu lexu	Post Eml Nepl Peril Sept Pers Tpers
	E C	id F. S. in the second of N. of N.	age age ral ral ral Puer ritis nfar
	CA	Cancer of Shoulder Side Sigmoid Flexure Spleen Spleen Sternum Sternum Sternum Trigh Trigh Throat Tongue Tongue Tongue Consil Uterus Vagina Multiple Carbuncle on Neck Hip	orchage orchage Puerperal Embolism Puerperal Embolism Puerperal Septicemia Puerperal Septicemia Other Puerperal Accidents olecystitis olera Infantum olea Infantum litis (under 2 years)
		Cancer of Shoulder. Side. Sigmoid Flexure. Spleen. Sternum. Sternum. Sternum. Stomach. Testicle. Thigh. Throat. Tonsil. Uterus. Vagina. Multiple Carbuncle on Neck. Hip.	Childbirth, Post-partum Henorhage Puerperal Embolism Puerperal Embolism Puerperal Peritonitis Puerperal Septicemia Other Puerperal Accidents Cholecystitis Cholecystitis Cholera Infantum Cholera Louder 2 years)

TABLE VIII.—CAUSES OF DEATH, 1910.—Continued.

Under under 1 and 2 to 4. to 5. to 10, to 15, to 20, to 40, to 50, to 60, to 70, to 80, and and ared 1 and 1 to 2 to 10,	26 26 26	110 185	33.4	9	421	37	111	103	232	39	17	91	123	26	19	95	тоТ	Vr.
Under land 2 to 3, to 4, to 5, to 10, to 15, to 20, to 30, to 40, to 50, to 60, to 70, to 80, to 90, over, stated, land,	24 19 13	52 75	181	9	m ∞	20	ر ان ان ان ان ان ان ان ان ان ان ان ان ان	59	114	18	00	100	9	12	10	43	Ħ	så.
Under land when to 1 and land land land land land land land	13	58 110	15	: - 0	<del>-</del> 4	17	56	44	118.1	21	6	15	.9	14	.00	52 28	M.	SE
Under land when to 1 and land land land land land land land	: : :	: :	: :	: :	: :		:			:		•		: :	: :	: :	E	st ot ted.
Tilder   Land	: : :	: :	: :	: :	: :	:	:	: :	: :	:	: :	:	:	: :	: :	: :	M.	Ag
Under land wider wider to 3. to 4. to 5. to 10. to 15. to 20. to 30. to 40. to 50. to 60. to 70. to 80. to 90. to 90. to 30. to 40. to 50. to 60. to 70. to 80. to 90. to 90. to 90. to 37. 12 to 10.	: : :	<u>: :</u>	: :	- :	:::		: :	: :	: :	:	: _:	:	. :	: :		-::	_ Ei	nd nd 'er.
Under under to 3, to 4, to 5, to 10, to 15, to 20, to 40, to 50, to 60, to 70, to 80,	3 = :	: :		- : :		:	: :	: ::	: :	<u>:</u>	: :	_		- :		-:-:	2 1	
Under under to 3, to 4, to 5, to 10, to 15, to 20, to 40, to 50, to 60, to 70, to 80,	24								: :		: :	ن	- 0			: :		08 090
Norder   1 and   2   3   4   10   15   10   20   10   30   10   40   10   10   10   10   10   1	D 601-	: : 0	:-	<del>-</del> :-	: :	4		6		:		_		-	:	: :		
Norder   1 and   2   10   10   10   10   10   10   10	44 :	: : <		: : : -	<b>-</b> :	က -	: :		: :	:	: :	0	- 2		. ന	: :	×	_ t
Norder   1 and   2   3   4   4   5   10   15   10   20   10   10   10   10   10   10	400	: : ~	.2		_ ~ ~.	5.	: :		: :	:	: :	:		: :	-12	: :		60 70.
Under   Land	24 H			<del>- · ·</del>	. 67	7						-	-:		• •	· ·		+2
Norder   1 and   2   4   10   10   15   10   20   10   40   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   10   50   5	· - :	: :	. 60	<del>.</del> :	:=	ಣ	: :	111		:	-	4			: =	: :		50 60
Under land to 3, to 4, to 5, to 10, to 15, to 20, to 40, tu 2, tu 3, tu 40, 37 12 6	: :00	: :	:-	<b>-</b> :	- :	27	: :	1	: :	:	: :	:	:		: :	::		
Under   Land   2, to 3, to 5, to 10, to 15, to 20, to 30, to 1, to 15, to 20, to 30, to 1, to 1, to 1, to 1, to 20, to 30, to 1, to 1, to 1, to 1, to 20, to 30, to 1, to 1, to 1, to 1, to 20, to 30, to 1, to 2, to 30, to 1, to	7: 7	: :-	:	: :	:::	:	77	. 41	: :	:	· :	:	:	: :	:.;	: :	M.	- 3
Under under under to 3.         to 3.         to 5.         to 10.         to 15.         to 20.         to 30.         t           M.         F.         M.	1 1 1 1 1 1		.4			2		. 2		-		-:			: :		<u>H</u>	30
Under under to 3. to 4, to 5, to 10, to 15, to 20, to 30    M		: :	:	- :	: :		-	:		-	: :		:		: :	: :		
Under under to 3. to 4, to 5, to 10, to 15, to 20, to 20, to 3. to 4, to 5, to 10, to 15, to 20, to 40, 37 12 6    M.   F.   M.   M	<del></del> ന			• • •	• •					•					•		-	30.
Under under to 3. to 4. to 5. to 10. to 15.		: :						: 03		:		-			:	: :		+
Under land wider to 3.         to 3.         to 5.         to 10.         to 15.           M.         F.		: : :		- : :	- : - :		•			•					<del></del>		-	15
Under under to 3. to 4. to 5. to 10. to 2. d.	<del></del>	: : :	:00	: :	: :	:	4	:-	: :	:			=		: :	: :		
Under under to 3. to 4. to 5. to 10 log	: :-	: :	.2	: :	: :				: :	:	:	:	: :		: :	: :	M.	2 2
M. F.	· 22 ·		= -		: :				: :	<u>:</u>		:			:0	: :	=	186.0
Under land 2 4 4 4 4 6 4 6 5 6 6 5 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1					===		• •	•		•			· -			
Under land to 3. to 4.      No.   No		: :	<del>-</del> :	1 11	: :	:			: :	:		:	-		- 1-	•		
Under land to 3.    N.   F. M.   F. M.   F.	: : :	: :	:-		:_:	-			: :	:		:	-	0 1		: :		4,
M. F. M. F. M. F. M. F. J.	40H		: :		: :	-		-		<u>:</u>	: :	:			: :	: :	×	3
Under under under   1 and   2 and   2 and   2 and   3	407		<u>24 :</u>	·				<u> </u>		•			-					610
M. F. 40 37 26 177 2 12 12 12 12 12 18 11 11 11 11 12 12 18 11 11 11 11 11 11 11 11 11 11 11 11	* z* *	12	H :	: :	: :	2	10	: :		:	:	<del>.</del>		:	: :	907		
M. F. 40 37 26 177 2 12 12 12 12 12 18 11 11 11 11 12 12 18 11 11 11 11 11 11 11 11 11 11 11 11	: : :	10	- :	: :	: :	) .	3	: :	: :	:		:	1 :	: -	: :	22		1 an unde
Under Hand Control of the Control of	: : :	_		: :	: :				14	18	H OC		-	12	: :			
	::01	99	: ::	: :	: :	4	<del>-</del> دی		181	21	200		100	12	: :			Jnde 1.
TH.  2 years)  n  n  rged Labo  rgy  rry  rry  rrs)	: : :		-:		: :		:					-	: :	•			1 2	
CAUSES OF DEATH.  Colitis, Entero (under 2 years) Lieo (under 2 years) Lieo (under 2 years) Lieo (over 2 years) Convulsions of Children Croup, Spasmodic Cystitis Debility, Congenital Asyphxia Neonatorum Difficult and Prolonged Labor Injury at Birth Premature Birth Dermatitis Exfoliativa Diabetes Diabetes Diabetes Diphtheria Membranous Croup Dysentery Embolism, Arterial Cerebral. Pulmonary Embolism, Arterial Cerebral. Pulmonary Emphysema, Pulmonary Emphysema, Pulmonary Emphysema, Pulmonary Endocarditis Endocarditis Gastro (under 2 years)	Enteritis (over 2 years)  Gastro (over 2 years)  Epilepsy	Enteritis (under 2 years) Gastro (under 2 years)	Empyema.	Pulmonary Emphysema, Pulmonary	Embolism, Arterial	sentery	Diphtheria	rmatitis Exionativa	Premature Birth	Difficult and Prolonged Labo	omity, Congenitat	Cystitis	Croup, Spasmodic	Lieo (over 2 years)	itis (over 2 years)	itis, Entero (under 2 years)		CAUSES OF DEATH.

TABLE VIII.—CAUSES OF DEATH, 1910.—Continued.

"TV	ToT	10 10 11 11 11 11 11 11 11 11 11 11 11 1
	FT,	2000 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5
SEX	М.	23.66 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Age not stated	<u>H</u>	
	F. M	
90 and over	M.	::::::::::::::::::::::::::::::::::::::
80	Fi	
	M.	1
70 80.	I. F	
1 4 1	F. M	нн : : : : : : : : : : : : : : : : : :
60 to 70.	M.	H
50 60.	ഥ	00000 Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q
45		· · · · · · · · · · · · · · · · · · ·
40 to 50.	A. F	212:
التسميد	F.M	
30 to 40.	M.	: : : : : : : : : : : : : : : : : : :
ii	H	0 : : : : : : : : : : : : : : : : : : :
20 to 30.	M.	2 :
20.	Fi	: : : : : : : : : : : : : : : : : : :
2_	M.	H : : : : : : : : : : : : : : : : : : :
10	F	
10. to	F.M	
5 to 1	М.	: : : : : : : : : : : : : : : : : : : :
_ 10	E.	
to	M	
3 to 4	A. F	
0.3	F. M	
to to	M.	
1 and under 2.	E.	
un in	M.	
	F	
1	M.	: : : : : : : : : : : : : : : : : : :
CAUSES OF DEATH.		Erysipelas of Face Head Leg. Neck Side General Fibroids of Uterus Fistula in Ano Gallstones Gangrene of Foot Leg. Gastric Ulcer Gastric Ulcer Exopthalmic Heart Disease, Organic Fatty Degeneration Hypertrophy Valvular Hemiplegia Hemophilia Hemophilia Hemophilia Hemophilia Pulmonary (No T. B.) (Newborn) from Intestines Stomach Umbilicus
		Erysipelar Head Leg Side General Fibroids of Gallstones Galfstones Galfstones Gargrene Gargrene Gargrene Gargrene Gargric UI Gastric UI Froph Heart Dist Fraty D Fra

Table VIII.—CAUSES OF DEATH, 1910.—Continued.

AL.	тоТ	20 20 20 20 20 20 20 20 20 20 20 20 20 2	10 10 11 13 13 14 18 18 18 18 18 18 18 18 18 18 18 18 18
SEX.		25.25.25.25.25.25.25.25.25.25.25.25.25.2	22.4 84.2 84.2 84.2 84.2 84.2 84.2 84.2
	M	9 117 117 117 117 117 117 117 117 117 11	114 269 269 269
Age not stated	F4		
-	F. M		* * * * * * * * * * * * * * * * * * * *
and over	Ä		
80 to 90.	<u> </u>	β β α	<u> </u>
70 ' t	F. M	: = : : : : : : : : : : : : : : : : : :	12010
4	M.		661722: 1:
60 0 70.	f. F.	7. 11	
50 0 60. to	F. M	010000000000000000000000000000000000000	10 5 2 40 48
		1 :12 :0 : . :01 : :2 : : :01	1011
40 to 50.	M. F		300000000000000000000000000000000000000
· ·		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
30 to 4(	M.	7. 1	22 22 22 22
20 0 30.	Fi	::::::::::::::::::::::::::::::::::::::	15 to 12 to 15
2 2	Ä.		<u> </u>
15 to 20.	F.		
10 15. t	F.M		· · · · · · · · · · · · · · · · · · ·
٠ ٢٤	.M		::::::=
5 to 10	M. F		T: : : : T: :
- CO	E.		* * * * * * * * * * * * * * * * * * * *
- g	. W	::::::::::::::::::::::::::::::::::::::	
3 to 4	M. F	<del>iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii</del>	
3.	F	: : : : : : : : : : : : : : : : : : : :	
<del></del>	. W.		
1 and under 2.	[. F	· · · · · · · · · · · · · · · · · · ·	: : : : : : : : : : : : : : : : : : : :
	F. M	331257	<u></u>
Under 1.	M. ]	1 : : : : : : : : : : : : : : : : : : :	· · · · · · · · · · · · · · · · · · ·
CAUSES OF DEATH.	K	isease	hesions Fecal Impaction Intussusception Volvulus Cause Unknown Kidney Disease, Acute, Bright's. Chronic Bright's. Acute Nephritis Chronic Nephritis
D		Hernia* Femoral Inguinal Umbilical Hodgkin's DHomicide Hydrocephal Icterus Neon Indigestion, Chronic Influenza Insanity, Co Delusional Dementia, Ac Mania, Ac Mania, Ac Mania, Ch Paralysis.	Feca Intus Volv Caus Kidney Chrol Acut Chrol

Indefined.

Table VIII.—CAUSES OF DEATH, 1910.—Continued.

•uva	ToT	22000000000000000000000000000000000000
		4228212 1121 12428621 121 121 12428
SEX.	F4	
	M.	8414 :01220
d.	[2]	
Age not stated		
	F.M	
90 and over	- N	
	E.	
80 to 90.	M.	::: <del>:=</del> ::::::::::::::::::::::::::::::::
70 0 80.	[H	: :: : N : H : : : : : : : : : : : : : :
70 to 8	M.	::: <sup>©</sup> :::::::::::::::::::::::::::::::::
60 0 70.	Œ	
66	M.	1 10 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
50 0 60.	1	
42	M.	
40 50.	1	
4 s	X	
30	Fi	
\$ 3	M.	
0.	Fi	
20 to 30.	M.	
20.	<u>F</u>	
15 to 2	M.	
53	F.	: ::::::::::::::::::::::::::::::::::::
100	M.	
0	E	[N : H : ] : ] : : : ] : : : : : : : : : :
to 1	M.	: : : : : : : : : : : : : : : : : : :
200	Fi	
4 03	M.	
4.	됴	
to to	M.	H
3.5	Fi	527
to 2	×	
1 and under 2.	드	
l a	X	H : : : : : : : : : : : : : : : : : : :
er	F	21:::::::::::::::::::::::::::::::::::::
Under 1.	M.	
	24	
EA.		i : ₹ : : : : : : : : : : : : : : : : :
P		e, I le.
O.		Yell Yell Xell Xell Xell Xell Xell Xell
(E)		Spin Sin Hilling
CAUSES OF DEATH.		ttis.  ia
CA		aryngitis  ver, Acute Yellow Atrophy Cirrhosis  Hypertrophy ocomotor Ataxia.  upus Yulgaris alaria. alassimilation (under 3 mos. alassimilation, Imperforate Anu Bille Duct. Encephaloce Esophagus. Foramen Ovale, Patent. Heart Kidney  Meningocele Mouth Spina Bifida astoiditis. Simple Cerebro-Spinal velitis. Cerebro-Spinal velitis. ecrosis of Hip ecrosis of Jaw euritis
		Laryngitis Leukemia Liver, Acute Yellow Atrophy Cirrhosis Hypertrophy Locomotor Ataxia. Lupus Yulgaris Malaria. Malassimilation (under 3 mos.) Malformation, Imperforate Anu Bile Duct Encephaloce. Esophagus. Foramen Ovale, Patent. Heart Kidney Meningocele. Mouth Spina Bifida Mastoiditis. Measles. Measles. Measles. Mesilis. Osteomyelitis. Nyclitis. Necrosis of Hip Necrosis of Jaw Neuritis.
1]		ZZZZ Z ZZZ Z ZZZZ

TABLE VIII.—CAUSES OF DEATH, 1910 —Continued.

		69840811614181484109161888181
	ToT	262 100 100 100 100 100 100 100 100 100 10
SEX.	땬	107 101 100 101 101 101 101 101 101 101
88	Z.	622 123 124 141 111 125 127 127 127 127 127 127 127 127 127 127
ste ot ted.	년.	
Age not stated	M.	
er.	Fi	44 : : : : : : : : : : : : : : : : : :
and over	Ä.	
80 0 90.		14. 0 4 4
42	F. M	888 : 24 : 124 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 114 : 1
70 to 80.	M.	00 · · · · · · · · · · · · · · · · · ·
60 70.	压	444 : 44 : 15 : 16 : 17 : 17 : 17 : 17 : 17 : 17 : 17
7	M.	3 3 3 4 4 5 5 5 5 5 5 6 5 6 5 6 6 6 6 6 6 6 6
50 60.	[ E	
0. to	F. M	::::::::::::::::::::::::::::::::::::::
40 to 50.	M.	: := : : : : : : : : : : : : : : : : :
0.	표.	:::H0HH:::::::::::::::::::::::::::::::
30 to 4	M.	: : : : : : : : : : : : : : : : : : :
20 30.	Fi	
to 30	M.	
15 20.	Fi	
3	M.	
10 to 15.	M. F	
0.	E	::::::::::::::::::::::::::::::::::::::
to 1	M.	
4 to 5.	124	
	F. M	· · · · · · · · · · · · · · · · · · ·
8 of 4	M. I	
3.	E	1031:55:55:55:55:55:55:55:55:55:55:55:55:55
<del></del>	M.	
1 and under 2.	퍈	::::::::::::::::::::::::::::::::::::::
1 m	ĭ.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Under 1.	F4	
Un	M.	
TH		WWD.
OEA		thicknown was again with the sagain was again when a sagain was again was ag
)F 1		notice the control of
SS		Good Good Good Good Good Good Good Good
CAUSES OF DEATH.		mia ledina di ledina di ledina di ledina di le ledina di le le ledina di
CA		Old Age. Senile Dementia. Opthalmia Gonorrheal. Otatis Media. Ovarian Cyst. Pancreatitis, Acute. Papilloma of Anus. Bladder Paralysis. Agitans Bulbar. of Vocal Cords. Peresis. Perotitis. Perrotitis. Perrotitis. Perioatitis. Prostate. Broncho. Poliomyelitis. Pott's Disease of the Spine. Prostate. Hypertrophy of Purpura Hemorrhagia. Pyemia (cause unknown).
		Did Span Span Span Span Span Span Span Span
П		TO COOME M MANAGEMENT TO THE TOTAL T

TABLE VIIIC,—AUSES OF DEATH, 1910.—Continued.

Vr.	тоТ	22
	E4	
SEX	M.	120 22: 100 22: 100 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22: 110 22:
	_	
Age not stated	H	
st	W.	
90 and over.	E4	
	F. M	
80 to 90.	M	
70 80. t	F	: :::::::::::::::::::::::::::::::::::::
ŭ	M.	
0 70.	E	: : : : : : : : : : : : : : : : : : :
+ 1	M.	:::: - :::: :::::::::::::::::::::::::::
50 60.	<u>F</u>	
	- N	О . <del>—</del> <del>—</del>
40 to 50.	T. F	· · · · · · · · · · · · · · · · · · ·
	F. M	-4 · · · · · · · · · · · · · · · · · · ·
30 to 40.	M.	::: H ::::::::::::::::::::::::::::::::
	F.	· · · · · · · · · · · · · · · · · · ·
20 0 30.	-	
	M	
15 20.	F. F.	
0 15. to	F. M	et d <del>a di kij</del> di laat <del>ji bij gibb</del> ditti d
10 to 1	M.	
5	Fi	
to 2	M.	:::::::::::::::::::::::::::::::::::::::
5.	Fi	
to 4	M	
3 4.	F4	
to 3	F.	
to 3	M.	
- J	E	: : N : : : : : : : N : H : : : : : : :
1 and under 2.		4
	. M	
Under 1.		
D	M	
TH.		central fractions of the contractions of the contraction of the contractions of the contraction of the contraction of the contraction of the contr
EA		m mind ind
E C		se du line.
0		Groom A A A A A A A A A A A A A A A A A A
SE		issm issm issm of control issm issm issm issm issm is control in control is control in c
CAUSES OF DEATH.		the property of the property o
		Pyelonphrosis Rachitis. Rachitis. Rachitis. Rheumatism, Acute Chronic Rubeela Sarcoma of Groin Maxilla Tibia Osteo of Hip Scables, General Septicemia Scarlet Fever Formating Gas Jumping from Window Shooting Poison, Arsenic Carbolic Acid Cyanide Potassium Paris Green "Rat Poison" "Rat Poison"
		SASSESS SECONDARY SECONDAR

Table VIII.—CAUSES OF DEATH, 1910.—Concluded.

.AAT	оТ	7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16	328	19	- 00 co	2 CZ F	12	4-0	, <del>,,</del> ,,	36
	E	: :400	:40 K	65 8	202	40 40	0-10	1 24	01 <u>: L</u>	<del></del>	-6
SEX.	M.	120.		463 3 1 .	9	36	210	51	01 H 07	<u>:</u>	27
70 80 90 Age over, stated	F. M. F. M. F. M. F.			9 1 2							1
40 50 to 60 to 70 to	M. F. M. F. M. F. M.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		87 60 56	: :		2 2 2 1	6 3 5 2 2 1 1	1 2		4 2 2 2 1 2
15 20 30 to 40.	F. M. F. M. F.	4	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	33 99 104 123	10 :- - - - - -		2 2	7 2 17 5 7			1 3
4, to 5, to 10, to 15, t	E. M. F. M. F. M. F. M.			2 2 1 1 3 2 11 28		8 4 1 4 1 4					
Under 1 and 2 3 to 1.	F. M. F. M. F. M.	2	4	2 3 5 3 2 3 1	1 2 1 2	8 17 8 10 3 6 3	1 2 1		101-		10 4 2 1
CAUSES OF DEATH,	M	Suicide by Strychnine Sulphuric Acid Syphilis Concential	Tabes Dorsalis. Tonsilitis. Tuberculosis, General.	Miliary Pulmonary1	Enteritis	Hip-joint Laryngitis Menngitis	Peritonitis. Tumor of Abdomen.	Maxillary Sinus.	Unbilicus, Septic Infection of Varicella Varicella Varicella Varicella Incers of Leg	Variose Veins in Leg, Hemorrhage Veins, Ruptured in Thigh	Conso Unknown

Table IX.—CLASSIFICATION (REVISED INTERNATIONAL) AND PERCENTAGE, 1910. Mortality in the State and in Each Division Ascribed to Each Cause and Class of Causes.

	Bristol County.	22.46	10.77	10.46	17.54	16.62
	Kent County.	32.39	9.70	9.70	13.28	13.38
ON.	Newport County, Towns	18.32	10.47	13.61	11.00	17.28
Division	Newport City.	22.98	9.40	14.36	16.97	10.44 17.28
EACH	Providence County, Towns.	24.10	9.04	9.94	16.16	16.67
DEATHS IN	Central Falls.	22.25	5.92	5.35	19.44	26.20
OF DE	Cranston.	32.23	18.23	14.73	7.18	8.29
Percentage of	Opposer.	N ME	Die	11.64	15.39	14.42
Perce	2 viden gelity.	= B- <b>2</b> %1	914	12.98	14.19	13.61
	Woonsock t.	66.93	6.23	7.67	14.86	23.96 1
	Washington County.	0. 0.	12.19	4.43	15.17, 1	11.44 2
le State.	Percentage in the Who	25.09	09.6	11.80 14.	14.49 1	14.85 1
	CAUSES OF DEATH	I, 2,333 General Diseases	II. 893 DISEASES OF THE NERVOUS STSTEM AND ORGANS OF SPECIAL SENSE.	III. 58'1,097 Diseases of the Circulatory System.	I,347 DISEASES OF THE RESPIRATORY	V. 46 1,381 Diseases of the Digestive System.
	Whole State.	2,333 (	893 1	   1,097   	,347 D	381 D
-	Washington County.	- 12-	49		61,1	1,
fstor	Woonsocket.	169	39	48	63	20
H DIVISION	Ртоуіделес Сісу.	1,000	360	517	565	542 150
EAC	Pawtucket.	180	. 62	96	127	119
STAT	Cranston.	79 175 180	66	80	39 1	45 1
THE	Central Falls.		21	19	69	93
DEATHS IN EACH OF THE STATE.	Providence County, Towns.	240	06	66	161	166
OF	Newbort City.	000	36	22	65, 1	40 1
NUMBER OF	Newport County, Towns.	35	20	26	21 (	
NOW	Kent County.	217	65	65	68	93
	Bristol County.	73	355	34		54

1910.		CUA	ASSIFICAT	TION A.	ND PER	CENTAC	æ.		51
6.46	.62	:	•	2.15	4.00	1,54	7.38	:	00.00
4.63	1.19	.45	:	1.19	5.37	3.28	4.78	.15	100.001
5.24			. 22	1.57	7.33	5.24	9.42	:	100.00
6.79	.26	.26		1.57	5.48	6.01	7.0 84.00		100.00
7.43	09.	.30	.20	08.	4.62	3.21	6.53	.40	100.00
5.07	1.13		.28	.56	8.17	1.97	3.66	:	100.00
6.81	.74	.55		1.11	2.40	4.60	2.76	.37	100.00
8.97	76.	.24	.12	1.33	7.15	2.55	5.46	.36	100.00
8.87	1.23	.33	.20	02.	80.9	88	6.23	09.	100.00
8.15	. 32	.32		.48	6.23	96.	3.51	.32	100.00
11.19	.75	.50		1.24	5.47	2.74	5.72		100.00
2.96	. 93	.31	. 14	.94	5.74	2.10	5.66	.39	100.00
740 Non-Verereal Diseases of the Genito-Urinary System and Adnexa.	VII. 87 THE PUERPERAL STATE	VIII. 29 DISEASES OF THE SKIN AND CEL- LULAR TISSUE.	IX.  13 Diseases of the Bones and of the Ordans of Locomotion.	X. 87 Malformations	534 Early Infancy	195 OLD AGE	526 ENTERNAL CAUSES	XIV. 36 Ill-Depined Diseases	626 402 9,298 TOTAL NUMBER OF DEATHS 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00
45	m	22	:	īŪ	22	11	23	:	402
51	- 23	01	:	60	39	9	22	7	626
353	8 49	2 13		288	9 242		248	24	325 670 191 383 996 355 543 825 3,982
7 74	4	~ -		6 11	13 59	25 21 -	15 45	~~~~	382
8 37	4 -		:	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	29 1		13 1		5.54
74 18	9	· · ·		- 00	46 2	32	65 1		16 35
		-		9					3 99
10 2			:	m	14 21	10 23	18 21	:	1 38
	:								19
	00	· ·	:		3 36	5 22	32		5 670
21	C)	:	:		13		24	: 1	325

Table IX.—CLASSIFICATION AND PERCENTAGE, 1910.—Continued.

	Bristol County.				:	6.15	.31	:	1.23	1.23	:	5 .31	:		<u>:</u>
	Kent County.			.75	.15	4.33		1.34	.75	1.04	.45	.45	:	:	:
SION.	Newport County, Towns.			2.61	:	:	:	:	.52	.52	_:	:		:	<u>:</u>
Percentage of Deaths in Each Division.	Newport City.			1.31	:	.26	.26	.78	.52	.26	:	. 52	.26		
1 EACE	Providence County, Towns.			.30	.10	1.10	.20	.50	2.61	1.41	.30	.10	:	.10	
THS ID	Central Falls.			1.13	:	1.41	.56	.56	1.13	.84	.84	.28	:		
F DEA	Cranston.			.37	:	1.29	:	.18	.74	1.11	.74	18		. 55	.74
AGE O	Pawtucket.			.48	:	1.58	:	.36	09.	.36	1.09	. 24	.12		*
RCENT	Providence City.			1.00	.03	1.98		.73	1.16	.45	.20	.13	.03	.05	
PB	Woonsocket.			.80	.16	3.35	.16	.64	4.31	:	.48	:	:		
	Washington County.			.50	:	:	:	:	.50	.75	1.00	.25	:	.25	:
le State.	Percentage in the Who			.81.	.04	2.00	.24	.60	1.36	.65	.40	.18	.03	.08	.04
	CAUSES OF DEATH.	Ţ	GENERAL DISEASES.	1. Typhoid Fever	4. Malaria.	6. Measles	7. Scarlet Fever	8. Whooping Cough	9. Diphtheria and Croup	10. Influenza	14. Dysentery	18. Erysipelas	19. Other Epidemic Diseases	20. Purulent Infection and Septicemia.	26. Pellagra
				7.5	4		22	56		60 1	37 1	17 1	3 1	7 2	4
	Whole State,			2 7		. 186			2 126	3 6	4	1.1		_	
TON	Washington County.			5		21		- 4	27	~.	~	:	:	-:	-:
EACH DIVISION STATE.	Woonsocket.			40	H	- 62	15	56	46	18	00		<u></u>	2	-:
H H H	Pawtucket. Providence City.			44	-:	13			10	3	- 6	- 67	-		
EAC	Cranston.			2	-	1			4	9	4		:	ئ	4.
l a a	Central Falls.		-	4		- 10	- 67	7	4	ಣ	 	-	:	:	
NUMBER OF DEATHS IN	Providence County, Towns,			ಣ	=	11	2	70	26	14	(1)		:	-	
F D	Newport City.			70	-	H	-	3	23	-		. 23	_	:	-
BER O	Newport County, Towns.			ıc					-	-	:		:	:	:
CME	Kent County.			10	-	29		0	20	~	ಣ	` ro	:	:	- ;
	Bristol County.					20	-	' :	4	-41		-	:	:	:

FIFTY-EIGHTH REGISTRATION REPORT.

5.85	:	.92	:	:	:	:	:	:	.31	:	.31	1.85	1.23	:	.31	:	.31	:	.62	:	.92	:	:	:
3.14 13.43	09.	1.19	H.	:	:	:		.45	.75	:	.45	1.79	.15	. 90	.30	.15.	.45	:	:	.30	1.19	:	:	<u>:</u>
3.14	:	.52	.52	:	:	:	:	:	.52	:	:	2.09	2.09	2.09	1.05	:	:	:		:	1.05	:	- :	
6.79	:	1.57	.26	.26	:		:		:	-:	.26	2.87	1.31	1.04	.52	. 52 .	1.04	.26	:		.78		:	.261.
8.53	.10	02.	.20	:	.10	:	.30	:	·····	:	.30	1.10	1.21	.40	.30	.50	01.1	- :-	.30.	.20	1.21	: -	:	.10
92.9	:	1.13	. 20	:	:	· ·	:		. 28	:	.56	1.69	. 56	.56	. 28	. 28	:	- :	1.13	:	1.69	:	:	-:
	. 18	.18	.74	:	:	.18	:	:	.55	:	.74	1.11	.55	.37	. 55	.37	.55	.37	.18	.55.	.92	:	- : :	.18
8.73 15.84	:	.09	.36	.12	:	:	.12	.12	:	:	.24	.94 1	.24	.85	.36	:	.85		.24	.24	1.33	<u>:</u> :	<u>:</u> :	.12
8,36 8	:	1.03	.45	.15	.03	. 03	.18	80.	.53	.05	.28	1.66 1	.83	1.00	.75	.28	00	.08	.23	.03	1.03 1	.08	.03	.15
	:	1.27 1	:	:	:	:	.64	.32	91.	:		.27 1	.32	.64 1	.16	<u>:</u>	.32	:	.48	:	.64 1	 :	:	.16
97 10.54	_ <u>:</u>	.25 1	25	:	:	:	.25	:	:	_ : :	09	.23 1	1.00	.50	.25	.25	.50	_: :	:	-:	1.99	:	:	 ::
8.94 5.	90	16	34	60	20	20	17	10	35	02	31	1.70 3.	.77 1	81	.53	25	.73	90	92	.11	.11 1	. 03	.01	.12
<u>~</u>			•				-													•			:	
Tuberculosis of the Lungs	Acute Miliary Tuberculosis	Tuberculous Meningitis	Abdominal Tuberculosis	Pott's Disease	White Swellings	Tuberculosis of Other Organs	General Tuberculosis	Rickets	Syphilis	Gonoccoccus Infection	Cancer of the Bucoal Cavity	Cancer of Stomach and Liver	Cancer of Per	Rectum. Cancer of Female Genital Organs	Cancer of Breast	Cancer of Skin	Cancer of Other Organs	Other Tumo	tal organs excepted) Acute Articular Rheumatism	Chronic Rheumatism and Gout	Diabetes	Exopthalmic Goitre	. Addison's Disease	. Leuchæmia
28.	29.	30.	31.	32.	33.	34.	35.	36.	37.	300	39.	40.	41.	42.	43.	44.	45.	46.	47.	48.	50.	3 51.	52.	55
24 831	9	1 85	1 32	00			1 16	6	33	2	2 29	13 158	4 72	2 75	1 49	1 23	2 68	9	24	10	8 103	:		11
66 2	:	. ∞_	:	<u>:</u> -	:	<del>:</del>	4	_ 67	Η.	:	-:	00	- 87	4	-	-:	7	_:	65	:	4	:	:	=
72 333	:		100	. 9		-	7	က	21	2	11	99	33	40	co	11	35	್ಣ	6	-	41	က်	~	9
72 8	:	22	හ	1	:	:	-	-		:	03	16	2	7	3	:	2	:	63	2	H	:	:	
86	-	-	4	:	:	1	:	:	8	:	4	9	ಣ	63	ಣ	23	63	21		00	70	:	:	
24	:	4	Н	:	:	:	:	_:		:	2	9	2	- 2			:	:	4		9 - 7	:	:	
85	-	7	2	:	-	:	೧೦	:	:	:	က	10	12	4	20	5	11		 	2	12	:	:	
26	:	9	-	-	:	:	:	:	:	:		11	7.0	41	23	2	4		:		00	:		
9	:	Н	7	:	:	:	:	:	П	:	:	4	4	4	22	:	:	:		:	51		_ :	:
06	4	00	7	:	:	:	:	က	10	:	ಣ	12		9	2	-	8	:		2	00	:		- :
61	-:	3	:	:	:	:	:	:		:		9	4	:	-	:	-		2	:	3	:	:	:

TABLE IX.—CLASSIFICATION AND PERCENTAGE, 1910.—Continued.

	Bristol County.	.31		.31				:	1.23	:	.31	:	.31	7.38
	Kent County.	:	•	06				.30	.15	.60	:	:	.60	6.27
ISION.	Newport County, Towns.	:		1.57				:	.52	:	:	. 52	1.57	6.80
H Div	Newport City.		:	1.04				.26	. 52	.52	:	.26	1.31	5.48
n Eac	Providence County, Towns.	.20		09.				.10	.80	.40	.10	.10	.60	5.32
ATES I	Central Falls.	:		. 28				:	.84	. 28	:	:	:	3.94
OF DE	Cranston.	.55	.18	1.47					.37	.55	.18	:	1.11	4.79
NTAGE	Pawtucket.	.24	:	.24					.48	.12	.12	.36	.24	6.79
PERCENTAGE OF DEATHS IN EACH DIVISION	Providence City.	.23		09.					.35	.45	.18	.30	.35	5.80
	Woonsocket.	.16	:	:				:	.32	:	:	:	.64	2.88
	Washington County.		.25	.75				.25	.25	.25	.25	:	.25	9.20
le State.	Percentage in the Who	.19	.02	.62				.05	.45	.37	.13	.19	.49	5.75
	CAUSES OF DEATH.	Anemia, Chlorosis	Other General Diseases	Alcoholism	Ï.	DISEASES OF THE NERVOUS SYSTEM AND	ORGANS OF SPECIAL SENSE.	Encephalitis	Meningitis, Simple	Cerebrospinal Meningitis	Locomotor Ataxia	Other Diseases of the Spinal Cord	Acute Anterior Poliomyelitis	Cerebral Hemorrhage, Apoplexy
		54.	55.	56.		DISE.		.09	61a.	61b.	62.	63.	63a.	64.
	Whole State.	18	67	58				5	42	34	12	18	46	535
OF	Washington County.	:	-	3						1	_		1	37
EACH DIVISION OF	Woonsocket.	3-4	:	:				:	2		:		4	18
DIVIS	Providence City.	0	:	24				:	14	18	7	12	14	231
сн І	Pawtucket.	62	:	2				:	4		1-4	ಣ	2	90
EA.	Cranston.	00		00				:	2	3	-	:	9	26
STA	Central Falls.		:					:	ಣ	1	:	:	:	14
NUMBIER OF DEATHS IN E	Providence County, Towns,	2		9				-	00	4	1	П	9	53
F D	Newport City,	:	:	4				H	-27	2	:	-	5	21
ER O	Newport County, Towns.	:	:	3	-			:	-	:	:	-	00	13
IMBI	Ment County.	-:	•	9				· (2)		4	:	-	4	42
Z.	Bristol County.	=	:	-				-	4		1	:	-	24 4
			•					•				:		c4

													-12		3200	1111	14	GE.	•				96	•
:	.31	:	.31	.31	.31	:	:	.31	:			:	.31	7.08	.92	2.15	:	:	:	:			.62	
.15	.60	.15	.15	.15	.60	:	:	:	:			:	.60	7.91	.30	.60	.30		:	:			.75	
:	:	:	:	1.05	:	:	:	:	:				-:	9.95	1.57	1.57	. 52	:	-:	:			:	
:	:	:	:		:	.26	.26	.52	:			:	.26	8.88	.26	99.	1.04	<u>:</u>	. 26	-:			:	
.20]	. 20	. 30	:	.10	.30	:	<del></del>	01.	40			.20	50	6.93 8	.50	41 3.	.20 1	.20		:			.10	
-:	.56	<del>-</del> -	<u>:</u> :	. 28	:	:	-:		<u>:</u>		_	.28	. 28			.84 1.41			:	:				
.18		33	92		:	:	<u>:</u>	.18	:					3 3.94	00			<u>:</u>	:	:				
	2 1.47	4 6.63		99.1		-:			.18			: :	:	8.97 10.13	.18	4.05	.37	_:	:					
121.	.12	.24	:	.36	.48	:	:	.12				:	.24	. 8.97	.60	1.70	:	:	:	.12			.24	
01.	. 23	.30	.18	.10	.33	:	:	.18	.20			.03	.90	9.57	.40	1.68	. 28	.10	. 03	:			.18	
.32	1.27	.32	:	.32	.16	:		:	:			.32	7.19	:	:	:	:	- <u>:</u>	.16	:			.32	
:	.50	.50	:	.50	:	:	:	:	.25		-	:	.25		.75	.75	:	<u>:</u>	:	:			25	
.12,	.40	.62	.15	. 28	. 28	.01	.01	.14	.15			.04	.57	8.80 12.68	.42	1.62	.24	90.	.03	.01	-		.20	
:				:	:		:	em	:			:	-	:	<del>-</del> :			-:		:				
Softening of Brain	Paralysis without Specified Cause	General Paralysis of the Insane	Other Forms of Mental Alienation.	:	Convulsions of Infants	:	Neuralgia and Neuritis	Other Diseases of the Nervous System	Diseases of the Ears		STEM.	:	:	· ·	:	Diseases of the Arteries		:	Diseases of the Lymphatic System	:		STEM.	Diseases of the Larynx	
:	ged C	Insa	Alie	:				rvous	:		RY SY	:	Acute Endocarditis	Organic Diseases of the Heart.	Angina Pectoris	:	Embolism and Thrombosis	Diseases of the Veins	tic Sy	:		Y SYS	ody.	
:	Speci	of the	ental	:	ants	:	ritis	e Ne	92		LATO	:	:	the	:	eries.	oquic	13	npha	:		ATOR	Diseases of the Larynx Diseases of the Thyroid Bo	
srain	out 8	ysis (	of M	Epilepsy	f Inf	:	Ner	of th	Ear	III.	IRCUI	Pericarditis	rditis	ses of		Art	Thr	Veir	Lyr		IV.	SPIR	Lary	
of B	with	aral	rms (	:	o su	:	and	eases	f the		E C		docar	iseas	ctori	f the	and	f the	f the	ges.	I	E RI	the I	
ning	ysis	ral P	r For	psy.	ulsio		algia	Dia	ses o		OF TE	urditi	En	ie D	a Pe	ses o	lism	ses o	ses o	rrhag		F TH	s of	
ofter	aral	dene	)ther	pile	Conv	Chorea	Veur	)ther	Disea		SES C	erica	cute	rgan	ngin.	)isea	mbo	iseas	iseas	Hemorrhages.		EB 0	sease	
65. S	66. I	67. C	68. (		71, 0	72. C	73. D	74.	76. I		DISEASES OF THE CIRCULATORY SYSTEM.	77. P										DISEASES OF THE RESPIRATORY SYSTEM.		
11 6	37 6	58 6	14 6	26 69.	26 7	1 7	2	13 7	14. 7			4	53 78.	8 79.	39 80.	1 81.	22 82.	6 83.	3 84.	1 85.			19 87. 2 88.	
-	22	-67	:	67	:		- :	:				:	HT.	51 818	φ. φ.	3 151			:	-				
2	00	Q	:	2	·	:	:	· ·	:			:	7	45	:	:	_ : - :		1	-			- 21 —	
4	6	12	7	4	13	:	:	. ·	00			-	36	381	16	67	11	4	П					
1	Н	23	:	ಣ	4	:	· :	н	:			:	C)	743	20	14	:	:	:	-			8 :	
-	00		2	6	:	:	:	-	H			:	:	55	m	22	2	-:	:-	- :	-		: :	
:	2	:	:	Н	:	:	:	:	:			-	-	14	:	3	:	:	:	:			: :	
27	22	က	:	-	3	:	:	-	4			5	20	69	2	14	67	23	:	:			-	
:	:	:	:	:	:	-	-	2	:	-		:		34	-	14	4	;	1	-:				
:	:	:	:		:	:	:	:	:			:	:		ಣ	ಣ	_	:	:	:			: :	
-	4 :	=======================================		-	4	:	-	:	:			:	4	53	2	4	2	:	-	:			-:-:	
-	н		М	-	-	:	:		:			:			ಣ		<u> </u>	_:		:			63	

Table IX.—CLASSIFICATION AND PERCENTAGE, 1919.—Continued.

i	Bristol County.	1.85	.31	5.23	9.23		:	:			
	Kent County.	06.	.15	2.69	8.21	.45	.15	:	: _		
SION.	Newport County, Towns.	.52	:	1.05	9.45	:			:		
PERCENTAGE OF DEATHS IN EACH DIVISION	Newport City.	1.04	.52	2.87	11.23	1.31	:	:	<u>:</u>		
IN EAC	Providence County, Towns.	1.41	.20	3.21	10.94	.20	.10	:	:		. 10
ATES I	Central Falls.	5.63	.84	5.63	6.20	.84	. 28	:	:		
or DE	Cranston.	.37	.92	1.29	4.24	.18	:		.18		
TAGE	Pawtucket.	1.82	09.	3.27	8.85	.24	.36	:	:		. 12
ERCE	Providence City.	1.31	.43	3.37	8.39	. 38	.05	.03	.05		.03
	Woonsocket.	2.08	.64	4.31	7.03	.16	.32	:	:		
	Washington County.	1.24	1.49	4.23	7.46	.25	.25	:	:		
le State.	Percentage in the Who	1.48	.49	3.36	8.40	.35	.12	.01	.04		.01
	CAUSES OF DEATH.	89. Acute Bronchitis.	90.	91.	92.	93.		97. Pulmonary Emphysema	98. Other Diseases of the Respiratory System.	Λ.	Diseases of the Mouth
, ,	Whole State.	138		0.0	781	33	1 11		4		10 10
O.F.	Washington County.	100		_		~		:	:		<u> </u>
	Woonsocket.	2 13		6				:			
Division	Providence City.	15 52				6					
₩	Pawtucket.	- 6	4000					:			- <del></del> - <sub>-</sub> -
(EA	Cranston.	0.6				-	;	:			
HS II	Towns. Central Falls.	- 4	1				1 -	:	:		: : :
DEAT	Providence County,	-			11		2	- :	:		: ;
NUMBER OF DEATHS IN EAC.	Newport County Towns. Newport City.		4	-		ti 0					
UMBI	Kent County.	9				C)	, <del>-</del>	4	: :		
Z	Bristol_County.	9	۰ -	- I	7.7	30	:	:			: = :

		-														, , , , ,							01
.62	3,38	9.84	1.23	.31	.31	:	:	:	.62	:	:	:	:	:			.92	5.54	:	:	:	:	:
.45	2.54	8.96	06.	:	.45	:	:		.45	- :	÷	:	.15				09.	3.43	:	:	.15	.30	.15.
.52	2.09	13.09	:		.52	:	:	:	:	1.05	- :	:	:	:			1.05	4.19	:		:	:	 : :
.40	.78	6.79 13.09	. 52	1.04	:	:	:	.26	. 52	.26	:	:	:	:			2.35	4.18	:	:	:	:	.26
.40	2.41	10,44	1.10		.60	.26	:	:	1.00	.20	.30	:	_ : :	:			. 50	5.92	:	. 10	.30	.30	.20
:	3.66	17.18	3.38	.28	.28	.10	. 28	:	.84	:	.28	:	:	:			.84	3.94	:	:	:	.28	
- <u>:</u>	.92	4.79	1.29	:	100	:	.18	· :	.55	•	.18	<u>:</u>	:	:			.74	5.52	:	:	.18	.18	:
.24].	2.30	8.00	1.33	.12	. 40		:	<u>:</u>	85.	.36	:	.12	.12	.12			1.94	6.67	:	:	12	.12	
.35	1.66	6.58	1.00	1.16	.45	.12	.08	.05	1.00	.20	.10	.03	.20	.05			1.00	6.63	.10.	.05	.18	.30	.15
.32	. , 64		1,44	,16	.16	. 50	:	:	.16	.16	.32	.16	:				1.60	6.23	:	:	.16	- :	.16
.50	1.99	5.72 20.13	1.49	.25	.25	.25	.25	:	.75	:	:	:	:	:			.75	9.20	:	· :	.50	.50	.25
.32	1.87	8.72	.16	.59	.40	. 28	90.	.03	.79	100	.12	.04	.11	.03			1.06	6.05	.04	.03	.17	.24	.13
Ulcer of Stomach	Other Diseases of the Stomach	Diarrhœa and Enteritis (under 2 yrs.)	Diarrhœa and Enteritis (over 2 yrs.)	Appendicitis	Intestinal Obstruction	. Hernia	Other Diseases of the Intestines	Acute Yellow Atrophy of Liver	Cirrhosis of Liver	Biliary Calculi	Other Diseases of the Liver	Diseases of the Spleen	Simple Peritonitis	Other Diseases of the Digestive System.	VI.	Non-Venereal Diseases of the Genito- Urinary System.	Acute Nephritis	Bright's Disease	Other Diseases of the Kidneys	Calculi of the Urinary Tract	Diseases of the Bladder	Diseases of the Prostate	Uterine Tumor (non-cancerous)
102.	103.	104.	105.	108.	109.	109a.	110.	111.	113.	114.	115.	116.	117.	118.		Non	119.	120.	122.	123.	124.	126.	129.
2, 30	8,174	23,811	6 108	1 55	1 37	1 26	1 6	es 	3 73	17	11	4	10				3 99	37,563	4	· · ·	2 16	2 22	1 12
67	4		6	-	-	7	:	:	-		64		:	:			10	39	-:	:	7~1		F
14	99	262 126	40	46	700	20	00	_2	40	90	4	H	00	_01			40	264	4	CV	2	12	-9
22	10	66 2	11	-	4		:	:	7	8	:	Ħ	-	~			16	55 264	:	:		-	
:	- 20	26	1		-	:	1-1	:	ಣ	-:	=	<del>- :</del>	:	:			4	30	-:	:	H		
:	13	61	12	7-4	T	:	-	:	-23	:			:	:			က	14	:	:	:	_	:
4.	24	104	11		9	-	:	:	10	2	3	:	:				52	59	:	Н	က်	33	C)
:	62	26	CA,		:	7	:	-	2		:	:	:	:			6	16	:		:	- :	
1	4		- :	;		-	-		:	2	:	:	:				- 22	00	:	:	:	-:	:
53	17	09	. 9		ಣ	:	:	-:	<u>.</u> ص	:	:	:	-	:			4	23	:	-:		2	
73	11, 1	$32$ $^{\circ}$			-	:	:	-:-	_24_		-:	:	:				ಣ	18	:	:	-:	:	:
								7															

8

Table IX.—CLASSIFICATION AND PERCENTAGE, 1910—Continued.

	Bristol County.	:	<u>:</u>	:						:		5 .31	:	: :-
	Kent County.	:	:	:				:	.15	:	.30	.75	<u>:</u>	<u>:</u>
ISION.	Newport County, Towns.	:		:				:	:	:	:	:	3	<u>:</u> 
н Ди	Newport City.	:		:				:	:			_: _	. 26	:
PEHCENTAGE OF DEATHS IN EACH DIVISION.	Providence County,	:	.10	*					3 .20	:	.10	3 .20	. 10	<u>:</u>
SATES	Central Falls.		:	:				:	.28	.56	:	. 28	:	:
OF DI	. Cranston.	:	.18	:					:	:	:	3 .74	:	<u>:</u>
NTAGE	Pawtucket.	:	1.2	:				:	.12		.36	.48	:	:
Perce	Providence City.	.08	.18	.20				.13	.08	.08	.48	.40	.03	.05
	Woonsocket.	•							:	:	.16	.16	_:_ _:_	
	Washington County.	:						.25	.25	:	.25	:	:	:
e State.	Percentage in the Who	.03	.11	60.				90.	.10	.05	.30	.37	.03	.02
	CAUSES OF DEATH.	130. Other Diseases of the Uterus	131 Cysts and Tumors of the Ovary	132. Salpingitis and Other Diseases of the Female Genital Organs.		VII.	THE PUERPERAL STATE.	134. Accidents of Pregnancy	135. Puerperal Hemorrhage	136. Other Accidents of Labor	137. Puerperal Septicemia	138. Puerperal Albuminuria and Con-	139. Puerperal Embolus	140. Following Childbirth, not Otherwise Defined.
	Whole State.	63	10	00				9	-6	- 10	28	34	3	_ 23
<u> </u>	Washington County.		- :	:				Н	-	:	m	:	:	:
DIVISION OF	Woonsocket.			:	-				:	:	1		:	:
VISI	Providence City.	60	7	00				10	3	್ಯ	19	16	1	63
Е Ду	Pawtucket.			:							00	4	:	:
EACH	Cranston.		-	:					:		:	4	:	:
STAT	Central Falls.			:				:	П	,	:		:	:
THE STATE	Providence County, Towns.			:					2		H	2	-	:
DE	Newport City.	-	-:	-:-					:			:		- <u>:</u>
NUMBER OF DEATHS IN	Newport County, Towns			:							:			:
UMB	Kent County.			:					-		. 6	1 10		:
7.	Bristol County			:							:	-		: :

	26 45			.30			.2052					.60 .78 1.05 .75 .31	.20 .78 .52 .45 1.85			.70 1.31 2.09, 1.19 .62	1.91 2.35 2.61 2.54 2.46	1.00 1.04 1.05 .75 .92	.90 .78 1.57 .75	.10
_		-:		:			.28	:		-		.56	:			1.97	2.25	1.69	2.25	— :
	1.00	.37	:	:			:	:			:	.55	.55			.74	.92	.37	.37	
_	.24	:	:	:			.12	:			:	1.21	.12			.85	2.91	1.94	1.45	· :
_	01.	:	.10	.13			.13	.08			.03.	.50	.18			.73	3.14	800	1.00	.35
_	.32	- : :	:	:			- <del>-</del>	:			:	.48	:			1.76	1.60	1.76	1.12	
_	.50	:	:	:			- : :	:			:	1.00	.25			2.24	.75	1.74	.50	.25
-	.16	.02	.04	. 60			.11	.03			.02	69	. 23			1.00	2.50	1.09	.98	.18
VIII.	ES OF THE SKIN AND CELLULAR. TISSUE.	Furuncle	Acute Abscess	Other Diseases of the Skin and Adnexa.	IX.	ES OF THE BONES AND ORGANS OF LOCOMOTION.	Diseases of the Bones (non-tubercu-	Diseases of the Joints (tuberculosis and rheumatism excepted).	X.	MALFORMATIONS.	Hydrocephalus	Congenital Malformation of Heart.	Other Congenital Malformations	XI.	EARLY INFANCY.	Congenital Debility, Icterus and	:	Congenital Debility, "Atrophy,	Other Causes Peculiar to Early	Injuries at Birth
	DISEAS 2 4 2 2 15 142.		4 144.	3 5 8 145. (		DISEASES	$1, \ldots, 2, 1, \ldots, 1, 5, \ldots, 10, 146, 1$	3 147.			1 2 150a.	2 3 6 2 3 10 20 3 4 64 150b.	3				5 9 19 8 5 24 124 10 3 232 151a.	4 10 6		1 17 1528.
	· · ·	:	:	:			:	:			1	6 5				2 8	8 17	10	. 01	H

TABLE IX.—CLASSIFICATION AND PERCENTAGE, 1910.—Concluded.

	Bristol County.		1	1.54				:	.31	:	.31	:	:
	Kent County.			3.28			:	:	.30	:	.15	:	
SION.	Newport County, Towns.		ě	5.24			:	:	:		1.05	:	:
I Divi	Newport City.		3	6.01			:	:	:		:	:	
n Eac	Providence County, Towns.			3.21			.10	:	.30	09.	.50	.30	
PERCENTAGE OF DEATHS IN EACH DIVISION	Central Falls.			1.97				:	:	:	.28	.28	
OF DE	Cranston.			4.60		_	.37	:	.55	:	- :	:	:
TAGE	Pawtucket.			2.55		-	.12	.24	.12	.12	:	.12	:
ERCEN	Providence City.			88.			.20	.30	.10	.03	.30	.03	.03
H	Moonsocket.		-	96.			:	:		.16	:	.16	•
	Washington County.			2.74			•	:		.50	. 50	:	
le State.	Percentage in the Who			2.10			.13	.15	.15	.12	.26	. 80.	.01
	CAUSES OF DEATH.	X11.	Old Age.	Senility	XIII.	EXTERNAL CAUSES.	Suicide by Poison	Suicide by Asphyxia	Suicide by Hanging	Suicide by Drowning	Suicide by Firearms	Suicide by Cutting Instruments	Suicide by Jumping from High
	Whole State.			195 154.			12 155.	14 156.	14 157.	11 158.	24 159.	7 160.	1 161.
	Washington County.		-	11 18		-	-		-	5	_ 01	-:	
N OF	Woonsocket			9	a phone	-	*	-	:	post		-	<u>:</u>
DIVISION OF	Providence City.		-	33			00	12	41	-	12.	-	=
Drv	Pawtucket			21			-	0	1	<u> </u>	:	-	
ACH	Cranston.			25			2		ත	-:	÷	-	-:
IATE	Central Falls.			10	-		*				· 	1 .	-:
NUMBER OF DEATHS IN EA	Providence County, Towns.			32		-	,-I	:	60	. 9	r3	ಣ	<u> </u>
DE	Newbort City.	_		23	**			-			:	:	<u> </u>
R OF	Memport County, Towns.			10				:	::		7	:	
MBE				22			-:		C.5	-:	-	_:	-:-
Z	Kent County,			10			-	:	-			- :	:
	Bristol County.						:	•		:		:	:

																							01
:	:	:	3.07	:	1.54	:	:	.31	.31	:	:	:	:	1.23	:	:	.31	:		: :			:
.15	:	:	1.64	.15	06.	:	.60	:	.15	:	:		.15	.15	.15	:	.30	_; :			_		.15.
	.52	:	2.61	:	.52	:	:	:	:	.52	:	:	1.05	.52	:	- <u>:</u>	2.61	<u>:</u>		: :			 :
	.52	.52	.52	:	2.35	:	.26	:	.26	.26	:	:	:	:	:-	.26.	.52	- : :		·			
.50	.30	:	.90	.20	06.	:	.10	:	.30	.10	.10		.10	. 60	:	:	.20	.10		.30			.40
:	:	:	.84	:	1.13	:	.84	:	:	.28	:	•	:	:	:	:	:	: ::					:
	:	:	.55	:	.18	:	:	.18	. 18	:	:	:	:	.37	:	:	.18	- <u>:</u>		.18			.37
20	1.09	16,	.24	:	.48	:	.48	.48	.24	.12	:	:	:	:	:	:	.36	:		. 47			.36
.20	06.	.23	.48	:	1.33	.13	.33	.25	.23	.20	:	.10	.05	.03	:	:	. 53	.13	- 10 C	100			09.
:	.64	:	.48	.16	.48	.16	:	.16	.32	.16	:	:	:	:		.16	.32	.16		: :			.32
.50	:	:	1.00	:	.25	.25	.100	:		.75	:	.50	:	:	:	:	.25	.25			•		:
.17	. 59	.21	.76	.04	1.03	.08	.32	.18	.22	.18	.01	90.	90.	.16	.01	.02	.43	60.		. 000			.39
Other Acute Poisonings	Burns (conflagration excepted)	Absorption of Deleterious Gases	Accidental Drowning	Traumatism by Firearms	Traumatism by Fall	Traumatism by Machines	Railroad Accidents and Injuries	. Electric Car Accidents	Automobile Accidents	Injuries by Other Vehicles	. Landslide and Other Crushing	Injuries by Animals	Excessive Cold	Effects of Heat	Lightning	Electricity	Other External Violence	Homicide by Firearms	Homicide by Cutting or Piercing	Homicide by Other Means	XIV.	ILL-DEFINED DISEASES.	Cause Unknown
165.	167.	168.	169.	170.	172.	174.	175.a	175b.	175c.	175d.	1758.	176.	178.	179.	180.	181.	186.	182,	153.	184.			189.
16	55	19	7.1	4	96	7	30	17	20	17		9	9	15	-	2	40	00	4	90			36
2	:	:	4	:	_	-	4	:	:	e20	:	- 23	_:	:	:	-		-	:	:			:
:	3.4	:	33	-	3	- IC	:	1	3	Н	:	:	:	:	:		2	5 1	.:	:			1 2
	9 36	00	2 19	-:-	4 53	10	4 13	4 10	2 9	20	:	4			:	:	3 21		2	- 4		-	3 24
:			63	:	-	:		-	-		:	:	:	.:	:	:	-	:					-2
:	:	:	ಣ	:	4	:	: :			1	:	:	:	-	:	:	-	:	- :	:			- ;
 .:	: :	:	0	.: :	6	:		:	co :	-	-	:	-	-9	-:	:	.:		:	<del>-</del> %			4
-	2		23		6	:		:		r-I		:		•	:	:	7		:				
:	-	:	7.0	- :		:		:		-	:	-:			:		20	- :	:	:			
:		:		:	9	:	4	:	:		:	:	_	_	:	:	2	:	:	:			- :-
	:	:	0 11		5	:	-	:		:	:	:		4		:		:	:	:			

 ${\it Table X.-According to International Classification.}$ 

CAUSES OF DEATH.	Total percent for 55 y 1853-1	tage	1908.	1909.	1910.
I. General Diseases	94,562	33.68	2.267	2,156	2,333
GENERAL DISEASES	0 2,002		_,,	_,,	-,
II.					
DISEASES OF THE NERVOUS SYSTEM AND ORGANS OF SPECIAL SENSE	31,077	11.06	811	794	893
III.					
DISEASES OF THE CIRCULATORY SYSTEM.:	18,581	6.62	902	1,018	1,097
IV.					
DISEASES OF THE RESPIRATORY SYSTEM	35,321	12.58	1,054	1,035	1,347
V. DISEASES OF THE DIGESTIVE SYSTEM	36,868	13.12	1,182	1,165	1,381
VI.					
Non-Venereal Diseases of the Genito-Urinary System and Adnexa	12,444	4.43	698	683	740
VII.					
THE PUERPERAL STATE	2,721	.97	86	88	87
VIII.					
DISEASES OF THE SKIN AND CELLULAR TISSUE	1,447	. 52	29	30	29
IX.					
DISEASES OF THE ORGANS OF LOCOMOTION	758	.26	12	12	13
X.					
Malformations	1,399	.50	82	83	87
XI.					
Early Infancy	11,098	3.96	495	544	534
XII.					
OLD AGE	11,319	4.03	161	170	195
XIII.					
EXTERNAL CAUSES	11,702	4.16	454	446	526
XIV.					
ILL-Defined Direases	11,528	4.11	34	53	36
TOTAL NUMBER OF DEATHS	280,825	100.00	8,267	8,277	9,298

#### TABLE XI.—OCCUPATIONS AND AGES OF DECEDENTS.

Showing the Number and Occupation of Decedents for the year 1910, and for a period of Fifty-eight Years and Seven Months, 1852 to 1910, inclusive.

[AGES UNDER TWENTY EXCLUDED.]

		STA	TE OF	RHODE :	ISLAND.	
		1910.		FIFTY-SE June 1, 18	EIGHT YEAR VEN MONTHS 852, to Dec.	as and 3. 31, 1910.
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.
I.			1			~
TILLERS OF THE SOIL.						
Farmers	168 5 33		68.51 58.40 54.94	8,835 95 557	596,719 5,307 33,133	55.86
Total	206	13,614		9,487	635,159	
	200	10,011	00.00	0,101	000,100	04.90
II.  Professional and Personal.						
Acrobats	2	117	58.50	1 31 1	1,168	24.00 37.68 23.00
Architects	4		54.50	31 63	1,829	59.00 52.94
Chemists Athletes	5		61.80	21 1	25	57.62 25.00
Authors		91	91.00	12 2 2	$\begin{array}{c} 65 \\ 126 \end{array}$	68.67 32.50 63.00
Chiropodists	2 9	558	$52.00 \\ 62.00$	$\begin{array}{c} 73 \\ 375 \\ 2 \end{array}$	3,796 $23,917$	58.00 52.00 63.78 56.50
Curators  Dancing Masters			== 00	$\frac{1}{3}$	58 173	58.00 57.67
Designers	1 1 1 8	72 33	55.00 $72.00$ $33.00$ $37.12$	86 35 31 72	1,134	54.47 52.57 36.58 36.14
Electricians		297		1		65.00

	STATE OF RHODE ISLAND.										
		1910.		FIFTY—E SEV June 1, 185	IGHT YEAR EN MONTHS 52, to Dec. 3	8 AND 31, 1910.					
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality,	Aggregate Ages.	Average Age.					
Inspectors Inventors	4	241	60.25	62		51.72 63.49					
Journalists (Editors and Reporters)  Judges and Justices  Lawyers  Librarians	1 1 9	68 <b>536</b>	44.00 68.00 59.55 	72 22 284 2 1	1,442 16,614 108 60	$54.00 \\ 60.00$					
Managers Musicians Nurses Photographers and Litho-	5 10 5	293 452 306	58.60 45.00 61.20	20 154 36	7,270 1,889	49.75 47.21 52.47					
graphers Physicians Poets Postmasters	5 14  2 5	787 114	56.60 56.21 57.00	55 463 2 8 194	27,148 125 509	48.62 58.62 62.50 63.62					
Professors and Teachers Promoters Proofreaders Public Officers Publishers	1 3	65	$\begin{bmatrix} 55.80 \\ \\ \\ \\ \\ 65.00 \\ 62.33 \end{bmatrix}$	3 3 134 9	126 191 8,364						
Sculptors	1 14 14	63 806 <b>2</b> 6	$\begin{vmatrix} \\ 63.00 \\ 57.57 \\ 26.00 \end{vmatrix}$	1 7 241 4	41 427 13,249 191	41.00 $61.00$ $54.96$ $47.78$					
Students Submarine Divers Telegraph and Telephone			23.20	126	73	$\begin{vmatrix} 23.43 \\ 73.00 \end{vmatrix}$					
Operators Theatrical Managers Treasurers	3		35.00 49.00	$\begin{vmatrix} 42\\4\\32\end{vmatrix}$	174	$\begin{vmatrix} 31.67 \\ 43.50 \\ 56.28 \end{vmatrix}$					
Trustees Veterinary Surgeons Weighers and Gaugers	4	242	60.50	5 17 9	956	$\begin{vmatrix} 59.80 \\ 56.23 \\ 64.00 \end{vmatrix}$					
Total	129	7,00	54.29	2,879	155,250	53.93					
III.											
OPTIONAL ACTIVITY.											
Agents and Canvassers Insurance	10 9		4 66.40 5 63.89			$   \begin{vmatrix}     49.94 \\     458.39   \end{vmatrix} $					

	STATE OF RHODE ISLAND.									
		1910.		FIFTY- SE June 1, 13	EIGHT YEAR: VEN MONTHS 852, to Dec. 3	s AND 31, 1910.				
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.				
News Oil Provision	100 1 7 2 18 2 13 3 7 3 1 12 2 4 4 4 4	69 415 143 715  73 797  459 179 61  203  695 111	65.90 69.00 59.29 71.50 39.72  36.50 61.31  55.67  65.57 59.67 61.00  67.67  79.50	86 11 256 84 148 4 23 443 1 46 4 555 23 17 1 11 34 3 215 40 1 4 1 16 1 47 14 1 19	610 15,410 5,398 5,706 291 944 23,371 66 2,760 207 3,380 1,414 1,000 66 603 1,886 130 10,326 2,468 60 259 61 776 47 2,891 757	60.19 64.26 38.55 52.75 41.04 52.76 66.00 61.45 61.48 58.82 66.00 54.54 48.03 61.70 60.00 64.75 61.00 48.50 47.00 61.51 54.07 46.00				
Contractors and Builders	5 12 7	582	58.80   48.50   69.00	$ \begin{array}{c c} 39 \\ 100 \\ 223 \end{array} $	2,028 $4,827$ $13,695$	48.27				
Druggists and Apothecaries	6	276 2,180 287 385	46.00	204 2 16 1 694 230 278 116	9,739 $141$ $759$	47.74 70.50 47.44 65.00 56.09 56.37 46.79				

	STATE OF RHODE ISLAND.										
		1910.		FIFTY-E SEV June 1, 18	CIGHT YEARS EN MONTHS 52, to Dec. 3	AND 1, 1910.					
OCCUPATIONS.	Total Mortality.	Aggregate . Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.					
Store-keepers. Jobbers. Manufacturers. Stove. Manufacturing Jewelers. Merchants. Opticians. Organ and Piano Tuners. Policy Brokers. Pork and Meat Cutters and Packers. Railroad Officials. Ship Chandlers. Tobacconists. Traders. Undertakers.	3  2 1	50 1,125 552 2,293 204 	65.00	13 5 23 290	106 53,896 416 883 105,941 1,000 402 24 2,034 735 318 1,307 14,704	$59.43 \\ 63.07$					
Total	279		60.18		405,530	·					
IV. Outdoor.—Local.			5								
Boat Builders. Brickmakers. Brick and Stonelayers. Bridge Builders. Calkers. Carpenters and Joiners. Masons. Millwrights. Riggers. Roofers.	111 45 1	6,770 2,778 72	60.99 61.73 272.00	$\begin{array}{c} 8 \\ 22 \\ 2 \\ 17 \\ 3,351 \\ 1,340 \\ 46 \\ 26 \end{array}$	352 $1,010$ $123$ $1,178$ $193,862$ $77,157$ $3,144$ $1,397$	63.70 944.00 945.91 61.50 869.29 257.85 757.58					
Ship Carpenters	1	4.	343.00	104	7,180	69.04 $47.47$					
WorkersSuperintendents of High	. 19	1,160	61.37			54.22					
Tanners and Curriers Wheelwrights			0 60 . 00 4 37 . 00		4,91	$\begin{vmatrix} 79.00 \\ 63.00 \\ 61.36 \end{vmatrix}$					
Total	. 187	11,39	5 60.93	5,343	310,54	5 58.12					

	STATE OF RHODE ISLAND.									
OCCUPA TVOVO		1910.		FIFTY-EI SEVE June 1, 185	GHT YEARS EN MONTHS 2, to Dec. 3	AND 1, 1910.				
OCCUPATIONS.	Total Mortality.	Aggregate Ages,	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.				
V.										
Indoor.—Active.										
Axe and Scythe-grinders Bakers Basket-makers	10		38.80	278 9	16,530	55.55 $59.46$ $54.00$				
Belt Bobbin Boiler	1	28	28.00	27 10 129	1,457 $468$	53.96 46.80 44.88				
Broom and Brush Button	2	87	43.50	6 22 1	245 1,073	40.83 48.77 37.00				
Card	6	337	56.17	205	12,111 201	59.08 50.25				
Carriage, and Trimmers.	4	241	60.25	171	10,083 70	58.38 70.00				
Comb Frame Hose				8 1 1 1	42	41.00 $42.00$ $38.00$				
Mattress Pattern	3	191	63.67	128	38	38.00 59.19				
Pianoforte Picker Plane				3 5 1	303	52.33 $60.06$ $79.00$				
Pump and Block Reed				15	826	55.07 56.00				
Sash and Blind				12	614 83	51.17 83.00				
SpindleStopper				5 1	22	59.40 22.00				
Stove, and Mounters Tool Trunk	7	285	40.71	102	5,151	55.00 $50.50$ $35.50$				
Umbrella Wringer.				2 5	103 184	$51.50 \\ 36.80$				
Bell-hangersBlacksmiths and Farriers	$\begin{vmatrix} 2 \\ \\ 32 \end{vmatrix}$		23.50 59.16	$\begin{vmatrix} 10 \\ 2 \\ 1,028 \end{vmatrix}$		$\begin{vmatrix} 34.00 \\ 23.50 \\ 55.82 \end{vmatrix}$				
Bleachers and Fullers Bonnet-dressers	7	374	53.43	118	5,967 73	$50.57 \\ 36.50$				
BrewersBritannia workers	6		38.33	41		$45.37 \\ 65.00$				

				TTODE IO	TAND					
	STATE OF RHODE ISLAND.									
		1910.		FIFTY-E SEVI June 1, 185	IGHT YEARS EN MONTHS. 52, to Dec. 3	1, 1910.				
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age,				
Car-builders Stair Card-grinders Carvers Confectioners Cooks and Caterers Coopers Coppersmiths Cutters Nail Decorators Distillers Dyers. Fish Packers. Founders, Brass and Iron Foundrymen. Gas Fitters Gilders Gun and Locksmiths. Hatters Iron Rollers and Workers Brass Japanners Lathers Loomfixers Machinists. Mechanics Miners Molders Oyster Openers Painters and Glaziers Paper-hangers Plasterers and Stuccoworkers Platers Plumbers Pressmen Refiners Gold Oil	2 1 13 3 15 6 2 8 126 7 1 32 1 62 7 6 16 16 1 1	78 519 175 59 862 411 163 67 319 111 6,811 2,55 80 1,841 28 3,358 419 356 688 29	57.47 51.38 54.33 67.00 53.17 55.50	1 4 9 3 78 244 156 20 11 12 17 1 253 1 30 34 72 16 32 29 51 2 2 14 93 2,610 598 26 578 2 1,675 44 92 31 221 13 9 5 1	219 376 147 3,632 11,770 10,223 875 479 490 690 77 13,312 75 1,567 1,796 3,204 760 1,575 2,429 111 122 607 4,868 130,580 31,837 1,550 31,285 66 83,920 2,386 4,590 1,660 9,254 522 421 228	65.53 43.75 43.55 49.83 40.59 77.00 52.62 75.00 52.17 52.82 44.50 47.50 53.31 54.31 47.63 55.50 61.00 43.36 52.34				

	STATE OF RHODE ISLAND.									
		1910.		FIFTY—SEV June 1, 18	EIGHT YEAR VEN MONTHS 352, to Dec. 3	s AND				
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.				
Soap-boilers	1 7		45.00 51.00	5 7 70	266	70.60 38.00 42.73				
seers Tinsmiths Upholsterers Window Dressers	41 8 2 1	427 83 25	62.51 $53.37$ $41.50$ $25.00$	741 221 87 2	58	50.94 42.66 29.00				
Wire-workers	5 3	316	37.80 63.20 58.67	44 4 22 97	149 1,267	42.55 37.25 57.59 50.88				
Total	478	25,538	53.54	10,779	561,588	52.10				
VI.										
Indoor.—Activity $Re$ - stricted.										
Barbers  Bookbinders  Bookkeepers  Box-makers	19 1 26 3	63 1,277	48.95 $63.00$ $49.12$ $40.00$	451 32 634 40	30,253	47.66				
Chain	5 2 6	134 340	58.00 67.00 56.67	5 140 62 184	6,749 3,528 9,709	52.20 48.21 56.90 52.77				
Lace	1		52.00  60.00	$egin{array}{c} 1 \\ 7 \\ 25 \\ 48 \\ \end{array}$	$ \begin{array}{c c}  & 389 \\  & 1,672 \\  & 2,845 \end{array} $	52.00 55.57 66.88 59.27				
ShirtShoe	17	902	53.06	$\begin{vmatrix} 2\\844\\1 \end{vmatrix}$	49,078	39.50 58.15 60.00				
Trunk	12	689	57.42	59	3,299	55.92 64.00				
Chasers	109	5,009	$55.00 \\ 45.95$	35 2,395	94,610	44.83				
Compositors  Die Cutters and Sinkers  Dresser Tenders	3 3	151	$   \begin{array}{r}     38.50 \\     50.33 \\     45.00   \end{array} $	18 40 16	2,000	$ \begin{array}{c} 46.78 \\ 50.00 \\ 51.56 \end{array} $				

	STATE OF RHODE ISLAND.										
		1910.		San	IGHT YEARS EN MONTHS 52, to Dec. 3						
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages,	Average Age.					
Enamelers. Engravers File Cutters and Forgers Finishers Brass Cloth Folders Glass-blowers Jewelers Shell Jewelry Colorers Knitters Lace Cutters Lapidaries Laundrymen Leather Cutters Millers Operatives Pearl Cutters Polishers Furniture Gold Marble Silver Steel Printers Calico Roll-coverers Rubber-workers Silversmiths Slasher Tenders Spinners Tailors Weavers Wool-sorters.	63  3 2  66 1 2  14  3 17 14 	409 61 	48.67 45.44 61.00  57.29 46.00  52.86 	183 194 146 37 14 24 27 2 1,828 10 2 18 52 5 60 3,430 9 78 2 18 17 7 1 310 64 286 334 224 4 144 621 7118	9,794 6,353 1,991 587 1,364 1,238 134 79,246 182 23 297 71 844 2,299 282 3,537 153,009 301 3,527 84 767 62 331 42 16,888 3,552 12,141 14,086 10,520 223 7,588 34,502 41,562	$\begin{array}{c} 60.67 \\ 23.00 \\ 29.70 \\ 35.50 \\ 47.44 \\ 44.21 \\ 56.40 \\ 58.95 \\ 44.61 \\ 33.44 \\ 45.22 \\ 42.00 \\ 42.61 \\ 62.00 \\ 47.29 \\ 42.00 \\ 54.48 \\ 55.50 \\ 42.45 \\ 42.17 \\ 46.96 \\ 55.75 \\ 52.69 \\ 55.56 \\ 53.63 \end{array}$					
Total	~ .		49.37	$\frac{118}{14,072}$		$\frac{53.80}{46.28}$					
VII.	1										
OCCUPATIONS AT LARGE. Army Officers				11	666	60.54					
Naval	2	93	46.50		1,434	49.45					

	STATE OF RHODE ISLAND.											
		1910.		FIFTY-EIGHT YEARS AND SEVEN MONTHS. June 1, 1852, to Dec. 31, 1910.								
OCCUPATIONS,	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.						
Baggage Masters	2	107	53.50	12	589	49.09						
Bill-posters	1	26	36.00	5 47		46.80						
BoatmenBootblacks	1	50	30.00	4		55.38 37.75						
Brakemen	6	181	30.17	210		30.86						
Butlers	3		30.00	16		40.06						
Chauffeurs	4		31.75	7		30.86						
Coachmen	10		54.30	290	13,424							
Conductors and Motormen.	8	338	42.25	159		44.16						
Drivers	10	426	42.60	125	4,910	39.44						
Hack and Cab	4	231	57.75	90	3,987	44.30						
Stage				8		49.75						
Drovers				2		41.50						
Elevator Operators	5		59.80	14		45.79						
Engineers and Firemen	33	,	54.94	864	44,120	51.06						
Stationary Engineers	$\begin{vmatrix} 17 \\ 8 \end{vmatrix}$		61.29	32	7,879	58.72						
Expressmen	1		58.37 $50.00$	$\begin{array}{c c} 152 \\ 19 \end{array}$		51.49						
Fire Company Members			59.89	392	21,598	49.84						
Fishermen and Oystermen.	10	1,070	00.00	1		24.00						
Foresters	1	25	25.00	ī		25.00						
Highway Surveyors	1		20.00	$\tilde{2}$		66.50						
Horse Salesmen	2	109	54.50	3		59.67						
Hostlers	23		54.17	283		47.93						
House Movers				10		63.80						
Icemen	2		[67.00]	9	575	63.89						
Janitors	25		61.08	263		55.22						
Laborers	361	19,692	54.55	15,640	779,796							
Lamplighters	2	86	43.00	24		53.25						
Lighthouse Keepers				3		48.00						
Linemen	1	38	38.00	26		38.81						
Longshoremen				23		42.48						
Lumbermen		07	49 50	5		53.20						
Mail Carriers	2	87	43.50	41		$\begin{vmatrix} 46.73 \\ 21.00 \end{vmatrix}$						
Marines				6		65.00						
Messengers	1	9/	24.00	34		39.71						
Milkmen		29	1	4		38.25						
Pavers	17	946	55.65	311	15.552	50.01						
Peddlers	11	710	00.00	41		56.32						
Porters	5	226	45.20	91		46.58						
Porters	1 0	1	120.20									

- 1 M V		STA	TE OF	RHODE	ISLAND.				
		1910.		FIFTY- SE June 1, 1	FIFTY-EIGHT YEARS AND SEVEN MONTHS. June 1, 1852, to Dec. 31, 1910.				
OCCUPATIONS.	Total Mortality. Aggregate Ages.		Total Mortality,	Aggregate Ages.	Average Age.				
Ragmen Railroad Conductors. Employees Railroad Station Agents Sailors. U. S. Navy Scissors-grinders Sea Captains and Ship Masters. Servants Sextons Sinkers of Artesian Wells Soldiers Stevedores Stewards Switchmen and Gatemen Teamsters Telephone Installers Watters Watchmen Whitewashers Wood Choppers Wood Sawyers	11 6 9 3 7 2 1 11 3 2 2 3 6 7 5 1 14 20 1 5	278 440 182 357 48 63 724 166 124 141 127 144 378 3,412 47 553 1,347 65	34.00 46.33 48.89 60.67 51.00 24.00 63.00 65.82 55.33 62.00  28.20 63.50 48.00 63.04 47.00 39.50 67.35 65.00 56.00	$\begin{matrix} & 63 \\ 1,353 \end{matrix}$	361 2,071 743 22,376 919 188 18,322 1,888 1,333 163 6,037 1,341 2,468 3,418 62,728 47 9,477 19,878 580 783	29.64 62.67 69.93 44.95 57.96 54.33 31.77 51.58 49.36 54.25 46.36 47.00 38.68			
Total	751	39,991	53.25	22,494	1,114,303	49.58			
VIII. EMPLOYMENTS OF WOMEN.					110	07 00			
Actresses Agents Artists Authoresses Bakers Basket-makers Box Broom and Brush Braid Button Cap Chain		52	42.00		$egin{array}{c} 112 \\ 472 \\ 66 \\ 42 \\ 149 \\ 325 \\ & 34 \\ 66 \\ 28 \\ & 78 \\ 448 \\ \end{array}$	37,33 56,00 52,44 66,00 42,00 74,50 32,50 34,00 66,00 28,00 39,00			
Cigar Dress, and Seamstresses.	17	920	54.11	579		$31.00 \\ 42.40$			

	STATE OF RHODE ISLAND.												
		1910.		Fifty-Eight Years and Seven Months. June 1, 1852, to Dec. 31, 1910.									
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.							
Boarding-house Keepers			. , ,	29	1,751	60.38							
Boatwomen				1		60.00							
Bookkeepers		122	30.50	56		31.23							
Charwomen				1		60.00							
Clairvoyants				1		66.00							
Clerks and Saleswomen	12	408	[34.00]	49	1,511	30.84							
Companions	. 1		24.00	3		40.00							
Compositors				2		31.00							
Cloth Trimmers				2		48.00							
Cooks		376	62.67	109		53.27							
Electrical Workers	1	26	26.00	1		26.00							
Farming				2 3		62.00							
Folders				3		38.33							
Hairdressers						$\begin{vmatrix} 35.33 \\ 32.00 \end{vmatrix}$							
Inspectors	4		34.75	6		31.00							
Jewelers	6		28.00	58		30.00							
Knitters				18		43.50							
Laboring				2		35.00							
Lacemakers	14			110		49.26							
Laundresses	14			110	76	$\frac{13.20}{38.00}$							
Lodging-House Keepers						24.00							
Loom Harness Makers				1		66.00							
Managers				1		36.00							
Manicures		207	60 00			60.44							
Matrons	3	127			3 336	36.26							
Milliners	- 4	144	1	1	38	38.00							
Modistes	1			4		31.25							
Musicians				1	24	24.00							
News Agents	11	634	57.64	1) -1	11,676	55.08							
Nurses			01.01	1	59	59.00							
Oculists	30	1,565	40.13	1,478	50,007	733.83							
Operatives	§		10.13	1		0.00							
Pentagraphers	1	39	39.00	1		9'39.00							
Photographers	1			17	1,028	5,60.29							
Physicians Postmistresses	1		37.00	2	68	5 32.50							
Public Officers	1			2	110	$0^{1}55.00$							
Rubber-workers	2	58	29.00	13	1,40	[31.13							
Sculptors		1		1	30	0.00							
Servants	43	1.959	45.56	863		946.89							
Sewers in Woolen Mill			32.83		289	936.12							

	STATE OF RHODE ISLAND.											
		1910.		SEV	EIGHT YEARS VEN MONTHS 52, to Dec. 3							
OCCUPATIONS.		Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.						
Shoe Workers	5 4 1	154	29.00 38.50 37.00	1 6 13 3	187 435	$\begin{vmatrix} 60.00 \\ 31.17 \\ 33.46 \\ 50.33 \end{vmatrix}$						
Stocking-makers Storekeepers. Students Superintendents.	2	88	44.00	1 17 5 1	836 110 39	34.00 $49.18$ $22.00$ $39.00$						
Tailoresses. Teachers. Music. Telegraph and Telephone Operators.	3 21		70.33 53.95	174 378 16	18,681 604	37.75						
Toy Makers. Twisters Typewriters Upholsterers.	5 1	151	50.33 32.00	1 6 4	21 181 116	29.67 21.00 30.17 29.00						
Velvet Cutters Waitresses Weavers Winders	3 - 19	1,049	44.00 55.21	1 25 133	20 802 5,976	34.00 $20.00$ $32.08$ $44.93$						
Wire Workers	1	27	$ \begin{array}{c} 31.50 \\ 27.00 \\ \end{array} $	9	27	28.78 27.00 ———						
Total	245	11,052	45.11	4,651	193,538	41.81						

# TABLE XI.—OCCUPATIONS AND AGES.—(RECAPITULATION.)

	STATE OF RHODE ISLAND.											
OCCUPATIONS.		1910.	1	FIFTY-SI June 1, 1	FIFTY-EIGHT YEARS AND SEVEN MONTHS. June 1, 1852, to Dec. 31, 1910.							
	Total Mortality.	Aggregate Ages.	Average Age.	Total Mortality.	Aggregate Ages.	Average Age.						
I.												
TILLERS OF THE SOIL	206	13,614	66.08	9,487	635,159	66.95						
II.												
Professional and Personal.	129	7,004	54.29	2,879	152,256	53.93						
III.												
OPTIONAL ACTIVITY	279	16,791	60.18	7,243	405,530	55.99						
IV.												
OUTDOOR.—Local	187	11,395	60.93	5,343	310,545	58.12						
V.			1									
INDOOR.—Active	477	25,538	53.54	10,779	561,588	52.10						
VI.				1								
INDOOR.—Activity Restricted	544	26,859	49.37	14,072	651,308	46.28						
VII.			And Andrews									
OCCUPATIONS AT LARGE	751	39,991	53.25	22,494	1,114,303	49.58						
VIII.				}								
Employments of Women	245	11,052	45.11	4,651	193,588	41.62						
ALL CLASSES	2,818	152,244	54.03	76,948	4,027,277	52.34						

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.

11	Typhoid Fever.		<del></del>	: : [	₩.			
	Tuberculosis.		7	9	13		1	- : : -
			10	. 2	1			
	Suicide.		<del>,  </del> ,	-	2			
-	Rheumatism.		•		•			
-	Pneumonia.			4	24			
-	Pleurisy.				CV			
	egA blO		14	· 60	17			
-	Liver Diseases.		010	77	70			
-	Kidney Disease (Bright's).		14	- m	18			: : : -
	Intestinal Diseases.		-	: :	-			
	.Viinsani	· .			*			
	Influenza.		23		S			
	Heart Diseases.		37	7	44			:- :0
-	Erysipelss.		*					
-	Epilepsy.			: :				
5	Dysentery.		:	: :	*			
3    -	Diarrhæa and Enteritis.		ನಾ	: :	ಣ			
	Diabetes.		23	: :	2			
	Cancer.		=	-	127			: :
	Bronchitis.		4	: :	4			
	Brain Diseases.							
4   _	Bladder Diseases.			• •	1			
2   _	Asthma.							
	Appendicitis.							
747	Apoplexy and Cerebral Hemorrhage.		20	• yeer!	21			
	Alcoholism.		2		cd			
3    _	Accidents.		=======================================	: m	14			: - : :
	Whole Mumber.		165	89 OT	203			24-4
TABLE CALL	OCCUPATIONS.	i	Tillers of the Soil.	FloristsGardeners	Total	II.	PROFESSIONAL AND PERSONAL.	ArtistsAuthorsChemists

Table XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

Typhoid Fever.	:	:	:	:	:		: :	:	:		:	:	:	: :
Tuberculosis.	: 7	-	:	:		١ :	: :	_	:			07	: -	ا: ۱
Suicide,	· ·				•		• •		•				•	
Stomach Diseases.	· -			·. ~	:	•		•	•	•	•	•	•	
Rheumatism.	•					•		·-				•	•	
Pneumonia.			•	•	. 5	. 0	1 .			-	-:			
Pleurisy.	•	•	÷	•	•			•	:		•	•		
Old Age.		÷	÷	•	•			•	. =	-		•	•	<del>.</del> .
Liver Diseases.	•	•	•		•			•				•	•	: :
Kidney Disease (Bright's).			-	<u>-</u>	-	-		•		1 -	-	<del>ب</del>	•	. 60
Intestinal Diseases.		•	•					<u> </u>	•			•		
Insanity.			<u>:</u>	. 7	<u> </u>				-		:	:	•	
Influenza.		:		:	:			<u>:</u>	•			-	:	<del>: :</del>
Heart Diseases.	• (	× 1		:	:			7.7	ċ	1		010	٠ در	101
				:				•						
Erysipelas.			÷	-:	·	-			:			•	•	
Epilepsy.														
Dysentery.		•		:				•	•	:	· ·			
Diarrhœa and Enteritis.	· ÷	•		-:-	-					<u>,                                     </u>		-		•
Diabetes.			·-	- <u>:</u> -						_		-	•	<u>: :</u>
Cancer.		·	-	•				•						
Bronchitis.		<u>:</u>	-:-	<u>:</u>	·			:		•		· :	•	
Brain Diseases.	-	-		•	-:-			· :	•	-	: :	•	•	
Bladder Diseases.		•		<u>-</u> ;-	•	•			•	•		•	•	<del>: :</del>
Asthma.		-:-	•	•	•				•	•		· · ·	•	• •
Appendicitis.			•	-:-	· -	<u>.</u>		-:	•	-:	<u> </u>	-	7	. 2
Apoplexy and Cerebral Hemorrhage.	:		:	:	:		: :	:	:		: :	:		:
Alcoholism.		:		<u>:</u>		:	: :	:	:	:	: :	2	:	: :
Accidents.	:	:	:	:	: -	<b>-</b> 	: =	•	. 7	_	: :	:	<u>:</u>	: -
Whole Mumber,	2	00		-	<b>—</b> 0	00	100	-		- د	4	10	50	3
	1 .													
		:	•		:	*			÷	:	: :	:	÷	: :
	1:	:	•			4			:	:			:	
	:	:	·	:	:								:	
			·							:				: :
70								· 0			:			: :
N N N N N N N N N N N N N N N N N N N								et						: :
OCCUPATIO		:						Journalists, Editors, e			:			
PA.		:	:	:				O			:			
<u> </u>	l vo							: <del> </del>			:	: :		
000	Civil Engineers.		Dentists		Draughtsmen			: PÀ		:	:	Musicians	:	Photographers Physicians
	ne		:		ne	US	70	. 1		:	76)	: :	:	oh S.
	50	en		LS	tsi.	121	Org	st.		002	rs	ns	:	an
	문	7m	sts	ne	rhi.	110	ctí	all	i	er	1718 00	13	S	200
	13	5.0	ti	19	Sn.	cti	pe	LD	Judges	Lawyers	I S	Sic	Nurses	otto
	1.2	ler	en	es	ra,	le	D.S.	on	ng	a.		In	Iui	hy Yhy
	15	O	D	P	A	피	7	7	7	H	72	1	1	HH

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

Typhoid Fever.	::::: <del></del> :::	::
Tuberculosis.	· · · · · · · · · · · · · · · · · · ·	13
Suicide.		14 ::
Stomach Diseases.		
Rheumatism.		
Pneumonia.		12 7
Pleurisy.		:::
Old Age.		
Liver Diseases.		m
Kidney Disease (Bright's).	· · · · · · · · · · · · · · · · · · ·	8 :
Intestinal Diseases.	0 0 0 0 0 0 0 0	
.vainsanI		::
Influenza.		
Heart Diseases.		29
Erysipelas.	* * * * * * * * * * *	
Epilepsy.		
Dysentery.	P	
Diarrhæa and Enteritis.		C1
Diabetea.		(m)
Свпсет.	HH	15 10
Bronchitis.		
Brain Diseases.	<del></del>	14 ::
Bladder Diseases	• • • • • • • • •	1
Asthma.		
Appendicitis.	• • • • • • • • • • • • • • • • • • • •	-
Apoplexy and Cerebral Hemorrhage.		1
Alcoholism.	0 0 0 0 0 0 0 0 0	(m)
Accidents.	:::::::::::::::::::::::::::::::::::::::	11
Whole Mumber.	Ø1010410104	10 10 8
		: :
ά		
NO	ien ien	CTI
PAT	ack	TI. A Ausse
OCCUPATIO	Te	III. OPTIONAL ACT
00	s	Cal
	ter all office ris. The photo ris. The Cris. T	P.T.
	sso sso she she fs a fs a nts	al. O
	Postmasters Professor and Teacher Public Officers Sheriffs and Policemes Stenographers Students Telegraph Operators. Treasurers	Total  III.  OPTIONAL ACT gents and Canvasser! Insurance
	Postmasters Professor and Teacher Public Officers Publishers Sheriffs and Policemer Stenographers. Students Telegraph Operators Treasurers Veterinary Surgeons.	Total  III.  OPTIONAL ACT Agents and Canvasser Insurance
		-4

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

lı.	
Typhoid Fever.	<u> </u>
Tuberculosis.	T:::9::::::=
Suicide.	
Stomach Diseases.	
Rheumatism.	
Pneumonia.	ρ· : : : : : : : : : : : : : : : : : : :
Pleurisy.	
Old Age.	
Liver Diseases.	::-:0:0::::::::::::::::::::::::::::::::
Kidney Disease (Bright's).	· · · · · · · · · · · · · · · · · · ·
Intestinal Diseases.	
Insanity.	T::-:-::::::::::::::::::::::::::::::::
Influenza.	
Heart Diseases.	21 :14 :0 :2 :1 :2 :18
Erysipelas.	
Epilepsy.	
Dysentery.	
Diarrhæa and Enteritis.	
Diabetes.	
Cancer.	H:::H:H:::::::::::::::::::::::::::::::
Bronchitis.	
Brain Diseases.	
Bladder Diseases.	: : : : : : : : : : : : : : : : : : :
Asthma.	
Appendicitis.	
Apoplexy and Cerebral Hemorrhage.	
Alcoholism.	::::::::::::::::::::::::::::::::::::::
Accidents.	
Whole Mumber.	01 1 2 8 2 8 8 2 2 3 2 4 70
OCCUPATIONS.	Agents, Real Estate. Auctioneers. Bankers and Brokers. Bark Officers. Bartenders. Bottlers. Butchers and Marketmen. Coal and Wood Dealers. Fish and Oyster. Furniture. Junk. Liquor. Liquor. Lumber. Milk. Provision. Collectors.

Table XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

Typhoid Fever.		2
Tuberculosis.	4 . 1	23
Suicide,	8	7
Stomach Diseases.		ಣ
		2
Rheumatism.		20
Pneumonia.		65
Pleurisy.		-9
- Old Age.		00
Liver Diseases.		- 20
Kidney Disease (Bright's).		138
Intestinal Diseases.		
.viinsanI		2
Influenza.		
Heart Diseases.	1011101110	59
Erysipelas.		
Epilepsy.		
Dysentery.		-
Diarrhœa and Enteritis.		-
Diabetes.	· · · · · · · · · · · · · · · · · · ·	9
Сапсет.	N → H · · · · · · · · · · · · · · · · · ·	7
Bronchitis.	· · · · · · · · · · · · · · · · · · ·	2
Brain Diseases.	· · · · · · · · · · · · · · · ·	20
Bladder Diseases.	· · · · · · · · · · · · ·	10
Asthma.		-
l	· · · · · · · · · · · · · · · · ·	TU
Appendicitis.	1 H W · D · · · · H · 4 · W · · · · · · · · · · · · · · · ·	
Apoplexy and Cerebral Hemorrhage.		1 29
Alcoholism.		4
Accidents.	- 3 : : - : : - : : - : : : :	0
Whole Number.	350 00 00 00 00 00 00 00 00 00 00 00 00 0	275
OCCUPATIONS.	Commercial Travelers Contractors and Builders Druggists and Apothecaries. Grocers Hotel and Inn Keepers Saloon and Restaurant. Stable and Garage Store Jobbers Manufacturers Manufacturing Jewelers Merchants Opticians Tobacconists. Traders Traders	Total

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

Typhoid Fever.		123
		175 6
Tuberculosis.		
Suicide,		1 2 ::
Stomach Diseases.		::
Rheumatism.		
Pneumonia.		12 :-
Pleurisy.	. 40	9
Old Age.		5 1
Liver Diseases.	.4.6	
Kidney Disease (Bright's).		221
Intestinal Diseases.		<del>                                    </del>
Linsanity.	• • • • • • • • • • • • • • • • • • • •	14
Laftuenza.		
Heart Diseases.		3
Erysipelas,		::
Epilepsy.		::
Dysentery.	· <del></del>	::
Diarrhœa and Enteritis.	: ে : : : : : :	. :
Diabetes.	:==:::::::	. :
Cancer.	:04 : : :11 :	116
Bronchitis.	:0-:::::	ි : :
Brain Diseases.		
Bladder Diseases.	·	. :
Asthma.	:: = :: = ::	::
Appendicitis.	• : : : : : : : : :	
Apoplexy and Cerebral Hemorrhage.	173	18
Alcoholism,	; eo ; ; ; ; ; ; ; ; ; ;	4 -:
Accidents.	. 10 10 : :	23
	1121212	10 2
Whole Number.		
OCCUPATIONS,	IV.  Outdoor.—Local.  Boat Builders Carpenters and Joiners Masons. Milwrights Roofers Ship Carpenters Ship Carpenters Stone Cutters and Marble Workers Tanners and Curriers Wheelwrights.	Total  V.  Indoor.—Active.  Bakers  Beamers

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

	.				_			. ,					
Typhoid Fever.	7	-		· · ·	-		· ~		•		• +		
Tuberculosis.					:				:	:	:		•
Suicide.	1:	:		_		:	: -	-	:				: -
Stomach Diseases.	1:		: :		:	:	:		:	:		: :	: :
Rheumatism.	:			:	:	:	:	: :	:	:	:		: :
Pneumonia.	2	:		-	:	:	_		_	-	. 2	· :	: -
Pleurisy.	:	:		:	:	:			:	:	:		: :
Old Age.	2	:		:	:	:	:		:	:			: 07
Liver Diseases.	(m)	:			-		_		:	:	:		: -
Kidney Disease (Bright's).	60	_			:	:	: -	٠ .	:	-	: 60		
Intestinal Diseases.	:	:			:	:	:		:	:	:		: :
Insanity.	:					:	:	: :	:	:			
Influenza.		:			-				:	:			
Heart Diseases.	000	2-	1 .	:	-	:	: -	1 -	_	:	: :	-	· 4
							:						
Erysipelas.		:		:		<u>:</u>	·		•	•			- : - :
Epilepsy.		-					<u>.</u>		•	•		-	
Dysentery.	<u>.</u>	•		•	•	•	•					·	• •
Diarrhæa and Enteritis.		<u>.</u>		_:						:			
Diabetes.					:	<u>.</u> .			<u>.</u>	•	- : :	•	: :
Cancer.				_		_:_			•	:	· · ·	_	-
Bronchitis.									<u>:</u>		: :	_ :	: :
Brain Diseases.					:	·		. :	:	•			
Bladder Diaeases.					ì		: :		_:		_: :	:	:-:
Asthma.						·			·		: :	_:	-
Appendicitis.				•			:		•	:	: :	. :	: :
Apoplexy and Cerebral Hemorrhage.	ಣ								•	. "	~i .		: 27
Alcoholism.	-			•	•		•	-	•	•		•	· ·
Accidents.	-	-						-	•	-		-	<del>-</del>
Whole Number,	31	<u></u>	07	9	4	,— (	70	9	2	N ,	<u> </u>	ಣ	<u>- 4</u>
"adamy olod"	(12)												-
		:		:					:				: :
						:			:				: :
	:	:							:				
				:		:			:				
zó.					LS	:			:				
NO		:	:	:	me	:			:	•			
T.		:	, di		II				:		: :		: :
OCCUPATIO		:	rus		Ξ	:			:		ers		
Doc .		. v	M		70	:					er		: :
Ö	02		pu		an	·	: :		rs		rs.		
	ith	S . C	ल	+	96		1.	:	de		ne d (		٠ ن
	m	ler J-n	m	ne	iag	0	eri	52	rin		300	200	to]
	ks	ach bir	CO	abi	LL	Hose	Pattern	ver	00	002	ec S	er	ora
	Blacksmiths	BleachersBobbin-makers	B	Cabinet	Ü	H	J.E	Brewers	Card-grinders	Chefs	Cooks and Caterers	do	Decorators
11	<b>M</b>	m m						B	Ö	J c	33	Co	Decorators

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

1
-
:
j ;
<del>ش</del>
-
:
က
91
:
:
ers
nbers
Plumbers

TABLE XII. - OCCUPATION'S AND CAUSES OF DEATH, 1910 - Continued.

Typhoid Fever.	: : : <del>- : : : - : : :  </del>	::
Tuberculosis.	:	86
Suicide.		12
Stomach Diseases.	: : : : : : : : : : : : : : : : : : : :	4 ::
Rheumatism.	: : : : - : : : : : : : :	- ::
Pneumonia.	· · - ·	48
Pleurisy.		ca ::
Old Age.		- ::
Liver Diseases.		4
Kidney Disease (Bright's).		1 1
Intestinal Diseases.		ca ::
.vjinsanI	• • • • • • • •	9
Influenza.		70 ::
Heart Diseases.	ρη	08 0 1
Erysipelas.		
Epilepsy.		63
Dysentery.		::
Diarrhæa and Enteritis.	· · · · · · · · · · · · · · · · · · ·	9
Diabetes.		
Cancer.		1 1 23
Bronchitis.		8
Brain Diseases.		-
Bladder Diseases.		1-
Asthma.		- ::
Appendicitis.	m · · · · · · · · · · · · · · · · · · ·	9
Apoplexy and Cerebral Hemorrhage.		1
Alcoholism.		= ::
Aecidents.	: : : : : : : : : : : : : : : : : : : :	35
Whole Number.	H-1-1-0001-1000	19
OCCUPATIONS.	Pressmen Refiners Stampers, Jewelry Stamfitters Superintendents and Overseers Tinsmiths Upholsterers Window Dressers Wire Workers Wood Turners	Total VI. INDOOR.—Activity Restricted. Barbers.

TABLE XII. - OCCUPATIONS AND CAUSES OF DEATH, 1910. - Continued.

Typhoid Fever.	
Tuberculosis.	71
Suicide.	:::: : : : : : : : : : : : : : : : : :
Stomach Diseases.	· · · · · · · · · · · · · · · · · · ·
Rheumatism,	
Pneumonis.	7 : : : : : : : : : : : : : : : : : : :
Pleurisy.	
.ogA blo	ਰ.:::::ਰ::::::::::::::::::::::::::::::
Liver Diseases.	
Kidney Disease (Bright's).	то — со — ; со — ; со ; ; ; со ; ; ; со ; ; ; ; со ; ; ; ;
Intestinal Diseases.	· · · · · · · · · · · · · · · · · · ·
.viinsanI	
Influenza.	
Heart Diseases.	
Erysipelas.	· · · · · · · · · · · · · · · · · · ·
Epilepsy.	
Dysentery.	
Diarrhæa and Enteritis.	
Diabetes.	: : : : : : : : : : : : : : : : : : :
Cancer.	
Bronchitis.	
Brain Diseases.	H:::::::::::::::::::::::::::::::::::::
Bladder Diseases.	
Asthma.	
Appendicitis.	
Apoplexy and Cerebral Hemorrhage.	
Alcoholism.	
Accidents.	[C] : : : [C] : : : : : : C]
Whole Number.	011030007007111000030000000000000000000
	† <del> </del>
	ν2
NO.	Keit i i i i i i i i i i i i i i i i i i
TIC	gen del de la constant de la constan
JPA	San
OCCUPATION	www.ver
	ers nd s a s a s a s a s a c d A c d Silv d S ers ers ers ers ers ers ers ers ers ers
	akk a akk a an a
	ookkeepers Cigar. Clock and Watch Harness and Saddle. Lace Sail and Awning Shoe arders erks and Salesmen erks and Salesmen ie Cutters and Sinkeresser-tenders Dhoto-Engravers ile Cutters
	Bookkeepers.  Cigar.  Clock and Watch  Harness and Saddle Lace. Sail and Awning Shoe  Carders.  Chasers, Silver  Clerks and Salesmen  Olerks and Salesmen  Die Cutters and Sinke Dresser-tenders  Engravers.  File Cutters.
1	COOCHH H

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910—Continued.

Typhoid Fever.	1 :		0		•	. 4				: :	:	<del></del>
Tuberculosis.			13	,i 1	-	- 00	-	11	20	9	20	ന <del>–</del>
Suicide.			4			- ,				•		70
Stomach Diseases.				-			:		•			
Rheumatism.		•		•	•		•		•	:	•	= :
Pneumonia.			<u></u>	. 0	.7	00	•	. 2	-	.07	2	
Pleurisy.				•	•		•		:	•		
Old Age.		-		·		4	•		•			- 67
Liver Diseases.	1		-				•		•			
Kidney Disease (Bright's).		. 07	10	•	•	- 10	•	: 01	. ,		-	4-
Intestinal Diseases.		- :		-			•	• -	-			
Insanity.	1		-	•				: :	•		•	
Influenza.	<u> </u>		-	:	•		:		:			
Heart Diseases.	5	- :	13	:		10	:	: 27	CS =	<u>-</u> ⇔		40
Erysipelas.	1			•			•		•			• •
Epilepsy.		•	•	•			•		<del>-</del> i	• •	•	
Dysentery.	1		-		-	-	•		4	* .	·	
Diarrhæa and Enteritis.			100		-		:					• •
Diabetes.			-	•			:	: :	-		•	•
Cancer.	:	: :	ಣ	•		5	:		03	• -	•	
Bronchitis.		· .					•					= :
Brain Diseases.	-										•	
Bladder Diseases.	1:		_	:								
Asthma.											•	: :
Appendicitis.	1:			:			•					- : -
Apoplexy and Cerebral Hemorrhage.			7	-	. ,	12		: =		<u> </u>	4	12°C
Alcoholism.			2				-		:	ं ल		
Accidents.			-			5		: -		: :		<del>-</del> :
Whole Number.	9	<del>-</del> 4	59		20	99		17	14	17	13	24
				:					:	: :		: :
	:						:		:			
						: :	:		:	: :	:	
							:			: :		: .
NS.							:		:		:	
		: :					:			: :		
OCCUPATI	e .						:	er.			:	
200	Ţ.	: :		ers	. 07.					ers		: :
8	[e]	ج ج		lor	n. Ete	Z	rs.	: 00		$r_{\rm K}$		
		CIC		20	me	es,	tte	.nd		Vo	the	
	ers	db s	rs.	Y	r.	iV	n	<u>α</u>	ά	200	mi	100
	Sh	ar	ele	elr	nd the	rai	ار مارد	olc	tel	pe C	SIS.	ne
	i.	Cardboard	BW	ew.	au	pe	ean	30	rin	Rubber Workers	lve	Spinners
11	1	F	J	J	7 1	0	D D	4	DI F	五五	Si	2 E

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

Typhoid Fever.	<del></del>	12			;;;;···
Tuberculosis.	15	23			H::-0H::H
Suicide.	27 .	5			• • • • • • • • • • • • • • • • • • • •
Stomach Diseases,		19			· · · · · · · · · · · · · · · · · · ·
Rheumatism.	-	<u></u>		_	· · · · · · · · ·
Pneumonia.	12.01	48			H H H H H H K
Pleurisy.	-	1			
Old Age,	H :	10			
Liver Diseases.	1	00			
Kidney Disease (Bright's).	197	56			: : - : : :
Intestinal Diseases.	:::	2			
Insanity.	:::	4			• • • • • • • •
Influenza.	1 : :	60			
Heart Diseases.	00	15			: : : : : : : : : : : : : : : : : : : :
Erysipelas.	1	2 -			<del>- : : : : : : : : : : : : : : : : : : :</del>
Epilepsy.		27			• • • • • • •
Dysentery.	= :	2			· · · · · · · · · · · · · · · · · · ·
Diarrhea and Enteritis.		-		*	· · · · · · · · · · · ·
Diabetes.		10			· · · · · · · · · · · · · · · · · · ·
Cancer,	<del>  4 -  </del>	=			· · · · · · · · · · · · · · · · · · ·
Bronchitis.	1	50			<del></del>
Brain Diseases.	<u> </u>	20			
Bladder Diseases.	:::	67			
Asthma.	::	:			
Appendicitis.	1 : :	0.7			
Hemorrhage.	4 :	42			:::::==
Apoplexy and Cerebral	101 .	10			
Accidents. Alcoholism.	2 .				· - 4 0 - 6
stabioo A	1 00 =	534 19			210840940
Whole Number.	56	53			
	: :	:			
		:			
•	: :			Œ.	
	: :	:		ARGE	
-:	:::			LA	
N.S.	: :	:		H	
DIA	: :	:	⊢ <del>i</del>	A	: : : : : : : : : : : : : : : : : : :
PA'			M	Z	il.
OCCUPATIO				ric	ter Ra
00	. 63			OCCUPATIONS A	Can
	teı	:		CU	In
	ers	3		)cc	general mer
	ave ol-s	Total			aggage Masters Datmen akemen Itlers nauffeurs Dachmen Electric Car.
	Weavers				Baggage Masters Boatmen Brakemen Butlers. Chauffeurs Coachmen Conductors (Railroad Electric Car.
					наниооо А

TABLE XII. — OCCUPATIONS AND CAUSES OF DEATH, 1909, — Continued.

Typhoid Fever	
	1 : 2 :
Tuberculosis.	
Suicide.	
Stomach Dizeases.	
Rheumatism.	
Pneumonia.	-0-00 : 0 : : - : : : : : : : : : : : :
Pleurisy.	
.egA blO	
Liver Diseases.	:::0:::::4:::
Kidney Disease (Bright's).	: 4 & 4 & 5 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6
Intestinal Diseases.	· · · · · · · · · · · · · · · · · · ·
.viinsenI	· · · · · · · · · · · · · · · · · · ·
Influenza.	
Heart Diseases.	11.00. : 32. : 5. : . : . : . : . :
Erysipelas.	
Epilepsy.	
Dysentery.	H H
Diarrhoa and Enteritis.	
Diabetes.	
Cancer,	
Bronchitis.	
Bladder Diseases. Brain: Diseases.	
Asthma.	
Hemorrhage,	
Apoplexy and Cerebral	
Alcoholism.	[:::\n]::\n\=:::\n\=:::\n\=:::\n\=:::\n\=:::\n\=::\n\=::\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:\n\=:
Accidents.	· : 00 - : - : - : - : - : - : - : - : -
Whole Mumber.	4074111911111111111111111111111111111111
	8
	s
<u>z</u>	
NO	
T.	S. S. St. Ind.
OCCUPATIO	Con the state of t
100	
ŏ	m :
	In the second of
	S. S
	atime attime attime corners strength of the corners
	Drivers, Hack and Carle Elevator Operators. Engineers. Stationary. Expressmen. Fire Company Member Firemen. Fishermen and Oyste. Foresters. Horse Salesmen. Janitors. Laborers. Laborers. Lamp Trimmers and Linemen.
	Drivers, Hack and Cal Elevator Operators. Engineers. Stationary. Expressmen. Fire Company Member Firemen. Fishermen and Oysterr Foresters. Horse Salesmen. Janitors. Laborers. Laborers. Laborers. Linemen. Mail Carriers.

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910—Continued.

Typhoid Fever.	
Tuberculosia.	
Suicide.	
Stomach Diseases.	
Rheumatism.	
Pneumonia.	
Pleurisy.	
Old Age.	: : : : : : : : : : : : : : : : : : : :
Liver Diseases.	
Kidney Disease (Bright's).	T : T & T : T & : : : : : : : : : : : :
Intestinal Diseases.	
.ViinsanI	::::=::::::::::::::::::::::::::::::::::
Influenza.	
Heart Dizeases.	
Erysipelas.	
Epilepsy.	
Dysentery.	
Diarrhæa and Enteritis.	:::::::::::::::::::::::::::::::::::::::
Diabetes.	: : : : : : : : : : : : : : : : : :
Cancer.	
Bronchitis.	_::: <sup>0</sup> :: <del>-</del> ::::::::::::::::::::::::::::::::::
Brain Diseases.	<u>:</u> :::::::::::::::::::::::::::::::::::
Bladder Diseases.	
Asthma.	
Appendicitis.	
Apoplexy and Cerebral Hemorrhage.	
Alcoholism.	
Accidents.	
Whole Number.	- war4- x w r a - 0 w a r a a
OCCUPATIONS.	Milkmen Motormen Naval Officers Peddlers Ragmen Railroad Employees Station Agents U. S. Navy Scissors Grinders Sea Captains and Ship Masters. Servants Sextons Scldiers Stevedores Stevends

Table XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

Tuberculosis.	3 10 11 11 11 11 11 11 11 11 11 11 11 11	11.211211
Suioide,		6 -1 - 1
Stomach Diseases.		
Rheumatism.	311.7	
Pneumonis.		388
Pleurisy.		
Old Age.		6
Liver Diseases.		
Kidney Disease (Bright's).	Un : 10 to : :	23 :::1
Intestinal Diseases.		C7 ::::
.viinsanI		o. ::::
Influenza.		4 ::::
Heart Diseases.	24:02:11	125
Erysipelas.		• • • •
Epilepsy.		<del></del>
Dysentery.		70
Diarrhæa and Enteritis.		6 ::::
Diabetes.	: - : : 2 : :	= : : :
Cancer.		S : ⊢ : co
Bronchitis.		
Brain Diseases.	· · · · · · · · · · · · · · · · · · ·	2
Bladder Diseases.		o ::::
Asthma.		2 : : : :
Appendicitis.	· co · · · · · ·	0 : : :
Apoplexy and Cerebral Hemorrhage.		27
Alcoholism.	· ea · · · · · ·	= ::::
Accidents.	- C - C	97
Whole Number.	4 4 4 4	734 10 10
OCCUPATIONS.	Switchmen and Gatemen.  Teamsters. Telephone Installers. Waitens. Watchmen. Whitewashers.	Total.  VIII.  EMPLOYMENTS OF WOMEN.  Artists.  Bookkeepers. Chain-makers. Clerks and Saleswomen.

Table XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Continued.

Typhoid Fever.				:			:	:				: :	:
Tuberculosis,	07-	-	- 0	3				OT			9	12	:
Suicide,		٠					<del> </del>	:			:	: :	:
Stomach Diseases.	• အ	•	:	:			. 7	-		1 :		: :	-
Rheumstism.	:::	•	•		•	•	-	<u> </u>			<del></del>	• •	•
Pneumonia,	-: :			N.		•	07 0	9			20	: :	•
Pleurisy.	: :						:			•	-	: :	-
Old Age.		•	•	•	:	•		4			-	•	
Liver Diseases.				:			•				:	: :	•
Kidney Disease (Bright's).	-4	_					-1 0	0 -	-		10		:
Intestinal Diseases.	:::	•	•	:	•						•		- :-
Insanity.	7	•		*	•	•		•			-		•
Influenza.		•	•		•	•	•		•		•		•
Heart Diseases.	ठाठा	:	•	4	:	<del>_</del>	<del>-</del> i c	2			7		2 -
Erysipelas.		•	•	•	•	•	:		•			• •	•
Epilepsy.			:			•	:	:			<u>0,</u>	: :	
Dysentery.		•	$\vec{\vdash}$	6	•			÷			7 +		<u>:</u>
Diarrhæa and Enteritis.	• •	•		•	•	•	• =	-			÷		
Diabetes.		•	. ,	<u> </u>	•	•	•				·	•	•
Cancer.	. co		• (	27	•	•		-	-	-	<del>ه</del> و	.7	-
Bronchitis,	-	•	•		•	:		•	•	•	:	: :	<u> </u>
Brain Diseases.			•	•	•	•	<del>-</del>				•		: -
Bladder Diseases.		•	•		•		•				•	-	•
Asthma.				•			•	•	•		•		
Appendicitis.		-	•	•		*	. ,				-:		-
Apoplexy and Cerebral Hemorrhage.	: -	•	:	-	<del>-</del>	•	<u>.</u>	.7	:		<u>က</u>		:
Alcoholism.		•	_			•		:	:		_	: :	:
Accidents.	• =	•	_	÷	•	·	<del>-</del>	_	•	:	ಣ	:	:
	91	2	4		07	2	11	- XX		407	41	10 ru	4-
Whole Number.					_								
L.			:	:	:	:	:	:	:	: :	:	: :	
L.,	: ::	•	:			:		:	:	: :		: :	
	ses:	:	:			:	:	:	:				
	es:	:				:	:	:	:	: :			
-:	stresses		:			:	:		:			-	
S S	. d		:				:	:	:		:		
OCCUPATIO	Jooks	nspectors	:				:	:				Sewers in Woolen Mill Spoolers in Woolen Mil	
A7	:02						:	:	:	:	:	n ler	Stenographers
10	l : pa	:	:						:	. 20	:	ole	
S	2	:	:					:	SIS	Ke S		OB	I's
0	1 . 23	:	:	00					ne	Orl			he
	ke	LS	:	SS				768	ap	M	ro.	d.i	ap
	Jooks	to	ILS	re	ns	SIS		t11	20.1	Sr-	nte	SIS	Stenographers
	SS.	ec	ele	nd	ro	ine	ses	ra	10	be	7a.1	er	100
	log es	Sp	W	m	at	il	ur	be	no	ub	J.L	Me OC	Ser
	SA	In	Je	T	Z	Z	Z	0 6	7 0	12	S	in in	के के

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—Concluded.

Typhoid Fever.		-
Tuberculosis.	H : 01 : H H 80 H H	20
Suicide.	-	7
Stomach Diseases.	· <del>-   · · · · · · · · · · · · · · · · · · </del>	∞.
Rheumstism.		ಣ
Pneumonis.	· : :	19
Pleurisy.		co .
Old Age.		22
Liver Diseases.		-
Kidney Disease (Bright's).	· · · · · · · · · · · · · · · · · · ·	<sup>1</sup> 28 1
Intestinal Diseases.		:
.viinsanI		ಣ _
Influenza.	: : : : : : : : : : : : : : : : : : : :	-
Heart Diseases.	्राची । जन	34
Erysipelas.		
Epilepsy.		ಬ
Dysentery.		63
Diarrhæa and Enteritis.	: : : : : : : : : : : : : : : : : :	1-
Diabetes.		ಣ
Cancer.		24
Bronchitis.		•
Brain Diaeases.		-
Bladder Diseases.		:
Asthma.		
Appendicitis.	• • • • • • • • •	ಬ
Apoplexy and Cerebral Hemorrhage.	- 8	16
,mailohoolA		ବର
Accidents.		$\infty$
Whole Mumber	22221224-	225
OCCUPATIONS.	Storekeepers Tailoresses Teachers Twisters Typists Waitresses Weavers Winders	Total

TABLE XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—RECAPITULATION.

Typhoid Fever.	₩.		67	2	ř-
Tuberculosis.	13	13	23	16	98
Suicide.	1-	4	1~	2	12
Stomach Diseases.	2		ಣ	<del></del>	4
Rheumstiam.			C)	:	7-4
Pneumonia.	24	1	33	12	2.48
Pleurisy.	27			-	22
Old Age.	17	<del>1 - 1</del>	9	9	1
Liver Diseases.	10	ಣ	00	C.J.	4
Kidney Disease (Bright's).	1 18	100	80	21	52 14
Intestinal Diseases.	-				2
Insanity.		-	C)	67	9
rguengu-	62			4	50
Heart Diseases.	44	29	50	42	80
Erysipelas.	:	:	:	-	
Epilepsy.				-	N
Dysentery.			-		
Diarrhæa and Enteritis.	ಣ	67		63	9
Diabetes.	Ø	ಣ	9	67	-
Cancer.	12	1-	17	16	23
Bronchitis.	4		67	ಣ	22
Brain Diseases.		4	10		
Bladder Diseases.	1-	-	10	N	. 1
Asthma.	-	*	:	7	,—
Appendicitis.	-	<del>                                      </del>	ಸ್ತಾ	:	: 9
Apoplexy and Cerebral Hemorrhage.	21	17	29	00	43
Alcoholism,	2	ಣ	4	4	
Accidents.	14	1-	6	23	35/11
Whole Mumber.	203	122	275	187	465
OCCUPATIONS.	TILLERS OF THE SOIL.	II. Professional and Personal	OPTIONAL ACTIVITY	IV. Outdoor.—Local	V. INDOOR.—Active

Table XII.—OCCUPATIONS AND CAUSES OF DEATH, 1910.—RECAPITULATION.—Concluded.

Typhoid Fever.	12	=======================================	<del></del>	37
Tuberculosis.	15 123	112	50	136
Suicide,	15.	12	23	01
Stomach Diseases.	9	0	00	233
Rheumstism.	ಣ		<u>ක</u>	10
Pneumonis.	84	98	19	279 10 33 61 436 37
Pleurisy.	-	ಣ	ಣ	
.93A blO	10	6	S	000
Liver Diseases.	00	10	H	51 58
Kidney Disease (Bright's).	56	87	28	4 528 19 27 10 318
Intestinal Diseases.	<b>6</b> 7	2		10
Insanity.	4	. 6	ಣ	27
Influenza.	ಣ	4	-	19
Heart Diseases.	15	25	34	28
Erysipelas.	- 2		•	45
Epilepsy.			٠ •	6
Dysentery,	2	ت. 	67	1 0
Diarrhœa and Enteritis.	<del></del> -	6	<u>~</u>	31 12
Diabetes.	10		<b>ි</b>	333
Сапсет.	31	33.1	24	633
Bronchitis.	5	1	6	23 163
Brain Diseases.	55	- 2		182
Bladder Diseases.	23	6		00 -
Asthma.		67	*	6 38
Appendicitis.	2	0	<u>ි</u>	27
Apoplexy and Cerebral Hemorrhage,	42	57	16	243 2
Alcoholism,	10	-	ଦ୍ର	48
Accidents.	191	97.1	00	212 4
Whole Number,	534	734	225	2,745
OCCUPATIONS.	VI. Indoor.—Activity Restricted.	VII. OCCUPATIONS AT LARGE	VIII, EMPLOYMENTS OF WOMEN	ALL CLASSES

Table XII.—SUPPLEMENTAL DISEASES.

Tumor of Spine.	
Tetanus,	• • • • • • • • • • • • • • • • • • • •
Syphilis.	
Spinal Sclerosis.	
Scarlet Fever.	
Pyosalpinx,	
Puerperal Septicemia.	
Puerperal Mephritis.	
Pellagra.	- :-:::::::::::::::::::::::::::::::::::
Ovarian Cyst.	-::::::::::::::::::::::::::::::::::::::
Otitis Media.	
Myelitis.	
Measles.	
Ludwig's Angina.	
Locomotor Ataxia.	
Hodgkin's Disease.	
.вітів.	
Goitre, Exopthalmic.	: : : : : : : : : : : : : : : : : :
Gallstones.	
Fibroids of Uterus.	
Diphtheria.	
Carbuncle.	
Anemia, Pernicious.	
Adenitis, Cervical.	
Abacesa of Pancreas.	
Abacesa, Cervical.	<u> </u> :::::::":::"
Abscess of Abdominal Wall.	
Whole Number.	
OI SN OI	
OI	S
PA.	W. T.
OCCUPA	
00	b
	ootl she
	hs
	S. S
	ssr Sylut Sylut Sylut Tur Tur Tur Tur Tur Tur Tur Tur Tur Tur
	Blacksmiths
1	Sla

_:
Q
tinne
- [
7
$\Xi$
-6
$\bigcirc$
- }
SES.
92
Y
70
AS
4
(T)
DISE
02
~
MENTAL
AI
- 4
=
7
Part .
_
2
7
-SUPPLE
Щ.
-
=
02
0
XII
68
BLE
2
H
V
pr .

Tumor of Spine.	
Tetanus.	
Syphilis.	
Spinal Solerosis.	
Scarlet Fever.	[ = : : : : : : : : : : : : : : : :
Pyosalpinx.	
Puerperal Septicemia.	
Puerperal Mephritis.	
Pellagra.	
Ovarian Cyst.	
Otitis Media.	· : : = : : : : : : : : : : : : : : : :
Myelitis.	
Messles.	
Mastoiditis.	
Ludwig's Angina.	
Locomotor Ataxia.	
Hodgkin's Disease.	+
Hernia.	
Coitre, Exopthalmic.	
Gallstones.	
Fibroids of Uterus,	
Diphtheria.	
Carbuncle.	
Anemia, Permicioua,	· · · · · · · · · · · · · · · · · · ·
Adenitis, Cervical.	
Abscess of Pancreas,	
Abscess, Cervical.	
Abseess of Abdominal Wall.	
Whole Number.	0-0-40
22 - 12 - 12 - 12 - 12 - 12 - 12 - 12 -	
SS	
101	,
TAC	
OCCUPA	
	a variation of the contract of
	S
	sts.  its.
	ini nar nar rrn eer ser sia ad ior ior upt
	Machinists Werchants Molders Notormen Nerseers Photographers Physicians Olishers Onters allroad Sectic alvation Arm ea Captains ecretaries liversmiths
	Machinists. Merchants. Molders Molders Motormen Overseers Painters. Physicians Polishers. Porters Railrad Section Hand Salvation Army Officer Sea Captains. Secretaries.

Table XII.—SUPPLEMENTAL DISEASES.—Continued.

Whole Number. Abscess of Abdominal Wall. Abscess of Paroreas. Adentits, Cervical. Anemia, Pernicious. Carbuncle. Diphtheria. Fibroids of Uterus. Goltre, Exopthalmic. Hernia. Mastoidiris Accomotor Ataxia. Mastoiditis Mastoiditis Ortits Media. Myelitis Media. Pollagra. Puerperal Mephritis. Pellagra. Saniel Septicemia. Puerperal Septicemia. Sprosalpinx. Sprosalpinx. Sprosalpinx. Sprosalpinx. Sprosalpinx. Sprosalpinx. Sprosalpinx.				53 1 1 1 1 6 1 2 3 8 2 9 1 1 3 1 1 1 2 6		1		2
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--	------------------------------------------	--	---	--	---

TABLE XII.—SUPPLEMENTAL DISEASES.—Concluded.

		,
Tumor of Spine.		: 11 =
Tetanus,		:    ¬
Syphilis.		711
Spinal Selerosis.	H : : : : : :	:    27
Scarlet Fever.		: 11 =
Pyosalpinx.		0110
Puerperal Septicemia.	: : <del>: : : : : : : i</del>	m    m =
Puerperal Nephritis.	· · - · · - · ·	00 11 00
Pellagra.		: 11 7
Ovarian Cyst.	· : = : : : : i	01 10
Otitis Media.		110
Myelitis.		:    ന
Measles.		-11-
Mastoiditis.		-11-
Ludwig's Angina.		:    -
Locomotor Ataxia.		: 10
Hodgkin's Disease.		101
Hemia,	HAZ H	2 0
Goitre, Exopthalmic.		2 1 2
Gallstones.		- 1100
Fibroids of Uterus.	-	- 11
Diphtheria.		H   100 -
Carbuncle,		-
Anemia, Pernicious.		-111-
Adenitis, Cervical.		:   -
Abscess of Pancreas.		111
Abacesa, Cervical.		
Abscess of Abdominal Wall.		
Whole Number,	н-о	23    23
Te t tim		2 " 7
		: :
		: :
		: :
\$		
ONS		: :
Œ.		: :
J.F.		: :
OCCUPA	: : : # : : :	: :
00	ole	: :
		: 78
	es : K	 0t
	S. S	: =
	lre one ont si si ers ers ers	al.
	Laundresses.  Matrons. Servants. Sewers in Woolen Mil Teachers. Twisters. Weavers. Operatives.	Total
	au Earl Sac Sac Wik ea	T. Gr
	OMITES	

RESULTS	AND	OBSERVATIONS	•



# GENERAL SUMMARY.

The number of births registered in the State of Rhode Island, during the year 1910, was thirteen thousand three hundred and fifty-four (13,354); the number of marriages, four thousand five hundred and fifty-eight (4,558); and the number of deaths, nine thousand two hundred and ninety-eight (9,298).

TABLE XIII.

General Results of Registration for Ten Years, 1854–1863, and for each of the last Forty-seven Years.

Whole number of Births.	Still-born.	Living Births.	Marriages.	Deaths
Years. of Births.			-	
864-186338,042	190	2 754	1 844	3.360
8653,955	177	2 778	1 896	3.40
8664,902	179	4.730	2.318	2.97
.866	169	4 064	2 344	2.88
.8675,127	919	5 160	2.285	2.91
.8695,245	990	5.095	2 289	3.38
8705,215	924		2.362	3,23
8705,215	204	<del>1</del> ,501	2.336	3.34
8715,678 8726,143	209	5 0/1	2 537	4.24
872	000	5 704	2 630	4.40
8736,022 8746,466	977	R 190	2 541	4.22
8746,466 8756,508	0.40	6 262	2 485	4.31
<b>875</b> 6,508		6 105	2.253	4.11
8766,329 8776,235	049	5 003	2 282	4.45
<b>877</b> 6,235	040		2 324	4.44
8786,714 8796,350	248	6.13.1	2 396	4.47
8796,350 8806,295	100	6 103	2 769	4.82
8806,295 8816,761	192	6 407	2.750	5.01
8816,761 8826,825	204	6 579	2 634	5.07
8826,825	255	6 703	2 611	5.28
8837,046 8847,305	,,,253	7 022	9.55%	5.14
8847,305		6 757	2 488	5.38
8857,028		7 200	9.750	5.84
8867,621	293	7.000	9 9 9 0	6.34
8877,668	276	7,392	2 000	6.50
8887,840		7,545	2.000	
8898,220	329	7,891	0.105	60
8908,550		8,254	3,195	
0.498	272	9.154	3,320	0,02
0.070	243	8.927	3,502	
892	412	9,636	3,544	7,44

#### TABLE XIII.—Concluded.

Years.	Whole number	CAIL L	Living	Marriages.	Deaths.
1894	9,985	392	9.593	3,271	7,160
.895	10,249	367	9,882	3,497	7,535
896	11,174	424	10,750	3,327	7,504
897	11,218	423	10,795	3,137	7,110
898	11,143	413	10,730	3,278	6,905
899	11,220	389	10,831	3,433	7,458
900	11,458	374	11,084	3,936	8,823
901	11,761	469	11,292	3,846	7,966
902	11,689	462	11,227	4,136	7,955
903	12,287	506		4,473	8,642
				4,174	
				4,760	
				5,117	
				5,639	
				4,941	
909	13,410	540	12,870	5,462	8,277
910	13,950	596	13,354	4,558	9,298

During the period of fifty-seven years there were recorded, in Rhode Island, 443,695 births, of which number 16,797 were still-born and 426,898 were living children.

During the same period there were recorded 164,061 marriages, or 328,122 persons married; and 305,409 deaths.

These results show that in every 26.4 births there was one still-born child, or that in every 1,000 births there were 38 still-born and 962 living children.

The same results also show that the ratio of whole number of living births to the whole number of persons married, and to the whole number of decedents, respectively, during the same period, was as follows:

	Of	Of
For every 100 1' ' 11 17	persons married.	Deaths
For every 100 living births there were		71 5

The number of births in 1910 was 484 larger than that of the previous year; the number of marriages smaller by 904 or 1,808 less persons married; and there was an increase of 1,021 deaths.

For every 100 births there were:

Of	Of
persons married.	Deaths.
In 1904	67.1
In 1905	00 5
In 1906	
In 1907and.	67.9
In 1907	68.3
74.4	0.0
84 9 and	04.0
In 1910	04.3
and.	69 . 6

TABLE XIV.

Comparative Exhibit of Births, Marriages, and Deaths, in each Town in Rhode Island, in each of the Six Years, 1905-1910, and Excess of Births over Deaths in 1910.

	Births,	Excess o	33 —19 87	101	336	412	115 21 21 167 6	198
		1910.	29 171 125	325	116 66 7 481	029	110 128 383 16 54 62	574
		1909.	127 855	240	108 38 38 427	581	382 282 71 71 71 72 75	554
	THS.	1908.	28 134 87	249	93 44 7 439	583	111 1242 342 333 833 857	507
	DEATHS	1907.	130 130 101	262	92 14 417	581	24 118 373 999 633	620
		1906.	17 144 96	257	1114 47 49 49 357	567	250 250 250 250 200 411 577	516
	· ·	1905.	180	296	106 48 48 13 400	292	222 222 408 412 412 413 413 413 413 413 413 413 413 413 413	568
-		1910.	13 58 62	133	39	278	212 122 20 20 16	272
		1909.	111 70 70	151	37 37 200	285	22.24 111 122	286
	AGES.	1908.	577	121	66 21 1 218	306	210 210 12 15	258
	MARRIAGES 1907. 1908.	1907.	12 53 64	129	31 27 199	257	204 204 111 18	260
		1906.	12 55 66	133	22 25 207	254	223 123 213 211 211	277
		1905.	00 4 4 4 9 00 A 4 4 9 00 A 4 4 9 00 A 4 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 9 0 A 4 0 A 4 0 A 4 0 A 4 0 A 4 0 A 4 0 A 4 0 A 4 0	126	200 233	264	, 7 6 199 169 12.	264
		1910.	62 152 212	426	198 62 5 817	1,082	222 222 224 544	772
		1909.	55 149 196	400	212 44 22 726	984	18 35 35 40 568 19 55 100	835
	S	1908.	56 167 207	430	200 73 700	981	116 221 2555 265 266 37	807
	BIRTHS	1907.	63 156 205	424	206 66 9	1,002	16 229 320 320 1022	762
		1906.	37 162 179	378	203 66 10 743	1,022	20 27 32 475 10 41 81	989
		1905.	38 142 196	376	193 52 655	905	22 34 422 512 112 661 89	772
	TOWNS	AND DIVISIONS OF THE STATE.	Barrington Bristol. Warren	BRISTOL COUNTY	Coventry East Greenwich West Greenwich Warwick	Kent County	Jamestown Little Compton Middletown NEWPORT CITY New Shoreham Portsmouth Tiverton	NEWPORT COUNTY

TABLE XIV.—Concluded.

	Excess o	227 227 227 227 227 227 223 227 227 227	402 82	316	298 4,056
	1910.	3,5 3,5 4,7 4,7 5,7 5,7 5,7 5,7 5,7 5,7 5,7 5,7 5,7 5			6
	1909.	251 251 251 251 251 251 252 253 253 253 253 266 66 66 66 66 67 17 17 16 18 18 18 18 18 18 18 18 18 18 18 18 18	372	313	8,277
rhs.	1908.	2000 2000 2000 2000 2000 2000 2000 200	405	324	8,267
DEATHS	1907.	2548 2572 2572 2572 256 266 268 840 440 460 679 367 367 367 367 367 367 367 367 367 367	354	400	9,010
	1906.	2222 2222 2221 22122 2212 2212 2212 22	360	371	8,612
	1905.	1084 11592 11592 11592 11593 11593 11593 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 11693 1	407	264	8,212
· F	1910.	2223 2423 2721 2721 2721 2721 2732 2732 2732 27	165	:	4,558
	1909.	25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	228	:	5,462
AGES.	1908.	1294 11594 11594 1159 1286 1280 1280 1280 1280 1280 1280 1280 1280	213	:	4,941
MARRIAGES	1907.	2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	238	:	5,639
A	1906.	1481 1481 1482 1482 1482 1482 1482 1482	223	:	5,117
	1905.	241 242 242 244 244 244 257 257 266 266 267 267 267 267 267 26	228	:	4,760
71	1910.	1, 1996 2, 125 2, 125 2	484	:	13,354
	1909.	171 688 834 834 2846 122 122 122 124 124 10,175 1002 1002 1002 1002 1002 1002	476	:	12 870 1
HS.	1908.	1889 2887 373 373 373 373 374 140 5,832 5,832 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,536 10,53	525	:	13,279
BIRTHS	1907.	207 208 208 208 208 208 208 208 208 208 208	439		13,188
	1906.	1647 6477 6477 6477 118 118 118 118 118 118 118 1	446	:	12,677
	1905.	1668 2890 2890 2890 2890 1100 2100 2100 2100 2100 2100 2100 21	464	:	12,305
TOWNS	AND DIVISIONS OF THE STATE.	Burnillyille Cenyman, Falls Cennston* Cumberland Cumberland East Providence Glocester Glocester Clonester North Fuvidence North Fuvidence North Smithfield PAWTUCKET Scituate Woonsocket Woonsocket Monthester Frowthere Charlestown Exeter Hopkinton North Kingstown Sundthidd Woonsocket Woonsocket Woonsocket Woonsocket Woonsocket Woonsocket Righthid North Kingstown Righthid North Kingstown Righthid Westerly	WASHINGTON COUNTY	STATE INSTITUTIONS	WHOLE STATE

\* Exclusive of Deaths in State Institutions. "

# TABLE XV.

Births, Marriages, and Deaths in Rhode Island, in 1910, with the number and ratio of each in every 1,000 of the population of each town, and the ratio of excess of the births over the deaths in every 1,000 of the population.

TOWNS  AND DIVISIONS OF THE STATE.	Population in 1910.	Births,	Births per 1,000 of population.	Marriages,	Persons married per 1,000 of population.	Deaths.	Deaths per 1,000 of population.	Excess of Births per 1,000 of population.
Barrington Bristol Warren	2,452 8,565 6,585	62 152 212	25.3 17.6 32.2	13 58 62	10.6 13.5 18.8	29 171 120	11.8 20.0 19.0	$\begin{array}{ c c c }\hline 13.5 \\ -2.4 \\ 13.2 \\ \end{array}$
BRISTOL COUNTY	17,602	426	24.2	133	15.1	325	18.5	5.7
CoventryEast Greenwich	5,848 3,420 481 26,629	198 62 5 817	33.9 18.1 10.4 30.7	39 30 209	13.3 17.5 15.7	116 66 7 481	19.8 19.3 14.6 18.1	14.1 -1.2 -4.2 12.6
KENT COUNTY	36,378	1,082	29.7	278	15.3	670	18.4	11.3
Jamestown Little Compton Middletown NEWPORT CITY New Shoreham Portsmouth Tiverton	1,175 1,276 1,708 27,149 1,314 2,681 4,032	16 31 45 550 22 54 54	13.6 24.3 26.3 20.3 16.7 20.1 13.4	5 2 5 212 12 20 16	8.5 3.1 5.8 15.6 18.3 14.9 7.9	19 16 24 383 16 54 62	16.2 12.5 14.1 14.1 12.2 20.1 15.4	-2.6 11.8 12.2 6:2 4.5 0.0 2.0
NEWPORT COUNTY	39,335	772	19.6	272	13.8	574	14.6	5.0
Burrillville. CENTRAL FALLS. CRANSTON*. Cumberland. East Providence. Foster. Glocester. Johnston. Lincoln. North Providence. North Smithfield. PAWTUCKET. PROVIDENCE CITY. Scituate. Smithfield. WOONSOCKET.	7,878 22,754 18,287 10,107 15,808 1,124 1,404 5,935 5,407 2,699 51,622 224,326 3,493 2,739 38,125	149 672 459 212 325 20 19 203 250 64 1,098 5,727 53 60	18.9 29.5 25.1 20.9 20.5 17.8 13.5 34.2 25.4 24.0 23.7 21.3 25.5 15.2 21.9	33 277 109 59 80 4 21 70 38 21 455 2,148 17 17 361	8.4 24.3 11.9 11.6 10.1  5.7 7.1 14.2 14.1 15.5 17.6 19.7 12.4 18.9	122 355 227 141 233 19 31 79 162 66 43 825 3,982 53 42 626	15.5 15.6 12.4 13.9 14.7 16.9 22.1 13.3 16.5 12.2 15.9 15.1 17.7 16.6 15.3 16.4	3.4 13.9 12.7 7.0 5.9 0.9 8.9 11.8 7.8 6.2 7.8 6.13.7
PROVIDENCE COUNTY	421,533	10,590	25.1	3,710	17.6	7,011	16.6	8.5
Charlestown Exeter. Hopkinton Narragansett North Kingstown South Kingstown Richmond Westerly	1,037 778 2,324 1,250 4,048 5,176 1,633 8,696	20 8 39 23 67 86 15 226	19.3 10.3 16.8 18.4 16.5 16.6 9.1 26.0	6 1 15 6 25 34 4 74	11.6 2.6 12.9 9.6 12.3 13.1 4.9 17.0	19 12 36 26 70 73 21 145	18.3 15.4 15.5 20.8 17.3 14.1 12.8 16.7	1.0 5.1 1.3 2.4 6.8 2.5 3.7 9.3
WASHINGTON COUNTY	24,942	484	19.4	165	13.2	402	16.1	3.3
STATE INSTITUTIONS	2,820					316	112.1	
WHOLE STATE	542,610	13,354	24.6	4,558	16.8	9,298	17.1	7.5

<sup>\*</sup> Not including State Institutions.

In Table XV, on the preceding page, may be found the varying proportions of the number of births, marriages, and deaths to every 1,000 of the population in the various towns and cities in the State, as they occurred in 1910.

#### BIRTHS.

# Proportion to Population.

In regard to births, the extreme range of proportion to population was from 9.1 in every 1,000, in Richmond, to 34.2 in Johnston. Following Johnston in the line of largest proportion are Coventry, with 33.9; Warren, with 32.2, and Warwick, with 30.7. Following Richmond in the line of smallest proportion of births to population, are Exeter, with 10.3 in every 1,000; West Greenwich with 10.4, and Tiverton, with 13.4.

The proportions of births to population, in all the counties entire, and in the cities of Central Falls, Newport, Pawtucket, Providence, Woonsocket, and the whole State, during the last seven years, are as follows:

#### BIRTHS TO EVERY 1,000 PERSONS.

19	10.	1909.	1908.	1907.	1906.	1905.	1904.
Bristol County24	4.2	23.4	.26.6	.26.8	.24.5	.25.0	.26.9
Kent County29	9.7	27.4	.26.7	.28.0	.29.2	.26.5	.26.9
Newport County19	9.6	.21.6	21.1	.20.3	.18.7	.21.4	.20.8
Newport City20	0.3	.21.3	. 20 . 7	.20.1	.18.6	20 . 4	.18.6
Providence County28	5.1	.24.8	. 26.9	.27.5	.27.0	. 26.6	.26.8
Central Falls29	9.5	.31.2	. 29 . 5	.32.9	.32.8	.33.2	.28.1
Pawtucket2	1.3	.19.9	.26 6	.21.0	.23.9	.25.6	.25.0
Providence City25	5.5	.25.6	.27.4	.28.3	.26.8	.26.2	.26.6
Woonsocket3	0.1	.28.2	.30.3	32.0	.33.1	32.6	33 . 0
Washington County1	9.4	.19.1	.20.9	17.6	.17.9	18.8	18.2
Whole State2	4.6	.24.3	.26.0	26 . 3	25.9	25.6	25.8

### PERSONS MARRIED.

# Proportion to Population.

The proportion to the population of persons married can be more correctly shown in counties, or in cities and aggregates of towns, than in single towns.

The following summary will present the proportions in the manner suggested, for the last seven years:

#### PERSONS MARRIED IN EVERY 1.000.

	1910.	1909.	1908.	1907.	1906.	1905.	1904.
Bristol County	15.1	17.7	14,9	.16.3	.17.2	.16.7	18.4
Kent County	15.3	15.8	16 . 7	.14.4	.14.5	.15.5	14.9
Newport County	13.8	14.8	13 . 5	.13.9	.15.1	.14.6	12.6
Newport City	15.6	16.7	15.6	15.5	.17.4	.15.9	14.4
Providence County	17.6	22.0	20.6	.24.8	.22.5	.21.1	16.3
Central Falls	24.3	29.7	29 . 1	.29.8	.19.7	.14.9	11.5
Pawtucket	17.6	22.2	20 . 2	21 . 0	.19.1	.22,2	17.1
Providence City	19.1	24.4	23 . 8	28.5	.26.8	.24.6	21.5
Woonsocket	18.9	19.8	17.5	24 . 3	.21.6	.19.9	18.5
Washington Count	y13.2	18.3	17.0	19.1	.15.9	.18.4	17.6
Whole State	16.8	20.6	19 . 3	.22.5	.20.9	.19.9	17.8

#### DEATHS.

## Proportion to Population.

The number of deaths, in proportion to the living population, varies considerably from year to year in the different towns. The smaller the towns, the greater generally is the annual variation.

The highest rate occurred in Glocester, that is, 22.1 in every 1,000 of the population; followed by Narragansett, with 20.8, and Portsmouth, with 20.1.

The lowest death rate was in Barrington, that is, 11.8 in every 1,000 of the population; followed by New Shoreham and North Providence, with 12.2 each, Little Compton with 12.5.

The following summary will give the ratios of mortality to the population in the cities and counties of the State, during the seven years ending December 31, 1910:

### DEATHS IN EVERY 1,000 OF POPULATION.

	1910.	1909.	1908.	1907.	1906.	1905.	1904.
Bristol County	18 . 5	.14.0	.15.4	.16.6	.16.7	.19.7	.18.0
Kent County	.18.4	.16.2	.15.9	.16.2	.16.2	.16.6	.17.8
Newport County							
Newport City	14 . 1	.14.3	.12.8	.14.2	.13.3	.15.7	.13.9
Central Falls	.15.6	.16.8	.16.3	.17.7	.16.5	.18.7	.14.8
Pawtucket	. 15.1	.15.0	.15.8	.18.7	.16.2	.16.8	.16.1
Providence City	.17.7	.16.1	.16.8	.19.2	.18.8	.17.5	.18.5
Woonsocket	. 16.4	.13.3	.14.6	.13.1	.16.1	.15.3	.14.8
Providence County	.16.6	.15.1	.15.8	.17.7	.17.1	.16.6	.17.0
Washington County	16.1	.14.9	.16.1	.14.2	.14.5	.16.4	.16.0
Whole State	17.1	.15.6	.16.2	.18.0	.17.6	.17.0	.17.3

## TABLE XVI.

Proportion of Births, Marriages, and Deaths to the Population; in the Whole State, in each of the last forty-two years.

		BIR	THS.	MARR	IAGES.	DEATHS.			
YEARS.	Popula- tion.	Number.	Of population, one birth in every	Number.	Of population, one person married in every	Number.	Of population, one death in every	Deaths in every 1,000 of the popu- lation.	
1869 1870 1871 1872 1873 1874 1875 1876 1877 1876 1877 1878 1879 1880 1881 1882 1883 1884 1889 1890 1891 1893 1894 1890 1890 1900 1900 1900 1900 1900	530,156	5,245 5,215 5,676 6,143 6,022 6,466 6,508 6,329 6,235 6,714 6,350 6,761 7,028 7,621 7,628 7,621 7,668 8,220 9,426 9,426 9,426 9,426 9,426 10,750 10,730 10,730 10,730 11,084 11,292 11,227 11,781 12,677 13,188 13,279 12,870 13,354	40.3 41.9 39.8 38.0 40.1 38.6 39.7 41.5 42.4 44.4 43.4 44.5 42.1 41.6 41.6 40.7 37.2 38.7 36.6 39.7 36.6 39.7 38.9 36.6 39.7 38.9 38.0 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.6 38.7 38.7 38.7 38.6 38.7 38.7 38.6 38.7 38.7 38.7 38.6 38.7 38.7 38.7 38.7 38.7 38.7 38.7 38.7	2,289 2,362 2,366 2,537 2,630 2,541 2,538 2,282 2,396 2,750 2,634 2,611 2,558 2,750 2,634 2,611 2,558 2,750 2,634 2,611 2,558 2,750 3,029 3,195 3,320 3,524 3,278 3,437 3,278 3,437 3,278 3,437 3,278 3,437 3,137 3,278 3,433 4,174 4,770 5,639 4,941 5,462 4,458	46.2 48.4 46.0 49.1 52.0 58.3 58.4 57.5 51.8 55.0 56.4 58.5 56.2 56.2 54.0 55.2 56.2 57.5 59.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.4 65.2 65.4 65.2 65.2 65.4 65.2 65.4 65.2 65.4 65.2 65.4 65.2 65.4 65.5 65.2 65.4 65.2 65.4 65.2 65.2 65.2 65.2 65.4 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2 65.2	3,382 3,238 3,344 4,247 4,403 4,229 4,4116 4,450 4,441 4,472 4,472 4,4829 5,016 5,074 5,282 5,181 6,594 6,259 6,620 7,396 7,440 7,160 7,504 7,110 6,935 7,966 7,955 8,823 7,965 8,823 7,955 8,642 8,107 8,212 8,612 9,010 8,267 8,277 9,298	62 5 67.5 67.6 55.0 54.8 50.0 63.8 60.0 61.1 61.7 56.8 57.1 55.7 58.2 57.1 58.2 57.1 58.2 59.3 49.5 49.3 52.9 49.3 52.5 60.0 60.0 60.0 60.0 60.0 60.0 60.0 60	16.0 14.8 14.8 18.2 18.9 16.9 16.7 15.7 16.4 16.2 17.6 17.9 17.2 17.7 18.8 19.9 20.2 18.7 20.3 18.9 20.6 19.1 17.6 16.7 17.6 18.8 18.9 20.2 19.1 17.6 18.8 18.5 17.3 17.6 18.6 18.6 18.6	

During the ten years, 1869–1878, the average annual birth rate was one birth to every 40.3 of the population, or 24.8 births in every 1,000; during the ten years, 1879–1888, the average birth rate was one birth in every 42.2 of the population, or 23.7 in every 1,000, a falling off of a fraction over one birth in every 1,000 of the population.

From 1899 to 1908 the average annual birth rate was one birth in every 38.8 of the population, or 25.9 in every 1,000.

Previous to 1895 it was the custom to count still births among the living births in above table.

# BIRTHS, 1910.

The general statistics of births in Rhode Island, during the year 1910, derived from the returns sent to the office of the State Registrar, may be found on pages 2 to 8, inclusive, in Tables I, II, and III.

The whole number reported is 13,354 as before stated, and shows an increase of 484 over the number in 1909.

### SEX OF THE CHILDREN.

Of the 13,354 children whose births were registered in 1910, there were 6,857 males and 6,497 females. This gives 105 males to each 100 females, or 513.5 males and 486.5 females in each 1,000 children.

The following table shows the number and sex, and the proportions of each sex, of the children born in Rhode Island, during the ten years, 1854–1863, and in each of the last forty-seven years:

TABLE XVII.

			Males to each	Births.
	Males.	Females.		Males. Females.
			103.6, or	
			100.3, or	
			112.9, or	
			108.0, or	
			107.0, or	
			104.5, or	
			104.9, or	
			105.6, or	
			102.8, or	
			100.8, or	
			108.6, or	
			104.9, or	
1875	3,362	, 3,146	106.9, or	516.6 and 483.4
1876	3,291	3,038	108.3, or	520.0 and 480.0
			103.0, or	
1878	3,402	3,312	102.7, or	506.7 and 493.3
1879	3,259	3,091	102.4, or	513.2 and 486.8
1880	3.241	3,054	106.8, or	514.8 and 485.2
1881	3,498	3,263	107.2, or	517.3 and 482.7
1882	3.509	3,316	105.8, or	514.1 and 485.9
1883	3.548	3,498	101.4, or	503.5 and 496.5
1884	3.713	3,592	103.4. or	508.3 and 491.7
1885	3 591	3.437	104.4, or	510.3 and 489.7
1886	3.897	3,724	104.6, or	511.3 and 488.7
1887	3.968	3,700	107.2, or	517.5 and 482.5
1888	4.023	3.817	105.4, or	513.1 and 486.9
1990	4 193	4.027	104.1, or	510.0 and 490.0
1900	4.351	4.199	103.5, or	508.8 and 491.2
1000	,00111111			

TABLE XVII.—Concluded.

			Males to each	Per 1,000
			100	Births.
Years.	Males.	Females.	Females.	Males. Females.
1891	4,926	4,500	109.5, or	522.6 and 477.4
1892	4 765	4,505	105.8, or	514.1 and 485.9
1893	5,105	4,943	103.3, or	508.1 and 491.9
1894	5,129	4,856	105.6, or	513.7 and 186.3
1895	5,136	4,746	108.2, or	519.7 and 480.3
1896	5.461	5,289	103.3, or	508,0 and 492.0
1897	5.493	5.302	103.6, or	508.8 and 491.2
			102.9, or	
1899	5.591	5,240	106.7, or	516.2 and 483.8
			103.0, or	
			111.1, or	
			106.0, or	
			102.9, or	
			104.6, or	
			102.7, or	
			104.4, or	
			102.7, or	
			101.7, or	
			105.0, or	
			105.5, or	

The average proportion for fifty-seven years is 105 males to every 100 females. At the end of five years from birth the number of each sex is about equal, the males having a larger mortality during that period.

# PROPORTION OF THE SEXES. Localities.

In Table II, on pages 6 and 7, will be found the number of children born in the different divisions of the State during the year 1910, together with the number of each sex.

The following table will give more concisely the whole number of children born, arranged according to sex and locality, and the proportion of male children to every 100 female children:

TABLE XVIII.


BIRTHS, 1910.	Bristol County.	Kent County.	Newport County.	Providence County, Towns.	Washington County.	Newport City.	Central Falls.	Pawtucket.	Providence City.	Woonsocket,	Whole State.
Males	214	570	112	976	267	287	349	566	2,887	629	6,857
Females	212	512	110	968	217	263	323	532	2,840	520	6,497
Total	426	,		1,944						1,149	
Males to each 100 females.	109.4	111.3	101,8	100.8	123.0	109.1	108.0	106.4	101.7	120.9	105.5


The following table exhibits the proportions of births of the sexes for the past forty-eight years in the larger divisions of the State and in the whole State:



BIRTH RATES.

Diagram I.—Showing the Number of Births in every 1,000 of the Population, in each Town and each County in the State, during the Fear 1910





The spaces are fractional parts of one. For instance, the heavy horizontal line against Barrington, at the top of this diagram, reaches across three-tenths of the space between the perpen-The figures at the top of the perpendicular lines indicate, in whole numbers, the number of births during the year in every 1,000 persons. dicular lines 25 and 26. It shows the birth rate of Barrington, in 1910, was twenty-five and three-tenths in every 1.000 of the population.




Table XIX.

Number of Males to each 100 Females.

BIRTHS.	Bristol County.	Kent County.	Newport County.*	Providence County Towns,†	Providence City.	Washington County.	Whole State.
1863	120.0 106.8 119.3 109.4 115.5 117.4 115.7 126.4 131.8 109.2 129.2 129.2 142.1 138.7 120.5 124.3 117.2 94.7 120.5 124.3 117.2 94.7 120.5 124.3 117.1 120.0 132.2 120.0 115.1 81.9 96.5 107.1 108.1 98.1 98.1 98.1 98.1 98.1 98.1 98.1 9	98.4 87.3 118.2 113.1 98.3 88.7 111.6 97.9 92.8 113.0 91.10 103.1 104.4 102.4 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5 110.5	97.0 90.6 108.8 103.4 117.8 100.2 100.0 132.5 109.1 117.9 101.3 97.7 108.5 94.8 103.6 113.5 94.8 103.6 113.5 102.0 92.9 92.9 92.9 101.3 107.7 121.1 100.8 103.7 97.7 121.1 100.8 103.7 98.9 114.0 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.8 117.	101.8 107.4 118.8 104.9 106.3 101.6 98.0 105.1 100.8 103.5 110.4 104.3 101.5 110.4 105.9 103.1 105.4 105.9 103.1 105.4 105.9 103.5 104.7 103.9 103.6 104.1 110.0 105.1 105.4 105.9 103.1 105.4 105.9 103.5 104.7 105.9 103.4 105.9 103.4 106.7 106.7 107.0 106.8 107.0 107.5	111.4 97.3 113.8 108.4.5 102.4.5 102.2.5 104.9 95.2 95.7 109.0 106.8 104.9 106.8 104.9 106.5 107.6 109.0 106.5 109.0 107.8 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101.4 101	108.7 103.4 88.1 124.0 120.6 99.5 113.3 110.6 104.7 94.0 134.3 103.7 95.3 78.8 106.3 95.4 115.7 105.7 102.2 99.0 104.3 121.7 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.2 110.3 121.4 123.0	105.8 100.3 112.9 108.7 107.7 104.5 104.9 108.6 102.8 100.9 108.6 104.9 106.7 105.4 106.1 107.2 105.4 104.1 107.2 105.8 101.4 104.6 107.2 105.8 105.8 101.9 106.7 105.8 101.4 104.1 104.6 107.2 105.8 105.6 102.9 106.7 103.0 111.1 106.0 102.9 104.4 104.4 104.4 104.1 103.3 103.6 102.9 106.7 103.0 111.1 106.0 102.9 104.4 104.1 105.5

<sup>\*</sup>Including city of Newport. † Including cities of Central Falls, Cranston, Pawtucket, and Woonsocket.

There will be found in the following summary, in the aggregate, the average number of males to each 100 females, born during the forty-eight years from 1863–1910, in the different divisions of the State:

Bristol County
Kent County
Newport County*
Providence County Towns†
Providence City
Washington County
Whole State

### BIRTHS AND SEASON.

Table II, on pages 6 and 7 of this report, gives the number of births occurring in the different months of the year, in the several divisions of the State.

According to this table, the greatest number of births in any one month, in 1910, occurred in March, and the largest in any quarter in the second.

The following table shows the total number of children born in the State of Rhode Island, according to the returns, in each quarter of each of the last six years; and also the aggregate number and the percentage of the aggregate of each quarter in fifty-seven years, from 1854 to 1910, inclusive:

T	RLE	XX.

	1910. 19		1909. 1908.	1907.	1906.		1854-1910, inclusive.		
QUARTERS.		1909.		1907.	1906.	1905.	Number.	Per cent.	
January-March	3,294	3,137	3,377	3,207	3,046	3,056	104,901	24.05	
April—June	3,392	2,137	3,395	3,200	3,096	3,070	103.966	23.83	
July-September	3,355	3,434	3,300	3,517	3,370	3,120	114.032	26.14	
October—December.	3,313	3,162	3,207	3,264	3,165	3,059	113,305	25.98	
Whole Year	13,354	12,870	13,279	13,188	12,677	12,305	436,204	100.00	

Table XX presents results showing that, according to the registration of fifty-seven years, the average proportions of births to the whole number of births in the different quarters of the year were as follows:

<sup>\*</sup> Including city of Newport . †Including cities of Central Falls, Cranston, Pawtucket, and Woonsocket.

January—March240.5 in e	very 1,000 births.
April—June238.3 in e	very 1,000 births.
July—September	very 1,000 births
October—December259.8 in e	very 1,000 births.

The proportions of births in Rhode Island in the different quarters of the year, to the whole number of births in 1910, were as follows:

1.	January—March	24.67 pe	er cent., or247 in every 1,000
2.	April—June	25.40 pe	er cent., or254 in every 1,000
3.	July—September	25.12 pe	er cent., or251 in every 1,000
4.	October—December	.24.81 pe	or cent., or248 in every 1,000
Fir	st six months	501	births in every 1,000 of whole number.
~	. 1 -1	400	hirths in arrang 1 000 of whole number

## BIRTHS. Sex and Season.

In Table II, on pages 6 and 7, will also be found the number of births of each sex by months, as they occurred in the different divisions of the State, during the year 1910. From it we ascertain the number of each of the sexes born during each quarter of the year, with their relative proportions, and also the aggregates and proportions of the same for the whole State.

The following table will present a summary of the quarterly periods, number of births, and proportions of the sexes, for the same year:

				Males to each	P	er 1,000
				100	each	quarter.
		Males.	Females.	Females.	Males.	Females.
1.	January-March	1,669	1,625	102.5	507	493
2.	April—June	,778	614	110.2	524	476
3.	July-September	1 ,707	1,648	103.6	509	491
4.	October—December	1,703	1,610	105.8	514	486
	nole Year					

The following table shows the number of male children born to every 100 female children, in each quarter of the last five years; and also the proportion of births of male children to each 100 female children born during four periods of ten years each, from 1866 to 1905, inclusive:

253		3737T
11/	ABLE	- X X I.

YEARS.	1910.	1909.	1908.	1907.	1906.	10 years, 1896 to 1905.	10 years, 1886 to 1895.	10 years, 1876 to 1885.	10 years, 1866 to 1875.
First Quarter	102.5	101.3	99.5	104.7	100.1	105.8	104.4	105.9	104.1
Second Quarter	110.2	108.6	103.5	99.5	106.9	105.6	106.4	103.8	106.0
Third Quarter.	103.6	107.6	104.1	101.1	105.9	102.9	106.6	106.1	105.4
Fourth Quarter	105.8	102.4	99.9	105.7	104.6	104.5	106.1	105.4	105.7
Total average.	105.5	105.0	101.7	102.7	104.4	104.7	105.8	105.4	105.2

The above table shows the variation of the proportions of the sexes in the different quarters in the different years, and seems to conclusively determine that season has very little, if any, influence in the causation of sex.

#### PARENTAGE.

By reference to Table I, page 4, in the division of births, there will be found the parentage of the children born in Rhode Island during the year 1910. It will be seen that of the whole number, 13,354, there were 4,086 of native, 6,862 foreign, and 2,406 of mixed parentage.

By mixed parentage is meant the children born of native fathers and foreign mothers, and of foreign fathers and native mothers.

Of native fathers and foreign mothers there were 1,097 and of foreign fathers and native mothers, 1,309.

The following table will show the number and parentage of the children born in the State and the variations of the same from year to year, in each of the last three years; and also the number and variations occurring in four periods of ten years each and two of five years each, from 1858 to 1907, inclusive:

TABLE XXII.

Parentage,	1910.	1909.	1908.	5 years, 1903 to 1907.	5 years, 1898 to 1902.	10 years, 1888 to 1897.	10 years, 1878 to 1887.	10 years, 1868 to 1877.	10 years 1858 to 1867.
Native father and mother Foreign father and	4.086	3,838	3,961	18,628	16,931	33,273	29,170	23,645	90 901
Native father, for-	6,862	- (1. 20		31,577		,	-,-,-	26,356	,
eign mother Foreign father, na-	1,097	-,000	- 1	5,669	5,297	8,840	5,371	3,135	1,690
tive mother Parentage not stated	1,309	1,232	1,263	6,153	5,451	8,832	6,265	4,077	1,696
Total	13,354	12,870	13,279	62,027	55,164	94,766	69,613	59,213	43,665

The following table of *percentages* will show, in a different and perhaps clearer way, the same changes that have occurred in the proportions of the births in the different classes of parentage during the last three years, and during fifty years, from 1858–1907, inclusive, in four periods of ten years each, and two of five years:

TABLE XXIII.

				5 years,	5 years,	10 years,	10 years,	10 years,	10 years.
PARENTAGE.	1910.	1909.	1908.		1898 to 1902.			1868 to 1877.	
Native father and									
mother	30.60	29.82	29.83	30.02	30.68	35.42	41.97	43.36	46.84
mother	51.39	52.41	52.17	50.90	49.85	45.94	41.40	44.53	45.36
Native father, for- eign mother Foreign father, na-	8.21	8.20	8.49	9.15	9.60	9.33	7.63	5.37	3.89
tive mother	9.80	9.57	9.51	9.93	9.87	9.31	9.00	6.74	3.91
Total	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100 00

The registration of births, in 1910, is of interest as continuing to show, as usual, a smaller proportion of children born of native fathers than of foreign fathers. A considerable number of those recorded as native fathers were themselves children of foreign parents.

The percentage of children of mixed parentage was about the same, in 1910, as in the previous year.

The following table will present the percentages of children of native and foreign-born fathers, and of native and foreign-born mothers, respectively, in each of the last three years, and in four periods of ten years, and two of five years each, from 1858 to 1907, inclusive:

TABLE XXIV.

		= -			Auto and a				
CHILDREN WITH	1910.	1909.	1908.	5 years, 1903 to 1907.	5 years, 1898 to 1902.	10 years, 1888 to 1897.	10 years, 1878 to 1887.	10 years, 1868 to 1877.	10 years, 1858 to 1867.
Native fathers	38.81 61.19	38.02 61.98							50.73
Native mothers	40.40 59.60								

The number of native fathers of children born, in 1910, was 2,988 less than the number of foreign fathers, and the number of native mothers was 2,564 less than of foreign.

### BIRTHS OF COLORED CHILDREN.

The number of births of children of colored parentage reported, for the year 1910, is 230. This number is smaller by 28 than in 1909.

In regard to sex, the number and proportions were as follows, viz.: 121 males and 109 females; or 111 males to 100 females.

As the number of colored persons in the State is, according to the census of 1910, 9,813\* the ratio of births in this class would be 23.4 per thousand; or 1 to each 42.6 colored inhabitants.

The following summary will show the changes that have occurred from year to year, in the proportions of the sexes of colored children born in Rhode Island, during the last thirty-five years:

Years, 1876-1885	Whole Number.	Males	Females.	Males to each 100 Females.
1886				123.0
		87		
				94.6
1891		86	87	
1892	182		88	
1893	203			
1894	221		108	
1895			104	
1896	226		122,	85.2
1897	206		106	94.3
1898	216		1111	94 . 6
1899	201		96	
1900	231		1111	108.1
1901	252			98.4
1902	211	108	103	104.9
1903			100	108.0
1906			114	107 . 9
		128		
		145		

The following table will show the location, number, sex, etc., of colored births during 1910:

<sup>\*</sup> This does not include Chinese or Japanese.

Table XXV.

Showing Number, Sex, etc., of Colored Births, 1910.

A COMMENT OF THE PERSON OF THE				
TOWNS AND CITIES.	Whole Number.	Males.	Females.	COUNTIES.
Bristol	1	1		
Warren	1	1		Bristol County 2
Warwick	, 1	1		Kent County 1
Little Compton	1		1	
NEWPORT CITY	30	15	15	
New Shoreham	3	1-	2	
Portsmouth	1	1		
Tiverton	1	. 1		Newport County 36
Cranston	3	3	} 	
East Providence	12	7	5	
North Providence	1	. 1		
PAWTUCKET	3		2	
PROVIDENCE CITY	145	76	69	
Woonsocket	1		: 1	Providence County165
Charlestown	1		1	
Hopkinton	2	1	1	
North Kingstown	5	3	2	
South Kingstown		5	4	
Westerly	9	4	5	Washington County 26
WHOLE STATE	230	121	109	230

# NUMBER OF CHILD OF THE MOTHER.

In the following table will be found the number of the child of the mother born during 1910, that is, how many of the children born were reported as the first, second, or third child, etc., of their respective mothers. The statistics on this subject begin with the year 1857, and the following table includes the children reported during the last six years, and also the total for fifty-four years, 1857 to 1910, inclusive:

TABLE XXVI.

Number of the Child of the Mother.	1905.	1906.	1907.	1908	1909.	1910.	53 years. 1857-1910.
First	3,165	3,227	3,513	3,799	3,282	3,484	105,191
Second	2,457	2,518	2,663	2,640	2,706	2,680	84,001
Third	1,808	1,930	1,984	1,878	1,909	2,103	64,339
Fourth	1,350	1,390	1,487	1,395	1,416	1,520	48,573
$\mathbf{Fifth}$	949	992	993	1,031	1,050	1,088	36,093
Sixther	749	748	763	768	779	726	26,759
Seventh	538	557	536	537	530	550	19,217
Eighth	386	417	394	364	375	359	13,665
Ninth	298	303	305	277	238	272	9,389
Tenth	203	193	176	193	211	203	6,471
Eleventh	135	128	156	116	127	140	4,131
Twelfth	99	97	74	86	93	92	2,768
Thirteenth	62	54	48	62	48	44	1,617
Fourteenth	31	44	30	32	37	29	939
Fifteenth	26	19	23	20	23	20	519
Sixteenth	7	15	8	5	15	12	253
Seventeenth	5	6	6	8	5	4	133
Eighteenth	1	2		4	4	6	62
Nineteenth	2	3	1	1	1	3	41
Twentieth			1	1		1	15
Twenty-first							9
Twenty-second		 					4
Twoman thind					2		2
Unstated	34	34	27	62	19	18	721
Total	12,305	12,677	.13,188	13,279	12,870	13,354	424,912

There was an increase, in 1910, of 484 over the number of births in 1909.

There are varying differences in the proportions of all classes in the different years.

The proportion of each class to the whole number will be shown by the following table, which gives the percentage of the children born in each of the last four years who were respectively the first, second, third, etc., children of the mothers; and which will also give the average percentage of each class of births in each of the last four years, and also in three periods of ten years, and two periods of five years, comprising the forty years from 1868 to 1907, inclusive:

Number of the Child.	1910.	1909.	1908.	1907.	5 years, 1903 to 1907.	5 years, 1898 to 1902.	10 years, 1888 to 1897.	10 years, 1878 to 1887.	10 years, 1868 to 1877.
First	26.09	25.50	24.69	26.64	25.82	23.78	24.5	23.7	25,2
Second	20.07	21.03	19.71	20.19	19.90	18.85	19.9	19.1	20.6
Third	15.75	14.83	15.13	15.04	14.89	14.46	15.1	15.5	15.5
Fourth	11.38	11.00	11.45	11.27	10.80	11.77	11.3	11.7	11.4
Fifth	8.15	8.16	8.52	7.54	7.86	8.85	8.3	8.8	8.4
First to Fifth	81.44	80.52	79.50	80.68	79.27	77.71	79.1	78.8	81.1
Sixth and over, and unstated	18.56	19.48	20.50	19.32	20.73	22.29	20.9	21.2	18.9
Total	100.00	100.00	100.00	100.00	100.00	100.00	100.0	100.0	100.0

Table XXVII.

Showing the Ages of the Fathers and Mothers of Children Born in 1910.

Ages of Mothers.															
AGRS	777						gů	90	80	30	80	700	80	age.	Fathers
FATHERS.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20-25 years.	25-30 years.	30-35 years.	35-40 years.	40-45 years.	45-50 years.	50-55 years.	Unstated a	No. of Fath
16 years									1						1
17 years				2											2
18 years		2	3	3	2		2	1							13
19 years		1	2	6	10	8	18	6	1						52
20-25 years		1	18	42	110	173	1,210	234	15	4	1		1		1,799
25-30 years			5	18	39	81	1,477	1,561	232	26	2				3,441
30-35 years			1	2	8	22	465	1,279	1,272	203	8				3,260
35-40 years			1	1	3	4	123	527	930	794	70	1	٠.		2,454
40-45 years						1	34	104	321	596	330	8			1,394
45-50 years	- 1						8	38	87	194	170	32	1		530
50-55 years							1	13	30	56	55	6			161
55-60 years								6	9	7	6			1	29
60-65 years							1	1	. 1	3	1				7
65-70 years										4	2				6
Over 70 years									1		1			• • • ]	2
Unstated age	3	2	8	24	14	12	73	27	16	3				21	203
No. of mothers	3	6	38	98	186	301	3,412	3,787	2,916	1,890	646	47	2	22	13,354

The nativity of the mothers under 19 years of age was as follows: The three at 14 years, were American.

Of the six at 15 years, 1 was Italian, and the remaining 5 were American.

Of the thirty-eight at 16 years, 30 were American, 1 Armenian, 3 French-Canadian, 3 Italian, and 1 Portuguese.

Of the ninety-eight at 17 years, 74 were American, 5 French-Canadian, 14 Italian, 4 Portuguese, and 1 South American.

Of the one hundred and eighty-six at 18 years, 121 were American, 4 Austrian, 5 English, 12 French-Canadian, 1 Galician, 31 Italian 5 Portuguese, 5 Russian, 1 Swedish, and 1 Syrian.

	Number of Mothers.	Per cent.
Under twenty years	632	4.73
Twenty, and under twenty-five	3,412	25.55
Twenty-five, and under thirty	3,787	28.36
Thirty, and under thirty-five	2,916	21.84
Thirty-five, and under forty	1,890	14.15
Forty, and under forty-five	646	4.84
Forty-five and over	49	.37
Unstated age	22	. 16
Total	. 13,354	100.00

#### PLURALITY BIRTHS.

The general statistics in relation to plural births, in Rhode Island, may be found on page 8, Table III.

There were one hundred and forty-four cases during the year, four of which were triplets.

Of the 292 children of plural birth, 147 were males and 145 were females.

The cases occurred in the different divisions of the State as follows:

Bristol county, 6; Kent county, 6; Newport county,\* 3; Newport city, 8; Providence county, towns,† 52; Providence city, 69; Washington county, 0.

The following exhibit will show the parentage of children of plural birth in Rhode Island, in 1910, and number of each:

<sup>\*</sup> Not including Newport city.

<sup>†</sup> Including Central Falls, Pawtucket, and Woonsocket.

	1 .7					
			Americans			30
Parents	both	porn in	Armenia			1
44	4.6	6.6				1
44	44		Bermuda British America			2
	44	44				
	4.5		Denmark			1
	41	46	England			2
	44	11	Canada (French)			14 3
	64		Greece			1
4.			Ireland			3
••	41	44	Italy			24
44	44	4.6	Portugal			9
,	44	4.6	Russia			8
	41		Sweden			2
			English mother			4
			French-Canadian mother			3
			German mother			1
			Irish mother			8
			German mother			1
			her and American mother			3
			her and Irish mother			1
			merican mother			4
			rish mother			1
			merican mother			1
			ther and American mother			3
			her and Irish mother			1
			American mother			1
Grook f	other	and En	glish mother			1
Trick fo	ther	and Am	erican mother			1
Trish fo	ther a	nd Eng	dish mother			1
Russian	fothe	ar and	Lapland mother			1
Santah	fathar	and A	merican mother			2
Swedish	h fath	er and	American mother			1
Dweater	I lavin	CI WIICE I	22202			
Th	e mo	onths	in which the plura	ity births occurred	l were as follo	ws:
Januar	у					
Februa	ry		· 9 May	August10	November	9
March.			4 June	September13	December	8
			28 Second Quarter51	Third Quarter 38	Fourth Quarter	27
					ne year	
Firs	t half	of the	year	•		
	Т	otal chi	ildren		292	

The general statistics of births, and number of cases reported in Rhode Island, during a period of fifty-seven years, that is, from 1854 to 1910, inclusive, are as follows:

434,310	cases of single birthsgiving	434,310 children.
4,617	cases of twin birthsgiving	9,234 children.
49	cases of triple birthsgiving	147 children
1	case of quadruple birthsgiving	4 children.

Of the whole number of cases of childbirth (438,977), during the fifty-seven years, one in 95 produced twins, one in 8,959 produced triplets, and one in 438,977 produced quadruplets.

Of the whole number of children born during the same period (443,695), ascertained from the reports, one in every 48 was a twin; one in every 3,018 was a triplet.

Of the 4,667 cases of plurality births which have occurred in the State during the last fifty-seven years, there were 1,568 cases in which both parents were natives; 2,346 cases in which both parents were foreign; 744 cases in which the parents were mixed, that is, one native and one foreign parent; and 9 in which the parentage was not stated.

The whole number of children born in plurality cases, during the fifty-seven years, was 9,385, of whom 4,736 were males and 4,645 were females; the sex of the remaining four was not given.

### STILL-BORN.

The whole number of still-born children reported in Rhode Island, for the year 1910, was 596; this number is larger by 56 than for the year 1909.

The following are the numbers reported from the different divisions of the State:

Bristol County 1	7
Kent County	12
Newport County, Towns	~
Newport City	
Providence County, Towns	
Central Falls	
Cranston	
Cranston. 2	1
Pawtucket	
Providence City	3
Woonsocket	1
Washington County	8
	_
Whole State	16

The following table will give the number in each town from which still-births were reported, with the sex, parentage, and color:

TABLE XXVIII.

Still-Born, 1910, Locality, Number, Sex, Parentage, and Color.

TOWNS AND DIVISIONS		SE	х.	PAREN	TAGE.	COL	OR.
OF THE STATE.	Total.	Males.	Females.	Native.	Foreign,	White.	Colored.
Bristol	9	6	3 2	3 4	6	9	
BRISTOL COUNTY	17	12	5	7	10	17	
Coventry  East Greenwich  Warwick	7 6 39	5 4 23	2 2 16	1 2 20	6 4 19	7 6 38	1
KENT COUNTY	52	32	20	23	29	51	1
Little Compton	1 1 29	19	·1 1 10 1	23	1 1 6	1 1 26 1	3
Portsmouth	3 5	2	1 5	1 3	1 2	3 5	
NEWPORT COUNTY	40	21	19	29	11	37	3
Burrillville	12 27 21 19	5 16 12 11	7 11 9	8 5 12	4 22 9 14	12 27 21 19	
East Providence	14 11	8	6	9	5	14	
Lincoln  North Providence	10	7 4	3 1	3	5	5	
North Smithfield	3 39	2 24	1 15	23	2 16	39	
PROVIDENCE CITY	253 1	133	120	108	145	241	
Smithfield	3 61	3 48	13	1 17	2 44	3 61	
PROVIDENCE COUNTY	479	282	197	194	285	467	1
Hopkinton North Kingstown	1	1 1		1	1	1	
South Kingstown	4 2	3	1	2	2	4 2	
Washington County	8	6	2	4	4	7	
Whole State	596	353	. 243	257	339	579	1

### SUMMARY OF SEX OF STILL-BORN.

The following table shows the number and sex of the still-born children whose births were reported in Rhode Island during each of the last five years, and also of a period of fifty-seven years, extending from January 1, 1854, to December 31, 1910:

# TABLE XXIX.

SEX.	1910.	1909.	1908.	1907.	1906.	Jan. 1, 1854, to Dec. 31, 1910.
Males	353	302	299	315	265	9,964
Females	243	238	226	226	- 211	7,175
Total	596	540	525	541	476	17,139

The average proportions of the sexes of the still-born, for the period of fifty-seven years, were as follows: In every 100 still-births there were 58 males and 42 females.

Season of Still-Births.—During 1910 the proportions in relation to season, by percentage, were as follows:

Fi	rst Quarter	22.99	Third Quarter	23.32
Se	cond Quarter	29.70	Fourth Quarter	23.99
Fi	rst half of the year	52.69	Last half of the year	47.31

The births of the still-born in the different months of the year, although somewhat variable in number, do not, as a rule, show great discrepancies.

# PARENTAGE OF THE STILL-BORN.

Of the 596 still-born children reported in 1910, there were 257 of native and 339 of foreign parentage, reckoned by the nativity of the fathers.

# ILLEGITIMATES.

In the following table will be found the whole number of illegitimate births returned during 1910, with the sex, color, parentage, and locality of birth:

TABLE XXX.

# Illegitimates, 1910.

	÷	SE —	x	. coi	LOR.	PARE	NTAGE.
TOWNS.	Whole Number	Males.	Females.	White.	Black.	Native.	Foreign.
Coventry	1		1	1		1	
East Greenwich	2		2	2		2	
Warwick	4	3	1	4		4	
Little Compton	1	1		1		1	
Newport City	4	2	2	3	1	4	
New Shoreham	2	1	1	2		2	
Burrillville	2		2	2		1	1
CENTRAL FALLS	2 -	2		2		1	1
CRANSTON	21	. 13	8	19	. 2	12	9
Cumberland	1	1		1		1	
East Providence	5	3	2	4	1	4	1
Foster	1	1		3		1	
Glocester	2		2	2		2	
Lincoln	1		1	1		1	
North Smithfield	1		1	1		1	
PAWTUCKET	3	3		3		2	1
PROVIDENCE CITY	110	57	53	91	19	82	28
Scituate	1	1		1		1	
Woonsocket	13	7	6	13		7	(
Hopkinton	2	2		2		1	1
North Kingstown	3	2	. 1	2	1	3	
South Kingstown	7	2	5	4	3	7	
Westerly	4		4	2	2	4	
Whole State	193	101	92	164	29	145	4

There were returns, during 1910, of 193 children of illegitimate parentage. The number is smaller by 12 than that of the previous year.

Of the illegitimates born during 1910, 101 were males and 92 were females; 164, or 85 per cent., were white, and 29, or 15 per cent., were colored; 145, or 75 per cent., were born of native mothers, and 48, or 25 per cent., of foreign-born mothers.

The ages of the mothers were as follows:

Age.	No. of Mothers.	9.	No. of Mothers.
14	3	28	5
15	2	29	7
16	9	30	2
17	22	31	2
18	14	32	2
19	15	33,	5
20	27	34	2
21	12	35	1
22	10	37	2
23	15	39	2
24	11	Not stated	2
25	6		
26	9	Total	193
27	6		

Sixty-six of these illegitimate births occurred at the Lying-in-Hospital, in the city of Providence, and fifteen at the State Almshouse.

The proportion of illegitimates to the whole number of births was one in every 69 cases, or 14 in every 1,000.

# MARRIAGES, 1910.

The number of marriages registered in Rhode Island, during the year 1910, was 4,558. The number is smaller by 904 than in 1909.

The general statistics of marriage, in 1910, in relation to season and number, in the different divisions of the State, may be found in Table IV, on the ninth page.

The statistics in relation to the proportion to population of persons married in 1910, in each of the towns and general divisions of the State, may be found in Tables XV and XVI, on pages 105 and 108,

The following table will present the number of marriages, and the ratio of marriage to population, in each year for the period of fifty-one years, 1860 to 1910, inclusive:

TABLE XXXI.

YEARS.	Number Marriages.	Of Population, one Person Married in every	Persons Married per 1,000 of Popula- tion.	YEARS.	Number Marriages.	Of Population, one Person Married in every	Persons Married per 1,000 of Popula- tion.
1860	1,748	50.0	20.0	1886	2,750	56.5°	17.7
1861	1,533	56.8	17.6	1887	2,839	55.8	18.0
1862	1,450	61.1	15.1	1888	3,022	53.5	18.7
1863	1,618	54.7	18.3	1889	3,029	57.8	17.3
1864	1,844	50.1	19.9	1890	3,195	54.1	18.4
1865	1,896	48.7	20.5	1891	3,320	53.5	18.5
1866	2,318	39.9	25.1	1892	3,502	52.4	19.1
1867	2,344	39.8	25.1	1893	3,544	53.6	18.7
1868	2,285	40.5	24.8	1894	3,271	57.4	17.4
1869	2,289	47.5	21.1	1895	3,497	55.0	18.2
1870	2,362	46.0	21.7	1896	3,327	59.2	17.0
1871	2,336	47.5	21.5	1897	3,137	64.3	15.6
1872	2,537	41.9	23.2	1898	3,278	63.2	15.8
1873	2,630	41.3	24.2	1899	3,433	61.6	16.2
1874	2,541	50.8	19.6	1900	3,963	54.4	18.4
1875	2,485	52.0	19.2	1901	3,846	56.9	17.6
1876	2,253	57.3	17.5	1902	4,136	54.1	18.5
1877	2,282	56.6	17.7	1903	4,473	52. 1	19.2
1878	2,324	55.7	17.9	1904	4,174	56.1	17.8
1879	2,396	57.8	17.5	1905	4,760	50.4	19.9
1880	2,769	49.9	20.0	1906	5,117	47.9	20.9
1881	2,750	50.3	19.9	1907	5,639	44.4	22.5
1882	2,634	52.5	19.0	1908	4,941	51.7	19.3
1883	2,611	54.4	18.3	1909	5,462	48.5	20.6
1884	2,558	58.1	17.2	1910	4,558	59.5	76.8
1885	2,488	61.3	16.3	Annual ave	rage	52.7	19.2

### SEASON.

The following table will show the number and percentage of marriages in Rhode Island, in each month and each quarter of the year 1910, together with the aggregate number and percentage in each quarter for fifty-seven years, viz., from 1854 to 1910, inclusive:

TABLE XXXII.

MONTHS.	Number of Marriages each month, 1910.	Number of Mar- riages each Quar- ter, 1910.	Percentage of each Quarter, total Mar- riages, 1910.	Number of Mar- riages per Quarter, 57 yrs., 1854-1910.	Percentage each Quarter, 57 years.
January	425				
February	283	1st Quarter 853	18.72	1st Quarter 33,810	20.61
March	145				
April	300 } 648 }	2d Quarter 1,383	30.45	2d Quarter 43,823	26.72
July August September	314 ) 361 } 450 }	3d Quarter 1,125	24.68	3d Quarter 39,243	23.92
October  November	465 492 235	4th Quarter 1,192	26.15	4th Quarter 47,164	28.75
Total			100.00	164,040	100.00

The largest number of marriages in any one month, during 1910, occurred in the month of June. For thirty-eight years previous to 1892 the greatest number of marriages was in the month of November. Since then, with the exception of in 1895, 1899, and 1902, the greatest number of marriages has been in the month of June.

During 1910 the proportions in the different quarters, from the largest to the smallest, were as follows: second quarter, 30.45 per cent.; fourth quarter, 26.15 per cent.; third quarter, 24.68 per cent.; first quarter, 18.72 per cent.

# NATIVITY OF PERSONS MARRIED.

The following table shows the *number* of marriages, according to the nativities of the parties, for each of the last three years, and also for the aggregate of twenty-five years, from 1858 to 1882, inclusive; one period of ten years, 1883 to 1892; also for three periods of five years each, from 1893 to 1907:

### TABLE XXXIII.

BIRTH-PLACE.	1910.	1909.	1908.	5 years, 1903 to 1907. Total,	5 years, 1898 to 1902. Total.	5 years, 1893 to 1897. Total.	10 years, 1883 to 1892. Total.	25 years, 1858 to 1882. Total.
United States	1,853	2,461	2,274	10,943	8,594	7,846	14,970	33,553
Foreign countries	1,665	1,752	1,636	7,740	5,574	5,318	8,574	13,753
Native groom, foreign bride.	474	611	526	2,649	2,274	1,785	2,960	3,488
Foreign groom, native bride.	566	638	505	2,831	2,187	1,827	2,810	3,876
Not stated								64
Total	4,558	5,462	4,941	24,163	18,629	16,776	29,314	54,734

It will be understood that in the above enumerations the *parent* nativity of the persons married is not considered, but the country where born.

Parties born in the United States, although children of foreignborn parents, are reckoned as natives.

In the following table are given the *percentages* by birth, of native, foreign, and mixed marriages, in each of the last three years, and in the aggregate of twenty-five years, from 1858 to 1882, inclusive; also for four periods, one of ten, and three of five years each, from 1883 to 1907:

TABLE XXXIV.

							-	
BIRTH-PLACE.	1910.	1909.	1908.	5 years, 1903 to 1907.	5 years, 1898 to 1902.	5 years, 1893 to 1897.	10 years, 1883 to 1892.	25 years, 1858 to 1882.
United States	40.65 36.53 22.82	, , , , , ,	46.02 33.11 20.87	32.03	29.88	31.65	29.07	
Total	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

It will be of some interest to notice that by the exhibit of the two preceding tables it is shown that, although the marriages of the native born (whether the issue of foreign-born parents or natives) have, as a rule, increased in numbers, they have also steadily decreased in proportion, with two or three exceptional years, that is, to

the whole number of marriages; while the marriages of the class of the exclusively foreign born have been, for the past thirty years, gradually increasing in proportion.

Denominational.—The 4,588 marriages in 1910 were performed by elergymen of various denominations, or by civil authority, as follows:

## DENOMINATIONAL.

Roman Catholic	2,462
Protestant Episcopal	497
Baptist	475
Congregational	275
Methodist Episcopal.	
Hebrew	
United Presbyterian	
Free Baptist	51
Evangelical Lutheran	43
Universalist	38
Primitive Methodist	37
Greek	31
Seventh Day Baptists	20
Lutheran	20
African Methodist Episcopal	20
Advent Christian	19
Presbyterian	19
Unitarian	15
Lithuanian National Catholic	11
Advent	11
Russian Orthodox	11
Independent	10
Christian	7
Church of God and Saints of Christ	7
Armenian	5
Peoples' Mission	4
Pentecostal	3
Evangelical	2
Latter Day Saints	2
Society of Friends	2
Swedenborgian	2
New Shoreham Warden	2
Polish National Catholic	2
Church of Christ	1
Salvation Army Chaplain	1
Lighthouse Mission	1
Gregorian Catholic	1
Justices of Supreme and Superior Courts	57
Instated Denomination	2
	4 558

# Ages of the Married.

In the following table the varying ages of persons married during 1910 are presented:

TABLE XXXV.

			A	GES (	OF B	RIDI	ES.						DB:
AGES OF GROOMS	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	Number of Grooms.
Under 20	86	54	2	2									144
20 to 25	563	1040	184	17	7							, .	1,811
25 to 30	206	610	434	90	19	2							1,361
30 to 35	25	171	228	114	30	6		1					575
35 to 40	5	48	62	76	60	14	5	1					271
40 to 45	2	13	23	39	40	29	9						155
<b>45</b> to 50		7	6	17	17	22	18	5	1				93
50 to 55		1	6	7	13	14	13	7	5			1	67
55 to 60	1		1	3	3	6	10	10	4	3			41
60 to 65			2	1	1	1	2	6	3	4	٠.		20
65 to 70		2			3	2	2	1	1	1	3		15
70 to 75						1	1	1		1			4
75 to 80					1								1
No. of Brides	888	1946	948	366	194	97	60	32	14	9	3	1	4,458

The extreme discrepancies in the ages of some couples married in 1910 were not so frequent as in some previous years.

137

The same results in 1910, in relation to numbers in the different age periods, may be presented in a different and perhaps clearer way as follows:

### TABLE XXXVI.

1910.	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.
Males	144	1,811	1,361	575	271	155	93	67	41	20	15	4	1	
Females	888	1,946	948	366	194	97	60	32	14	9	3	1		
Total persons	1,032	3,757	2,309	941	465	252	153	99	55	29	18	5	1	

The whole number of persons in each division of ages, of both sexes, married in Rhode Island in each of the last forty-five years, that is, from 1886 to 1910, inclusive, is presented in the following table:

# TABLE XXXVII.

		1	1								1					
YEARS.	er 20.	to 25.	to 30.	to 35.	. 40.	0 45.	. 50.	55.	.09	65.	5 70.	. 75.	.080	85.	. 90.	stated.
	Under	20 t	25 t	30 t	35 to	40 to	45 to	50 to	55 to	60 to	65 to	70 to	75 to	80 to	85 to	Not
1866	693	1,931	1,025	419	213	127	81	59	25	21	12	1		-		<b>2</b> 3
1867	696	1				148				18	18		3			9
1868	644	1,835	1,050			133		1	30	29	11	8	4			32
1869	642	1,814	1,051			134				15	11	2				49
1870	744	1,833	1,084	415	216	159	86	64	26	24	12	3	2			6
1871	697	1,914	1,118	392	228	115	73	56	35	22	6	7				6
1872	786	2,073	1,182	434	237	131	81	61	43	21	13	6	1			5
1873	762	2,177	1,156	507	253	140	87	68	35	24	12	6	6			27
1874	770	1,992	1,179	459	268	159	101	52	36	39	8	9	1			9
1875	681	2,058	1,108			150		60	32	29	13	4	1			6
1876	691	1,741	1,041	450	224	154	80	53	27	19	12	1	2		i i	9
1877	631	1,745	1,118	459	244	125	92	52	46	14	15	11	2			9
1878	618	1,832	1,123	441	259	162	74	49	39	20	17	2	4			8
1879	639	1,879	1,156	481	272	123	78	56	39	26	18	9	2	2	1	11
1880	688	2,301	1,262	556	329	163	91	65	33	27	15	3	3	1		1
1881	599	2,208	1,410	547	298	187	107	54	34	31	16	5	1	9	!	2
1882	498	2,125	1,377	563	301	161	102	57	36	27	11	5	3	2		
1883	497	2,108	1,370	486	319	183	115	73	31	20	14	3	2	- 1		
1884	484	2,027	1,289	569	307	152	114	64	48	30	23	6	3			
1885	438	1,973	1,296	540	309	163	102	57	45	27	13	7	- 1		1	2
1886	505	2,133	1,552	603	283	174	103	73	24	26	18	5	1			
1887	501	2,308	1,552	607	294	162	114	49	39	23	19	7				
1888	582	2,427	1,608	640	330	207	105	60	36	17	23	7	2			
1889	543	2,463	1,492	712	379	182	121	66	45	8	16	9				
1890	596	2,693	1,632	673	320	206	102	69	41	29	20	7	- 1			
1891	685	3,141	1,442	635	315	158	115	64	35	21	17	6	1			4
1892	668	3,011	1,729	732	389	201	122	60	35	30	14	4	3			6
1893	676	2,777	1,869	776	436	237	133	79	47	39	9	8		1	1 .	
1894	613	2,760	1,613			183		74	39	29	17	3	5	1		
1895	607	2,763	1,887	767	417	227	142	83	49	22	12	13	4	1		
1896	617	2,647	1,841	713				61	45	24	18	5	3			
1897	542	2,490	1,746	659				81	38	22	15	9	3	1		
1898	579	2,639	1,795	675				82	38	20	10	7	3			
1899	587	2,720	1,871	810	361	201	149	59	54	31	11	8	3	1		
1900	729	2,982	2,155	935				103	74	24	24	6	1	; :		
1901	692	3,001	2,144	870				85	41	43	20	8	3			
1902		3,217	2,225	890				86	63	37	30	13	4	2	1 .	
1904	852	3,549	2,437	1,016				88	46	28	24	4	6			
.905			2,186	967				104	67	35	16	11				
1906			2,415	1,065				98	58	35	12	13	2 .			
1907	1,104	4,275	2,514	1,115			167	96	55	20	15	5	2 .			
908		4,712	2,799	1,184			176	99	72	49	20	10				
1909		3,933	2,386	1,082				129	59	41	30	10	2			
			2,703	1,270				111	74	40	27	12	4	1		
1910	1,032	3,757	2,309	941	465	252	153	99	55	29	18	5	1.			

In the following table will be found the number and proportion of the persons married under 20 years of age, both sexes, in ten periods of five years each, from 1856 to 1905, inclusive; for the whole period of fifty years, and the years 1906, 1907, 1908, 1909, and 1910, given separately:

# TABLE XXXVIII.

5-YEAR PERIODS.	Total number of persons married.	Persons married under 20.	Percentage under 20.
1856–1860	15.838	3,294	20.79
1861–1865		2,406	14.42
1866–1870		3,419	14.74
1871–1875	25,058	3,696	14.75
1876–1880	24,048	3,267	13.59
1881–1885	26,082	2,516	9.65
1886–1890	29,670	2,727	9.19
1891–1895	34,268	3,049	9.48
1896–1900	34,226	3,254	8.92
1901–1905	42.778	4,143	9.68
50 years, 1856–1905	271,846	31,771	11.69
1906	10,234	1.104	10.79
1907	11,278	1.244	11.03
1908	9,882	1.088	11.01
1909	10,924	1.110	10.16
1910	9,116	1,032	11. 3
Per cent., first fifteen years. Per cent., second fifteen years. Per cent., third fifteen years. Per cent., last five years.			$\begin{array}{c} 12.60 \\ 9.20 \end{array}$

# PROPORTION TO SEX.

Table exhibiting the percentages of GROOMS in each division of ages, in each of the last fifty-one years:

TABLE XXXIX.

	TABLE AAAIA.											
	YEARS.	Under 20.	20 to 25.	25 to 30.	30 to 40.	40 to 50.	50 and over,	Total.				
	( 1860	5.0	42.8	26.9	16.3	5.7	3.3	100.0				
	1861	4.6	44.5	25.4	15.5	5.8	4.2	100.0				
		4.2	37.8	27.9	18.3	5.9	5.9	100.0				
	1862	3.5	38.0	29.6	17.2	5.8	5.9	100.0				
	1864	4.3	38.8	27.3	17.9	7.4	4.3	100.0				
	1865	3.5	37.0	28.4	18.9	7.5	4.7	100.0				
	1866	5.3	40.9	27.0	16.4	6.3	4.1	100.0				
	1867	4.3	40.1	27.9	16.8	6.8	4.1	100.0				
	1868	4.1	39.9	28.2	17.1	6.1	4.6	100.0				
	1869	4.3	39.6	27.7	18.5	6.1	3.8	100.0				
	1870	4.8	40.4	28.1	16.0	6.4	4.3	100.0				
	1871	5.3	40.1	28.9	16.5	4.9	4.3	100.0				
	1872	4.3	41.3	28.2	16.6	5.2	4.4	100.0				
	1873	3.8	42.4	26.7	17.0	6.0	4.1	100.0				
	1874	4.1	40.4	27.2	17.5	6.4	4.4	100.0				
	1875	3.5	40.9	27.8	17.6	6.1	4.2	100.0				
	1876	5.1	37.5	28.6	17.9	5.6	4.3	100.0				
	1877	4.3	36.0	30.2	18.7	5.9	6.9	100.0				
	1878	3.9	38.5	29.0	18.0	6.3	4.3	100.0				
	1879	3.9	37.8	28.8	19.3	5.4	4.8	100.0				
	1880	3.6	38.9	27.5	19.9	5.8	4.3	100.0				
	1881	2.8	37.2	29.7	19.5	6.8	4.0	100.0				
GROOMS	1882	2.2	36.0	31.4	20.0	6.1	4.3	100.0				
Σ	1883	2.9	36.2	31.7	17.7	7.2	4.3	100.0				
Ö	1884	2.5	36.2	29.1	21.1	6.2	5.0	100.0				
ō	1885	2.6	34.7	30.2	20.9	6.8	4.8	100.0				
~	1886	2.5	35.2	31.9	19.6	6.8	4.0	100.0				
14	1887	1.7	37.1	31.6	19.6	6.2	3.8	100.0				
Q	1888	2.8	36.1	31.1	19.8	6.5	3.7	100.0				
	1889	2.3	37.6	27.8	21.3	6.6	4.4	100.0				
	1890	3.3	36.9	30.8	18.9	6.1	4.0	100.0				
	1891	3.2	44.7	26.4	17.2	5.2	3.3	100.0				
	1892	2.3	40.1	29.3	19.0	6.1	3.2	100.0				
	1893	2.9	35.3	30.7	21.0	6.3	3.8	100.0				
	1894	3.0	37.4	29.3	19.9	6.8	3.6	100.0				
	1895	2.2	36.0	30.6	21.0	6.3	3.9	100.0				
	1896	2.1	35.5	33.2	19.6	6.1	3.5	100.0				
	1897	2.3	35.5	32.6	19.3	6.3	4.0	100.0				
	1898	2.4	36.4	31.8	19.8	6.1	3.5	100.0				
	1899	2.3	35.0	30.9	21.6	6.6	3.6	100.0				
	1900	2.4	33.6	32.0	21.6	6.2	4.2	100.0				
		2.1 2.5	35.3	31.4	21.5	6.1	3.6	100.0				
	1902	2.5 2.5	35.7 35.4	31.7	20.4	5.9	3.8	100.0				
		2.3	35.4	30.0	22.3	5.9	3.0	100.0				
	1904	3.0	37.5	29.7	20.8	6.1	41	100.0				
	1906	2.8	39.9	28.8	20.8	5.8	3 2	100.0				
	1907	2.9	40.7	29.1	19.0	5.8 5.1	2.6	100 0				
	1908	2.6	38.5	29.1	20.2	6.9	3.2	100.0				
	1909	2.7	37.5	28.8	20.2	6.3	4.1	100.0				
		3,2	39.7	29.9	18.6		3.6	100.0				
	[ 1910	0.4	09.7	28.8	1 18.0	5.4	3.2	100.0				

Table exhibiting the percentages of BRIDES in each division of ages, in each of the last fifty-one years:

TABLE XL.

_	TABLE ALI,													
-	YEARS,	Under 20.	20 to 25.	25 to 30.	30 to 40.	40 to 50.	50 and over.	Total.						
	1860	25.8	44.1	17.0	9.1	2.6	1.4	100.0						
	1861	29.6	42.0	15.2	7.8	4.1	1.3	-100 0						
	1862	24.9	41.3	16.7	11.8	4.1	1.2	100.0						
	1863	24.9	42.6	16.9	9.8	4.1	1.7	100.0						
	1864	24.2	43.4	17.8	10.3	2.9	1.4	100.0						
	1865	22.6	43.3	19.1	11.0	3.5	1.5	100.0						
	1866	24.7	42.9	17.4	11.0	2.7	1.3	100.0						
	1867	25.4	40.5	19.3	10.0	3.4	1.4	100.0						
	1868	24.4	40.9	18.1	11.6	3,3	1.7	100.0						
	1869	24.1	40.5	18.7	12.1	3.4	1.2	100.0						
	1870	26.8	39.4	17.9	10.8	3.9	1.2	100.0						
	1871	24.6	41.9	19.1	10.1	3.1	1.2	100.0						
	1872	26.7	40.5	18.4	9.9	2.2	1.3	100.0						
	1873	25.3	40.8	17.5	12.0	2.7	1.7	100.0						
	1874	26.3	38.1	19.3	11.1	3.9	1.3	100.0						
	1875	23.9	42.1	16.8	11.8	4.0	1.4	100.0						
	1876	25.6	39.8	17.6	12.0	3.7	1.3	100.0						
	1877	23.4	40.4	18.8	12.1	3.6	1.7	100.0						
	1878	22.7	40.4	19.3	12.2	8.8	1.6	100.0						
	1879	22.8	40.7	19.4	12.1	3.0	2.0	100.0						
	1880	21.1	44.2	18.0	12.0	3.3	1.4	100.0						
76	1881	19.0	43.0	21.5	11.2	3.8	1.5	100.0						
65	1882	16.7	44.8	20.9	12.6	3.9	1.1	100.0						
ä	1883	16.2	44.2	20.6	13.2	4.3	1.5	100.0						
BRIDES	1884	16.4	43.0	21.3	13.2	4.2	1.9	100.0						
7	1885	14.9	44.6	21.8	13.2	3.8	1.7	100.0						
	1886	15.8	42.4	24.5	12.5	3.3	1.5	100.0						
4	1887	15.9	44.1	22.8	12.1	3.5 3.7	1.6 1.1	100.0						
	1888	16.4	44.3 43.7	22.1	14.7	3.4	1.6	100.0						
	1889	15.1	47.3	21.5 20.4	12.0	3.6	1.3	100.0						
	1890	15.4 17.4	49.9	17.0	11.4	3.1	1.2	100.0						
	1891	16.8	45.9	20.1	13.0	3.1	1.1	100.0						
	1892	16.2	43.0	22.0	13.3	4.1	1.4	100.0						
	1894	15.7	47.0	20.0	12.3	3.4	1.6	100.0						
	1895	15.2	43.0	23.4	12.8	4.3	1.3	100.0						
	1896	16.4	44.1	22.1	12.4	3.8	1.2	100.0						
	1897	14.9	43.9	23.1	13.2	3.5	1.4	100.0						
	1898	15.3	44.1	22.9	12.9	3.4	1.4	100.0						
	1899	14.8	44.3	23.6	12.5	3.6	1.2	100.0						
	1900	16.2	42.1	22.7	13.4	3.9	1.7	100.0						
	1901	15.8	42.8	23.5	12.6	3.7	1.6	100.0						
	1902	17.2	42.1	22.1	13.1	3.5	2.0	100.0						
	1903	16.6	43.9	22.4	12.3	3.4	1.4	100.0						
	1904	15.7	41.7	22.5	14.2	4.5	1.4	100.0						
	1905	18.6	42.0	21.0	13.2	3.8	1.4	100.0						
	1906	18.8	43.6	20.4	13.0	3.0	1.2	100.0						
	1907	19.2	42.9	20.5	12.9	3.3	1.2	100.0						
	1908	19.4	41.1	20.6	13.3	4.2	1.4	100.0						
	1909	17.6	42.6	20.7	/ 14.1	3.6	1.4	100.0						
	1910	19.5	42.7	20.8	12.3	3.4	1.3	100.0						

### NUMBER OF TIMES MARRIED.

There will be found in the following table the number of grooms and of brides who were married for the first, second, third, etc., time in 1910:

TABLE XLI.

	First Marriage.	Second Marriage.	Third Marriage.	Fourth   Marriage.	Total.			
Grooms	4,041	486	31		4,558			
Brides	4,204	333	19	2	4,558			

The proportion of *grooms* married for the first time, in 1910, was 88.7 per cent. of the whole number, and the proportion of *brides* married for the first time was 92.2 per cent.

The following table will show not only the number of times each of the parties was married, but also the number of bachelors and widowers who married spinsters, the number who married widows of first or second widowhood, etc., and of spinsters and widows who married bachelors, and widows of the second, third, or fourth marriage, etc.:

TABLE XLII.

	BRIDES.								
GROOMS.	First Marriage.	Second Marriage.	Third Marriage.	Fourth Marriage,	Total Grooms				
First Marriage	3,863	173	4	1	4,041				
Second Marriage	326	147	13		486				
Third Marriage	15	13	. 2	1	31				
Total Brides	4,204	333	19	2	4,558				

It will be seen, by Table XLII, that 178 bachelors married widows, 4 of whom had been twice married. Of the 517 widowers who married in 1910, 341 married spinsters and 176 married widows.

### MARRIAGES OF PERSONS OF COLOR.

The number of marriages of persons of color in Rhode Island, in 1912, was 127. This includes six marriages in which one of the parties was white. The number and color of the individuals were, therefore, 242 persons of color and 6 persons white. The white persons were all females. The marriages, however, may be properly included in the above class, inasmuch as the offspring of such marriages are persons of color.

The number reported during 1910, from the different towns, was as follows, viz.:

East Greenwich	3
Warwicke.	2
Newport City	20
East Providence	5
Johnston	1
Providence City	91
Charlestown	1
Hopkinton	1
Narragansett	7
North Kingstown	
South Kingstown	1
-	_
Total 1	27

## MARRIAGES OF THE DIVORCED.

The following table will give the towns from which returns of marriage with the facts of divorce were reported during 1910, the whole number of marriages of divorced persons, whether of one or both parties; also whether the second, third, or fourth marriage of the divorced groom or bride:

TABLE XLIII.

TOWNS.	Number of Marriages.	Number of Divorced Persons Married.	Grooms.	Brides.	Second Marriage of Groom.	Third Marriage of Groom.	Second Marriage of Bride.	Third Marriage of Bride.	Fourth Marriage of Bride,
Providence City	109	117	54	63	50	4	60	3	
Coventry	1	1		1			1		
East Greenwich	1	1		1			1		
Warwick	10	13	7	6	7		6		
NEWPORT CITY	. 8	~ 9.	3	6	3		6		
New Shoreham	1	1		1			1		
Portsmouth	1	1	1		1				
Tiverton	2	2		2			2		
CENTRAL FALLS	4	4		4			4		
Cranston	7	7	3	4	2	1	4		
Cumberland	2	2		2			2		
East Providence	9	11	7	4	7		4		
Johnston	2	2	1	1	1			1	
Lincoln	1	1	,	1			1		
PAWTUCKET	9	10	3	7	3		6	1	
Smithfield	1	1	1			1			
Woonsocket	9	10	2	8		2	8		
Hopkinton	1	1		1			1		
North Kingstown	2	2	1	1	1		1		
South Kingstown	5	5	3	2	3		2		
Westerly	2	2	1	1	1				1
Total	188	203	87	116	79	8	110	5	1

There were 188 marriages, in 1910, in which one or both of the parties had been divorced.

The proportion of the *number of marriages* of which one or both of the parties had been divorced, to the whole number of marriages, was 4.1 per cent., or 1 in every 24.2.

But the proportion of divorced *persons* married during 1910, to the whole number of persons married in the same year, was about 1 in every 45, or 2.2 per cent., or 22 in every 1,000.

The number of divorced persons married, in 1910, was less by 170 than in the previous year.

These 188 marriages of divorced persons were performed by clergymen of the different denominations, or by civil authority, as follows:

Baptist 55	Universalist 2
Congregational35	Protestant Episcopal 2
Methodist 18	Lutheran 2
United Presbyterian	Pentecostal 1
Free Baptist 8	Advent Christian 1
Unitarian 6	Seventh Day Baptist 1
Roman Catholic 6	Lighthouse Mission 1
Primitive Methodist 5	Society of Friends 1
Hebrew 3	Latter Day Saints 1
Presbyterian 3	Warden, New Shoreham 1
African Methodist 3	Court 16
Independent 3	Unstated 1

Marriage and Education.—Of the number of persons married, in 1910, 714 signed their marriage certificates with a mark. The following will show the number of males and females who did so, and their nativity:

<b>3</b>	Whole Number.		
Males		22.,	257
Females			
Total	714	48	666

## DIVORCES, 1910.

According to the returns made to the Secretary of the State Board of Health (State Registrar) by the clerks of the Superior Courts of the different counties of Rhode Island, the number of applications for divorce, during 1910, was seven hundred and fifty-nine (759).

The number of divorces granted, during 1910, was five hundred and two (502).

There were fifty-four less applications made during 1910 than in the preceding year, and the number of divorces granted was twelve less.

Divorces are decreed for the following seven statute causes, viz.:

- 1. Adultery.
- 2. Extreme cruelty.
- 3. Willful desertion for five years of either of the parties, or for a shorter period, in the discretion of the court.
  - 4. Continued drunkenness.
- 5. Neglect or refusal to provide necessaries (having ability) for the subsistence of a wife.
  - 6. Gross misbehavior and wickedness other than aforesaid.
  - 7. Impotency.

Divorces are also decreed, or marriages set aside, in the discretion of the court, for ascertained affinity, consanguinity, idiocy, insanity, penitentiary crimes, and bigamous or otherwise illegal marriage.

The following table shows the number of applications for divorce, and the number granted, in 1910, in each county of the State; also the causes alleged for the applications:

TABLE XLIV.

							-							
	Si					C	USES	ALLEG	ED.					
COUNTIES.	Number of Applications.	Number Granted.	Impotency,	Adultery.	Extreme Cruelty.	Willful Desertion.	Continued Drunken- ness.	Neglect to Provide Necessaries, etc.	Other Gross Misbe- havior.	Void Marriage.	Lived separate and apart 10 years.	Civilly Dead.	Excessive use of Morphine.	Total Causes Alleged.
Bristol	10	7			7	1	4	8						20
Kent	22	9		2	2	2		11	2					19
Newport	38	22	4	4	9	10	4	21	8					60
Providence	653	440	1	74	268	228	135	433	151	6	20	1	1	1,318
Washington	36	24	9	16	32	16	28	23						124
												-		
Whole State	759	502	14	96	318	257	17Í	496	161	6	20	1	1	1,541

There were, during the year 1910, seven hundred and fifty-nine (759) applications for divorce, and the whole number of causes alleged was fifteen hundred and forty-one (1,541). There was, therefore, an average of more than two causes alleged in each application.

The causes alleged why divorces should be granted in the applications, during 1910, were 40 more than the number in 1909.

				Causes of Application Where Divorce was Granted.										APPLICANT.	
counties.	SEX.	Impotency.	Adultery.	Extreme Cruelty.	Willful Desertion.	Continued Drunken- ness.	Neglect to Provide Necessaries, etc.	Other Gross Misbe- bavior.	Void Marriage.	Lived separate for 10 years or more.	Civilly Dead.	Excessive use of morphine.	Husband.	Wife.	Total.
Bristol County.;	Males						6			- • • •				11	}11
Kent County	Males Females		1											9	} 9
Newport County	Males			1									7	26	33
Providence County	Males						287	10 5	1	3			74	477	551
Washington County	Males	2		2	5	3	17	3					11	27	}38
Total	Males			7 87			330	13	1	3			92	550	642

LENGTH OF TIME MARRIED	Bristol County.	Kent County.	Newport County.	Providence County.	Washington County.	Whole State.
Number under six months				12		12
Six months and under one year			1	19		20
One year and under five	1	1	3	179	6	190
Five years and under ten	5	6	8	170	14	201
Ten years and over	4	12	10	269	25	307

Average	of years of	marriage	in	Bristol County
56	**	4.6	6.6	Kent County
8.6	4.6	44	6 +	Newport County
64	44	8.6	6.4	Providence County
\$ 6	4.4	6.6	4.6	Washington County

In order to show the actual number of applications, and the number of divorces granted, in each of the last thirty-eight years, the following summary is presented:

			Applications
	plications	Divorces	refused or continued
for	divorce.	granted.	or withdrawn.
1873	261	173	88
1874	276	. 242	34
1875	227	. 158	69
1876	254	. 196	58
1877	257	. 178	79
1878	258	. 196	62
1879	255	. 246	9
1880	347	. 273	74
1881	350	. 268	82
1882	339	. 271	68
1883	321	. 257	64
1884	320	. 266	54
1885	293	. 227	66
1886	336	. 257	79
1887	322	. 248	74
1888	304	. 224	80
1889	366	. 274	92
1890	327	. 244	83
1891	362	. 275	87
1892	412	. 296	116
1893	529	. 301	228
1894	506	. 280	226
1895	516	. 373	143
1896	526	. 363	163
1897	544	372	172
1898	615	. 400	215
1899	648	. 412	236
1900	714	. 466	248
1901	751	. 517	234
1902	671	. 492	179
1903	666	. 427	239
1904	671	. 482	189
1905	659	. 382	277
1906	659	. 387	272
1907	667	. 393	269
1908	759	. 416	343
1909	813		
1910	759	. 502	257
38 years, total 1	7,860	12,253	5,607

The average annual proportion of decrees of divorce granted, during the last thirty-eight years, to the applications therefor, was 68.6 per cent.

During the last ten years the proportions were as follows:

The proportion of divorces granted, in 1910, to the whole number of marriages, during the same year, was one divorce to every nine and one-tenth marriages.

The proportion of applications for divorce to whole number of marriages, during the year, was one application to every six marriages.

The following table shows the number of divorces granted in each county, and the whole State, in each of the last forty-two years, and the proportion of marriages to each divorce granted in each year:

TABLE XLV.

		ristol unty.		ent		wport		idence inty.		ington inty.	Wh	
YEARS.	Divorces Granted.	Marriages to one Divorce.	Divorces Granted.	Marriages to one Divorce.	Divorces Granted.	Marriages to one Divorce.	Divorces Granted.	Marriages to one Divorce.	Divorces Granted.	Marriages to one Divorce.	Divorces Granted.	Marriages to one Divorce.
1869	10	10.6	15	12.5	6	27.7	120	13.8	11	15.5	162	14.1
1870	3	22.7		11.8	6	26.3	152	11.3	21	9.3	200	11.8
1871	5	16.8	11	17.9	4	49.7	123	13.3	18	11.4	161	14.5
1872	8	10.2	13	15.7	8	22.9	149	12.6	22	8.9	200	12.7
1873	6	16.2	22	9.8	8	21.9	131	14.8	6	33.7	173	15.2
1874	10	8.9	20	8.0	6	29.0	190	10.0	16	11.6	242	10.5
1875	2	50.0	18	8.8	7	23.4	120	14.9	11	20.5	158	15.7
1876	6	14.5	15	12.8	7	20.5	148	11.1	20	8.8	190	11.5
1877	7	12.0	9	16.3	7	26.0	134	12.4	21	9.9	178	12.8
1878	4	26.0	11	13.3	13	12.8	156	10.9	12	17.3	196	11.9
1879 1880	5	18.8	19	9.0	7	24.1	195	9.1	20	9.7	246	9.7
1881	8	12.1 20.1	23	9.4	11	17.6	208	9.7	23	17.0	273	10.1
1882	6	15.0	26	7.3	10	16.9	207	10.0	19	11.0	268	10.4
1883	6	15.8	18 15	10.3	15	13.0	221	8.9	11	16.2	271	9.7
1884	4	16.7	20	8.0	9	21.2	214	9.2	13	13.3	257	10.2
1885	3	23.0	9	18.6	17	15.7 11.2	209	9.3	21	8.2	266	9.6
1886	5	16.0	17	11.0	15	12.3	186 194	10.1	12	15.0	227	11.0
1887	1	75.0	23	8.0	13	13.4	187	10.9	26	7.3	257	10.7
1888	5	15.8	14	13.5	4	46.0	188	11.8 12.5	24 13	7.9	248	11.4
1889	6	12.5	27	8.3	14	14.0	211	11.2	16	16.5	224	13.5
1890	4	27.5	19	12.1	1	232.0	196	12.3	24	10.8	274	11.1
1891	10	8.4	20	11.2	17	12.6	214	11.2	14	8.8	244	13.0
1892	2	49.5	19	12.4	20	11.6	236	11.6	19	10.4	275 296	12.1
1893	3	38.0	10	23.8	21	9.9	235	11.5	22	8.0	301	11.8
1894	7	16.0	22	9.0	18	12.3	207	12.4	26	6.8	280	11.7
1895	8	10.9	17	9.9	11	21.3	318	8.8	19	11.2	373	9.4
1896	7	12.4	21	7.5	18	11.3	304	8.8	13	16.1	263	9.2
1897 1898	9	9.3	20	8.5	16	12.9	306	8.1	21	9.7	372	8.4
1899	7 6	12.4	22	9.3	19	9.9	333	7.8	19	9.8	400	8.2
1900	8	13.5	20	11.9	18	12.0	355	7.7	13	13.0	412	8.3
1901	8	10.6	19	12.4	15	17.1	400	7.9	24	8.8	466	8.5
1902	10	9.4	26	13.5	16	13.3	456	6.8	18	10.4	517	7.4
1903	9	14.1	28	10.3	17	14.4	413	8.0	26	8.4	492	8.4
1904	9	15.0	26	9.5	17 28	15.1	355	10.2	18	12.2	427	10.5
1905	8	15.8	16	16.5	38	7.9	399	8.4	20	10.9	482	8.6
1906	4	33.2	3	84.7	21	13.2	303 337	12.8	17	13.4	382	12.4
1907	6	21.5	24	10.7	16	16.2	330	12.6	22	10.1	387	13.2
1908	7	17.3	25	12.2	20	12.9	339	14.4	22	10.8	398	14.2
1909	14	10.8	30	9.5	27	10.6	428	11.9	25	8.5	416	11.8
1910	7 ;	19.0	9	30.9	22	12.4	440	8.4	15 24	15.2 6.9	514 502	10.6 9.1

The ratio of divorces granted in the entire State, during 1910, to the whole number of marriages during the same year, was one divorce to every nine and one-tenth marriages, as previously stated.

During the ten years, 1869 to 1878, inclusive, the ratio of divorce to number of marriages was one divorce to every thirteen; during the ten years, 1879 to 1888, inclusive, the ratio was one divorce to ten and three-tenths marriages.

The average of the last ten years was one divorce to every ten and six-tenths marriages.

During the forty-two years, 1869 to 1910, the average proportions of divorce to marriage, in the several counties and the State, were as follows:

Bristol County	.One divorce to every 19.2 marriages.
Kent County	One divorce to every 13.7 marriages.
Newport County	.One divorce to every 22.6 marriages.
Providence County	.One divorce to every 10.7 marriages.
Washington County	One divorce to every 12.0 marriages.
Whole State	.One divorce to every 11.1 marriages.

TABLE XLVI.

Table Showing the Number of Marriages to every Decree of Divorce, in five of the New England States, during the Thirty-four Years, from 1877 to 1910.

STATES,	1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892
Rhode Island	12.811.9 9.7 10.1 10.4 9.7 10.2 9.6 11.0 10.7 11.4 13.5 11.1 13.0 12.1 11.8
Maine	100.4
New Hampshire	7.7 9.2 10.9 12.8 10.4 10.9 8.3 10.7 8.7 9.8 9.5 9.5 11.7
Vermont	15.014.021.020.016.017.816.413.528.820.013.516.919.618.317.117.4
Massachusetts	23.121.423.426.840.934.327.828.226.430.024.530.626.931.827.128.5
Connecticut	

TABLE XLVI.—Concluded.

Table Showing the Number of Marriages to every Decree of Divorce, in five of the New England States, during the Thirty-four Years. from 1877 to 1910.

STATES.	1893 1894 1895 1896 1897 1898 1899 1900 1902 1903 1904 1905 1906 1907 1908 1909 1910
Rhode Island	11.8.11.7 9.4 9.2 8.4 8.2 8.3 8.5 7.4 8.4 10.5 8.6 12.4 13.2 14.2 11.8 10.6 9.1
Maine	9.2 8.3 8.4 8.3 7.4 6.7 6.7 6.8 7.1 6.5 6.6 6.9 7.4 8.3 7.2 6.5 6.3 6.4
New Hampshire	10.312.6 9.9 9.9 8.8 8.5 8.6 9.3 8.3 8.4 7.8 7.2 8.9 9.2 9.6 7.2 7.7 9.2
Vermont	15.912.3 9.7 11.2 11.9 13.0 12.3 13.2 13.5 10.0 10.6 9.9 11.0 10.2 8.5 8.8 7.8
Massachusetts	21.8 18.6 24.2 14.7 20.5 18.7 20.2 19.3 18.1 17.4 12.1 21.2 14.9 11.4 16.1 15.3 16.7 15.9
Connecticut	$\dots 16.615.915.914.516.015.315.915.513.916.615.116.116.415.816.415.316.117.8$

## **DEATHS**, 1910.

The number of deaths registered in Rhode Island during 1910, according to the returns made to the State Registrar, was nine thousand two hundred and ninety-eight (9,298).

This number is larger by 1,021 than that of 1909.

The death rate (17.1 in every 1,000 living persons) was 1.5 higher than that of the previous year.

The following summary will show the death rates per 1,000, for each of the last five census years, in comparison with the last five years:

On the following page will be found the death rates, by counties, for fifty years.

### TABLE XLVII.

Death rates per 1,000 living, by counties, for fifty years, from 1861 to 1910, inclusive, also the average rate of each period of five years from 1861 to 1910, inclusive, for the whole State.

YEARS.	Bristol.	nt.	Newport.	Providence.	Washington,	te.	STATE.  ANNUAL AVERAGE OF FIVE-YEAR PERIODS,
	Bri	Kent.	Ne	Pro	Wa	State.	1861-1910.
Five years, 1861–1865	17.7	15.9	18.9	17.7	12.4	17.1	17.1 per 1,000 living
Five years, 1866-1870	17.0	14.4	14.8	16.3	11.4	15.6	15.6 per 1,000 living
1871	16.3	17.5	12.2	15.9	12.3	15.4)	
1872	21.1	16.1	14.5	21.2	14.7	19.1	
1873	18.4	13.8	19.0	22.0	15.1	20.2 >	17.5 per 1,000 living
1874	14.7	13.2	10.8	17.7	13.7	16.3	
1875	14.9	14.9	13.5	17.5	15.5	16.7	
1876	14.7	11.7	13.5	16.8	15.9	15.9	
1877	18.2	13.1	12.4	18.7	12.8	17.2	•
1878	17.5	14.2	13.7	18.3	13.0	17.2 >	16.8 per 1,000 living.
1879	13.2	15.1	14.8	17.2	11.1	16.2	
1880	19.2	14.9	14.5	18.5	12.7	17.5	
1881	17.9	16.5	15.7	19.3	11.9	18.1	
1882	16.5	15.3	17.2	19.7	11.0	18.4	
1883	17.7	14.6	17.7	20.8	9.8		18.0 per 1,000 living
1884	17.7	17.1	14.5	17.8	12.6	16.9	
1885	16.3	16.4	14.5	18.5	14.0	17.7	
1886	19.2	17.5	15.0	19.2	15.0	18.8)	
1887	18.2	15.5	15.1	21.1	15.5	19.8	
1888	21.3	18.4	18.0	21.0	16.0	20.4	19.8 per 1,000 living
1889	17.6	20.1	14.7	19.2	14.6	19.0	
1890	2 <b>2.1</b>	17.6	16.5	22.1	13.5	20.7	
1891	20.5	18.0	20.6	18.6	12.6	19.6	
1892	20.0	20.7	20.1	20.2	15.2	20.1	
1893	19.9	19.4	17.9	19.9	12.6	19.6	19.6 per 1,000 living
1894	16.5	19.8	16.9	19.1	16.4	19.1	
1895	20.9	17.4	15.9	20.1	15.0	19.6	
1896	17.9	18.8	17.0	19.2	15.3	19.1	
1897	18.6	16.7	16.2	17.6	14.7	17.6	
1898	15.0	15.6	15.5	16.7	14.5	16.7 >	18.3 per 1,000 living
1899	17.6	16.8	17.6	17.6	14.1	17.6	
1900	22.6	23.6	18.7	19.9	18.2	20.6)	
1901	17.9	19.7	16.5	17.8	16.2	18.2	
1902	18.4	17.7	18.1	17.6	12.8	17.8	
1903	19.8	18.0	15.4	18.4	16.6	18.5 >	17.8 per 1,000 living
1904	18.0	17.8	13.9	17.0	16.0	17.3	
1905	19.7	16.6	15.7	16.6	16.4	17.1	
1906	16.7	16.2	14.1	17.1	14.5	17.6)	
1907	16.6	16.2	16.0	17.7	14.2	18.0	
1908	15.4	15.9	13.2	15.8	16.1	16.2 >	16.9 per 1,000 living
1909	14.0	16.2	14.3	15.1	14.9	15.6	
1910	18.5	18.4	14.6	16.6	16.1	17.1 J	

156

#### SEX OF DECEDENTS.

Of the 9,298 persons whose deaths were returned during the year 1910, 4,848 were males and 4,450 were females; the ratio standing at 109 males to each 100 females, or about 521 males and 479 females in every 1,000 decedents.

The following table will show the number and proportion of males and females among the *decedents* in Rhode Island during the ten years, 1853 to 1862, inclusive; also in each of the forty-eight years from 1863 to 1910, inclusive, and for the entire period of fifty-eight years:

TABLE XLVIII.—DEATHS.

Males.     Females.     every 100       10 years, 1853–1862.     10,930.     11,269.       1863.     1,621.     1,586.	
1863 $1,586$	. 96.9
1964	
1864	
1000	
100#	
1000	
1000	
1970	
1074	
1070	
1070	
1074	
1077	
1070	
1077	
1070	
1070	. 94.8
1000	
1001	
1000	
1009	
1994	
100%	
1000	
1997	
1990	
1890	
1900	
1901	
1809	
1803	
1004	. 103.8
1905	
1908	. 101.6
1007	
1000	
1000	. 106.1
1000	
1901	
1000	. 104.2
7903	. 103.3
1004	. 106.8
100%	. 104.5
1000	. 103.3
1907 4.685	
1008	
1000	
1010	
±,40U	. 108.9
58 years	. 100.5
	. 100.0

The following table of *births*, during the same period of time as the preceding, will show by comparison the different proportions of the sexes in the two classes of events:

TABLE XLIX.—BIRTHS.

			Males to
	Males.	Females.	every 100 females
0 years, 1853-1862	. 18,377	. 17,260	
1863	. 1,892		105.
864	. 1,949		100.
1865	. 2,096		112.
1866	. 2,546		108.
1867	2,655		107.
1868	. 2,745		104.
1869	. 2,685		104.
1870	. 2,679		104.
1871	. 2,878		105.
1872	. 3,085		100.
1873	. 3,135		108.
1874	. 3,311		104.
1875	. 3,362		106.
1876	. 3,291		108.
1877	. 3,163		103.
1878			102.
1879	. 3,259		105.
1880	. 3,241	. 3,054	106.
1881	. 3,498		107.
1882	. 3,509	3,316	105.
1883	. 3,548	3,498	101.
1884	. 3,713		103.
1885		3.437	104.
1886	. 3,897		
1887	. 3,968		107 .
1888	. 4,023	3,817	105 .
1889	. 4,193	4,027	104.
1890	. 4,351		103 .
1891		4,500	109 .
1892		4,505	109 .
1893	. 5.105		
1894	. 5,129		
1895		4,746	108 .
1896		5,289	
1897	. 5,493		103 .
1898	. 5,443	5,287	102 .
1899		5,240	, 106.
1900			103 .
1901	. 5,944		
	. 5,776		106 .
1902		5,806	102 .
1903			102
1904	. 6,234		
1905	6,475		104 .
1906			102.
1907			101 .
1908	. 6,592		105.
1909	6,857		
1910	. 0,807	0,201	

### SEASON AND MORTALITY.

The whole number of decedents, and the sex of the same, in each month of the year 1910, and in each division of the State, may be found in Table V, on the tenth and eleventh pages.

The influence of season upon mortality may be further illustrated by the following table, which shows the number and percentage of deaths, compared with the whole number of deaths, in each quarter of each of the last five years, and in the aggregate for fifty-five years, 1853 to 1907, inclusive:

TABLE L.

	1906.		1907.		1908.		1909.		19:	10.	55 years, 1853-1907.	
SEASON.	Number.	Per cent.	Number.	Per cent.								
January-March.,	2,174	25.24	2,605	28.91	2,405	29.09	2,191	26.47	2,570	27.64	68,970	25.13
April-June	2,093	24.30	2,081	23.10	1,983	23.99					61,174	
July-September.	2,274	26,41	2,232	24.77	2,083	25,20	2,144	25.90	2,388	25.68	77,219	28.13
October-Dec	2,071	24.05	2,092	23.22	1,796	21.72	1,958	23.66	2,085	22.43	67,121	24.45
Total	8,612	100.00	9,010	100.00	8,267	100.00	8,277	100.00	9,238	100.00	274,484	100.00

Comparing the percentages of 1910 with those of the fifty-five years, we find that of the first quarter is 2.51 per cent. greater; the second quarter is 1.96 per cent. greater; the third quarter, 2.45 per cent. less; and the last quarter 2.02 per cent. less than for the average of the fifty-five years. The greatest mortality for any one season has been usually found in the third quarter, but since 1902, the greatest mortality has been in the first quarter.

TABLE LI

Showing the Months in the Order of Largest Mortality for Eight Years.

1903.	July 825	January 812	August 789	February 782	March 770	April 726	December. 700	September, 695	May 694	October 653	June 605	November. 591		8,642
1904.	January 800	July 753	August 750	March 749	April 742	February 709	December 685	May 626	September. 593	November, 586	October 583	June 531		8,107
1905.	March 829	January 788	August 771	July 720	February 712	December 678	April 658	May 658	September. 614	October 605	November 604	June 573		8,212
1906,	March 821	August 792	April 764	December 750	September, 745	July 737	May 723	January 682	February 671	November. 666	October 655	June 606		8,612
1907.	February 926	March 886	August 802	January 793	July 737	April 732	December 716	October 699	September. 693	May 683	November. 677	June 666	}	9,010
1908.	January 848	March 784	February 773	July 747	April 725	August 710	May 689	February 672  September 626	December 614	November. 603	October 579	June 569		8,267
1909.	March 782	August 742	January 737	July 727	April 725	December 708	September, 675	February. 672	October 643	June 635	May 624	November. 607		8,277
1910.	March 955	July 917	April 847	August 845	January 825	February 790	December. 734	June 719	May 689	October 687	November. 664	September. 626		9,298

#### NATIVITY OF DECEDENTS.

There may be found in Table I, on pages 2-5, the number of decedents in 1910, by division of the two classes of native and foreign born.

Of the whole number of decedents, 9,298, 6,472 were native born, that is, were born in the United States, and 2,826 were born outside of the United States.

#### PARENTAGE OF DECEDENTS.

Of the whole number of decedents, 9,298, reported in 1910, 3,546 were of native and 5,752 were of foreign and unknown parentage.

By the term "foreign parentage" is meant the decedents whose fathers were born in some other country and not in the United States. The grandchildren of the foreign born are reckoned as of native parentage, if their fathers were born in the United States.

The following towns and cities, reported a larger number of decedents of foreign parentage than of native, namely: Bristol, Warren, Warwick, Newport City, Tiverton, Burrillville, Central Falls, Cranston, Cumberland, Johnston, Lincoln, North Providence, Pawtucket, Providence, Smithfield, and Woonsocket.

These numbers varied from a moderate excess to three or four times as many of foreign as of native parentage.

The following table gives the number and proportion in every one thousand deaths of decedents of native and of foreign *parentage* in each of the last five years; and in the aggregate for fifty years, or from 1859 to 1908, inclusive:

TABLE LII.

	1910.		1909.		1908,		1907.		19	06'.	50 years, 1859-1908.	
PARENTAGE.	Number.	Per 1,000.	Number.	Per 1,000.	Number.	Per 1,000.	Number.	Per 1,000.	Number.	Per 1,000.	Number.	Per 1,000.
Native		381.4 618.6		<b>3</b> 82.7					, .		136,739 151,082	
Total	9,298	1000.0	8,277	1000.0	8,267	1000.0	9,010	1000.0	8,612	1000.0	287,821	1000.0

### AGE OF DECEDENTS.

In Table I, on pages 2–5, may be found the aggregate and average age of all the decedents whose deaths occurred in 1910, and with the age of each sex in each town and county in the State.

By that table it will be seen that the average age of all the male decedents in the State, in 1910, was 35.03 years, and that the average age of all the female decedents, in the same year, was 38.30 years; the average of all decedents, of both sexes, was 36.59 years.

The following table will present, separately, the average age of the male and female decedents, and the average age of all decedents, in each year for fifty years; also the average age in ten periods of five years each, from 1861 to 1910, inclusive:

TABLE LIII.

YEARS.	Average Age of Males.	Average Age of Females.	Average Age of All.	Average Age, 5-year periods, 1861-1910.
1861	26.95 29.64 28.29 28.13 26.38	30.58 32.65 30.86 30.43 28.97	28.82 31.15 29.56 29.40 27.69	<b>.2</b> 9.32
1866	31.13 32.16 30.47 28.62 31.02	35.07 35.86 35.08 31.29 32.75	33.09 34.01 32.85 30.25 31.90	32.42
1871	32.57 28.41 26.18 23.03 29.72	34.43 31.15 28.62 31.66 32.75	$\begin{vmatrix} 33.52 \\ 29.77 \\ 27.42 \\ 26.86 \\ 31.27 \end{vmatrix}$	30.16
1876	31.47 29.25 29.02 31.29 27.62	33.21 31.56 31.11 33.24 32.06	32.37 30.45 30.09 32.29 30.86	31 .21
1881	30.99 31.33 33.64 32.29 33.53	34.07 35.57 37.44 35.12 35.60	32.55 33.50 35.55 33.76 34.59	33.99
1886	33.02 30.97 33.17 32.20 31.04	34.91 32.91 35.74 35.74 34.26	34.01 31.95 34.53 34.00 32.62	33.42
1891.       1892.       1893.       1894.       1895.	32.70 32.96 30.97 32.47 31.70	36.28 37.75 33.99 34.40 36.49	$   \begin{array}{c}     34.47 \\     35.34 \\     32.46 \\     33.44 \\     34.08   \end{array} $	33.96
1896	30.86 33.71 34.34 34.04 31.81	34.47 37.06 36.34 37.30 35.58	32.61 35.37 35.31 35.67 33.67	34.53
1901. 1902. 1903. 1904. 1905.	35.01 34.32 32.94 35.08 35.51	38.07 36.70 35.96 39.77 38.06	$   \begin{array}{c}     36.51 \\     35.49 \\     34.40 \\     37.37 \\     36.77   \end{array} $	36.11
1906. 1907. 1908. 1909. 1910.	34.60 35.66 36.12 36.30 35.03	37.06 39.98 39.28 39.82 38.30	35.80 37.73 37.64 38.03 36.59	37.16

The above table shows that the average longevity of the decedents in Rhode Island increased nearly eight years during the period of fifty years, ending with 1910.

The following table will present some of the facts of the preceding as occurring in the different divisions of the State, as well as of the State at large. It will show the average age of the decedents in each of the larger divisions of the State, in each of the last four years, and also the average of each of five periods of five years each, and two periods of ten, comprising the forty-five years from 1863 to 1907, inclusive:

TABLE LIV.

DIVISIONS OF THE STATE.	1910.	1909.	1908.	1907.	1903-1907. 5 years.	1898–1902, 5 years.	1893-1897, 5 years.	1888–1892, 5 years.	1883–1887, 5 years.	1873-1882, 10 years.	1863–1872, 10 years.
Bristol County	32.90	41.99	44.66	38.15	39.14	39.74	42.78	39.76	38.45	35.15	34.59
Kent County	36.02	38.67	36.87	39.73	36.36	32.97	31.07	32.22	37.66	36.64	35.29
Newport County	39.74	42.42	43.76	43.33	42.32	39.94	39.98	40.63	42.41	39.95	36.79
Providence County	35.22	35.92	35.31	35.43	34.20	33.14	30.79	31.63	31.83	34.53	27.21
Providence City	48.68	36.48	35.62	35.19	34.43	33.91	32.03	33.44	32.19	28.35	26,98
Washington County	51.03	49.42	50.70	50.24	48.27	49.70	46.55	46.77	43.39	41.08	35.27
Whole State	36.59	38.03	37.64	37.73	36.41	35.15	33.59	34.19	33.97	31.07	31.20

By reference to Table LIV, it will be seen that the average age of all decedents during the last five years is nearly six years greater than the first period of ten years, 1863–1872.

### PERCENTAGE OF DECEDENTS BY DIFFERENT AGES.

In Table VI, on pages 12 to 19, inclusive, will be found the number of deaths in 1910, in each town and each county, of each sex, and in each period of life, with the percentage of the whole number of deaths in each division to the population of the same, according to the population for 1910.

The following table shows the percentage of decedents in each division of ages, to whole number of deaths, in each of the last four years, and in the aggregate for five periods: one of twenty years and seven months, from June 1st, 1852, to December 31, 1872, inclusive; one of ten years, from 1873 to 1882, inclusive; one of ten years, from 1893 to 1902, and one of five years, from 1903 to 1907:

TABLE LV.

PERIODS OF LIFE.	1910.	1909.	1908.	1907.	5 years, 1903–1907.	10 years, 1893 to 1902,	10 years, 1883 to 1892.	10 years, 1873 to 1882.	20 years, 7 months, 1852 to 1872.
Under 1 year	22.9	22.1	21.7	20.5	21.5	22.8	20.4	18.9	17.8
1 and under 2	5.0	4.0	4.0	4.0	4.6	5.0	5.6	7.6	8.8
2 and under 5	3.7	3.5	3:7	4.1	4.1	4.8	5.8	8.4	8.7
Total	31.6	29.6	29.4	28.6	30.2	32.6	31.8	34.9	35.3
5 and under 10	2.0	2.0	2.1	2.2	2.4	2.8	3.5	5.0	4.8
10 and under 20	3.4	3.3	3.5	3.6	3.6	4.1	5.1	5.8	6.0
20 and under 30	5.9	6.0	6.5	6.9	7.2	8.0	8.7	9.2	9.6
30 and under 40	7.3	8.0	8.6	8.3	8.2	7.8	7.9	7.8	8.4
40 and under 50	8.9	8.4	8.1	8.7	8.6	8.1	7.5	6.9	7.3
50 and under 60	10.6	10.7	10.6	10.3	10.3	9.4	8.5	7.2	7.0
60 and under 70	12.7	13.5	12.8	12.7	12.1	10.7	9.7	8.2	7.6
70 and under 80	11,6	12.0	11.5	11.6	10.8	10.1	9.9	8.8	7.2
80 and under 90	5.1	5.5	5.9	6,0	5.6	5.4	5.9	5.1	5.1
Over 90 and not stated	0.9	1.0	1.0	1.1	1.0	1.0	1.5	1.1	1.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Compared with the average of twenty years, ending with 1872, the average proportion of the mortality of children under one year of age, during the last five years, was 4.0 per cent., or 40 in every one thousand deaths greater than the average in the longer period.

The proportions in the other periods were not greatly different from previous years, although there was a steady increase of percentage in the age period above fifty years.

The following table will present the varying proportions of deaths to whole number of deaths, in four different periods of life, from 50 years of age to 90 years, grouped in five periods of averages of ten years each, 1853–1902; and also in each of the last eight years.

### TABLE LVI.

AGE OF DE- CEDENTS.	1st Decade, 1853–1862.	2d Decade, 1863–1872.	3d Decade, 1873–1882.	4th Decade, 1883–1892.	5th Decade, 1893–1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1010.
	70. 4				D	Pr. ct.		D., (		D 4	D	D4	Do. at
	Pr. ct.	Pr. ct.	Pr. ct.		1								
50 to 60	6.7	7.3	7.2	8.5	9.4	9.9	10.4	10.7	10.4	10.3	10.6	10.7	10.6
60 to 70	6.9	8.3	8.2	9.7	10.7	11.4	12.0	11.9	12.3	12.7	12.8	13.5	12.7
70 to 80	7.3	8.4	8.8	9.9	10.1	9.6	11.4	11.1	10.1	11.6	11.5	12.0	11.6
80 to 90	4.6	5.4	5.1	5.9	5.4	5.7	5.9	5.3	5.1	6.0	5.9	5.5	5.1

### COLORED DECEDENTS.

There were 246 deaths of persons of color during 1910.

The towns from which they were returned, and number in each, were as follows:

Providence City	146
Bristol	3
Warren	1
Coventry	1
East Greenwich	3
Warwick	2
Jamestown	4
Newport City	29
Cranston	1
State Institutions	16
East Providence	13
Pawtucket	2
Woonsocket	1
Charlestown	2
Narragansett	3
North Kingstown	5
South Kingstown	8
Richmond	1
Westerly	5
Total	246

There were also 5 Chinese decedents.

Months.	Deaths.	Months. De	eaths.	Months.	Deaths.	Months.	Deaths.
January	26	April	19	July	18	October	19
February:.	18	May	16	August	31	November	20
March	25	June	15	September	r19	December	20
	6		_		_		_
First Quart	er69	Second Quar	ter.50	Third Qua	arter68	Fourth Quar	ter59

First six months, 119; second six months, 127. Total, 246.

The following summary will show the proportion, to the whole colored population, of each of the events of birth, marriage, and death of colored persons, during the thirty-three years from 1878 to 1910, inclusive:

One Birth in every         One Person Married in every         One Death in every           1878         .36.4         .39.2         .40.2           1879         .39.6         .51.4         .37.3           1880         .47.1         .43.3         .44.0           1881         .34.3         .39.2         .35.4           1882         .36.8         .44.5         .45.4           1883         .33.4         .63.3         .39.7           1884         .34.8         .46.0         .34.5           1885         .36.7         .51.7         .40.1           1886         .34.6         .43.2         .37.8           1887         .35.8         .38.9         .37.2           1888         .37.6         .55.0         .38.0           1889         .37.6         .55.0         .38.0           1889         .38.7         .52.0         .40.0           1891         .42.8         .41.2         .36.4           1892         .40.6         .38.5         .31.3           1893         .38.6         .44.2         .31.3           1894         .34.3         .56.6         .34.2           1895		One Birth	0 7 14	
1879       39.6       51.4       37.3         1880       47.1       43.3       44.0         1881       34.3       39.2       35.4         1882       36.8       44.5       45.4         1883       33.4       63.3       39.7         1884       34.8       46.0       34.5         1885       36.7       51.7       40.1         1886       34.6       43.2       37.8         1887       35.8       38.9       37.2         1888       37.6       55.0       38.0         1889       38.7       52.0       40.0         1890       45.3       57.6       41.0         1891       42.8       41.2       36.4         1892       40.6       38.5       31.3         1893       38.6       44.2       31.3         1894       34.3       56.6       34.2         1895       35.9       42.6       32.1         1896       35.1       38.9       37.9         1897       38.5       36.0       41.3         1899       39.4       41.7       36.0         1900       39.5				
1880.       47.1       43.3       .44.0         1881.       .34.3       .39.2       .35.4         1882.       .36.8       .44.5       .45.4         1883.       .34.4       .63.3       .39.7         1884.       .34.8       .46.0       .34.5         1885.       .36.7       .51.7       .40.1         1886.       .34.6       .43.2       .37.8         1887.       .35.8       .38.9       .37.2         1888.       .37.6       .55.0       .38.0         1889.       .38.7       .52.0       .40.0         1890.       .45.3       .57.6       .41.0         1891.       .42.8       .41.2       .36.4         1892.       .40.6       .38.5       .31.3         1893.       .38.6       .44.2       .31.3         1894.       .34.3       .56.6       .34.2         1895.       .35.9       .42.6       .32.1         1896.       .35.1       .38.9       .37.9         1897.       .38.5       .36.0       .41.3         1899.       .39.4       .41.7       .36.0         1900.       .39.5       .37.4       <	1878	36.4		40.2
1881       34.3       39.2       35.4         1882       36.8       44.5       45.4         1883       33.4       63.3       39.7         1884       34.8       46.0       34.5         1885       36.7       51.7       40.1         1886       34.6       43.2       37.8         1887       35.8       38.9       37.2         1888       37.6       55.0       38.0         1889       38.7       52.0       40.0         1890       45.3       57.6       41.0         1891       42.8       41.2       36.4         1892       40.6       38.5       31.3         1893       38.6       44.2       31.3         1894       34.3       56.6       34.2         1895       35.9       42.6       32.1         1896       35.1       38.9       37.9         1897       38.5       36.0       41.3         1898       37.9       48.2       41.8         1899       39.4       41.7       36.0         1900       39.5       37.4       37.7         1901       35.5	1879	39.6		37.3
1882.       36.8.       44.5.       45.4         1883.       33.4.       63.3       39.7         1884.       34.8.       46.0.       34.5         1885.       36.7.       51.7.       40.1         1886.       34.6.       43.2.       37.8         1887.       35.8.       38.9.       37.2         1888.       37.6.       55.0.       38.0         1889.       38.7.       52.0.       40.0         1890.       45.3.       57.6.       41.0         1891.       42.8.       41.2.       36.4         1892.       40.6.       38.5.       31.3         1893.       38.6.       44.2.       31.3         1894.       34.3.       56.6.       34.2         1895.       35.9.       42.6.       32.1         1896.       35.1.       38.9.       37.9         1897.       38.5.       36.0       41.3         1898.       37.9.       48.2.       41.8         1899.       39.4.       41.7.       36.0         1900.       39.5.       37.4.       37.7         1901.       35.5.       44.3.       35.5 </td <td>1880</td> <td>47.1</td> <td></td> <td>44.0</td>	1880	47.1		44.0
1883.       33.4       63.3       39.7         1884.       34.8       46.0       34.5         1885.       36.7       51.7       40.1         1886.       34.6       43.2       37.8         1887.       35.8       38.9       37.2         1888.       37.6       55.0       38.0         1889.       38.7       52.0       40.0         1890.       45.3       57.6       41.0         1891.       42.8       41.2       36.4         1892.       40.6       38.5       31.3         1893.       38.6       44.2       31.3         1894.       34.3       56.6       34.2         1895.       35.9       42.6       32.1         1896.       35.1       38.9       37.9         1897.       38.5       36.0       41.3         1898.       37.9       48.2       41.8         1899.       39.4       41.7       36.0         1900.       39.5       37.4       37.7         1901.       35.5       44.3       35.5         1902.       43.2       39.3       37.5         1903.	1881		.,	35.4
1884.       34.8.       46.0       34.5         1885.       36.7       51.7       40.1         1886.       34.6       43.2       37.8         1887.       35.8       38.9       37.2         1888.       37.6       55.0       38.0         1889.       38.7       52.0       40.0         1890.       45.3       57.6       41.0         1891.       42.8       41.2       36.4         1892.       40.6       38.5       31.3         1893.       38.6       44.2       31.3         1894.       34.3       56.6       34.2         1895.       35.9       42.6       32.1         1896.       35.1       38.9       37.9         1897.       38.5       36.0       41.3         1898.       37.9       48.2       41.8         1899.       39.4       41.7       36.0         1900.       39.5       37.4       37.7         1901.       35.5       44.3       35.5         1902.       43.2       39.3       37.5         1903.       43.9       36.8       32.7         1904.	1882	36.8		45.4
1885.     36.7     51.7     40.1       1886.     34.6     43.2     37.8       1887.     35.8     38.9     37.2       1888.     37.6     55.0     38.0       1889.     38.7     52.0     40.0       1890.     45.3     57.6     41.0       1891.     42.8     41.2     36.4       1892.     40.6     38.5     31.3       1893.     38.6     44.2     31.3       1894.     34.3     56.6     34.2       1895.     35.9     42.6     32.1       1896.     35.1     38.9     37.9       1897.     38.5     36.0     41.3       1898.     37.9     48.2     41.8       1899.     39.4     41.7     36.0       1900.     39.5     37.4     37.7       1901.     35.5     44.3     35.5       1902.     43.2     39.3     37.5       1903.     43.9     36.8     32.7       1904.     37.7     41.3     32.0       1905.     61.8     53.4     46.9       1906.     57.6     63.8     53.6       1907.     55.7     50.9     53.8       1908.	1883	33,4		39.7
1886       34.6       43.2       37.8         1887       35.8       38.9       37.2         1888       37.6       55.0       38.0         1889       38.7       52.0       40.0         1890       45.3       57.6       41.0         1891       42.8       41.2       36.4         1892       40.6       38.5       31.3         1893       38.6       44.2       31.3         1894       34.3       56.6       34.2         1895       35.9       42.6       32.1         1896       35.1       38.9       37.9         1897       38.5       36.0       41.3         1898       37.9       48.2       41.8         1899       39.4       41.7       36.0         1900       39.5       37.4       37.7         1901       35.5       44.3       35.5         1902       43.2       39.3       37.5         1903       43.9       36.8       32.7         1904       37.7       41.3       32.0         1905       61.8       53.4       46.9         1906       55.7	1884	34.8		34.5
1887.       35.8       38.9       37.2         1888.       37.6       55.0       38.0         1889.       38.7       52.0       40.0         1890.       45.3       57.6       41.0         1891.       42.8       41.2       36.4         1892.       40.6       38.5       31.3         1893.       38.6       44.2       31.3         1894.       34.3       56.6       34.2         1895.       35.9       42.6       32.1         1896.       35.1       38.9       37.9         1897.       38.5       36.0       41.3         1898.       37.9       48.2       41.8         1899.       39.4       41.7       36.0         1900.       39.5       37.4       37.7         1901.       35.5       44.3       35.5         1902.       43.2       39.3       37.5         1903.       43.9       36.8       32.7         1904.       37.7       41.3       32.0         1905.       61.8       53.4       46.9         1906.       57.6       63.8       53.6         1907.	1885	36.7		40.1
1887.       35.8       38.9       37.2         1888.       37.6       55.0       38.0         1889.       38.7       52.0       40.0         1890.       45.3       57.6       41.0         1891.       42.8       41.2       36.4         1892.       40.6       38.5       31.3         1893.       38.6       44.2       31.3         1894.       34.3       56.6       34.2         1895.       35.9       42.6       32.1         1896.       35.1       38.9       37.9         1897.       38.5       36.0       41.3         1898.       37.9       48.2       41.8         1899.       39.4       41.7       36.0         1900.       39.5       37.4       37.7         1901.       35.5       44.3       35.5         1902.       43.2       39.3       37.5         1903.       43.9       36.8       32.7         1904.       37.7       41.3       32.0         1905.       61.8       53.4       46.9         1906.       57.6       63.8       53.6         1907.	1886	34.6		37.8
1888.       37.6       55.0       38.0         1889.       38.7       52.0       40.0         1890.       45.3       57.6       41.0         1891.       42.8       41.2       36.4         1892.       40.6       38.5       31.3         1893.       38.6       44.2       31.3         1894.       34.3       56.6       34.2         1895.       35.9       42.6       32.1         1896.       35.1       38.9       37.9         1897.       38.5       36.0       41.3         1898.       37.9       48.2       41.8         1899.       39.4       41.7       36.0         1900.       39.5       37.4       37.7         1901.       35.5       44.3       35.5         1902.       43.2       39.3       37.5         1903.       43.9       36.8       32.7         1904.       37.7       41.3       32.0         1905.       61.8       53.4       46.9         1906.       57.6       63.8       53.6         1907.       55.7       59.9       53.8         1908.				
1889.       38.7       52.0       40.0         1890.       .45.3       .57.6       .41.0         1891.       .42.8       .41.2       .36.4         1892.       .40.6       .38.5       .31.3         1893.       .38.6       .44.2       .31.3         1894.       .34.3       .56.6       .34.2         1895.       .35.9       .42.6       .32.1         1896.       .35.1       .38.9       .37.9         1897.       .38.5       .36.0       .41.3         1898.       .37.9       .48.2       .41.8         1899.       .39.4       .41.7       .36.0         1900.       .39.5       .37.4       .37.7         1901.       .35.5       .44.3       .35.5         1902.       .43.2       .39.3       .37.5         1903.       .43.9       .36.8       .32.7         1904.       .37.7       .41.3       .32.0         1905.       .61.8       .53.4       .46.9         1906.       .57.6       .63.8       .53.6         1907.       .55.7       .59.9       .53.8         1908.       .55.2       .49.5 <t< td=""><td></td><td></td><td></td><td></td></t<>				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1889	38.7		40.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1890	45.3		41.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1891	42.8		36.4
1893. $38.6$ $44.2$ $31.3$ 1894. $34.3$ $56.6$ $34.2$ 1895. $35.9$ $42.6$ $32.1$ 1896. $35.1$ $38.9$ $37.9$ 1897. $38.5$ $36.0$ $41.3$ 1898. $37.9$ $48.2$ $41.8$ 1899. $39.4$ $41.7$ $36.0$ 1900. $39.5$ $37.4$ $37.7$ 1901. $35.5$ $44.3$ $35.5$ 1902. $43.2$ $39.3$ $37.5$ 1903. $43.9$ $36.8$ $32.7$ 1904. $37.7$ $41.3$ $32.0$ 1905. $61.8$ $53.4$ $46.9$ 1906. $57.6$ $63.8$ $53.6$ 1907. $55.7$ $59.9$ $53.8$ 1908. $55.2$ $49.5$ $57.1$ 1909. $52.9$ $64.1$ $55.7$	1892	40.6		
1894.       34.3       56.6       34.2         1895.       35.9       42.6       32.1         1896.       35.1       38.9       37.9         1897.       38.5       36.0       41.3         1898.       37.9       48.2       41.8         1899.       39.4       41.7       36.0         1900.       39.5       37.4       37.7         1901.       35.5       44.3       35.5         1902.       43.2       39.3       37.5         1903.       43.9       36.8       32.7         1904.       37.7       41.3       32.0         1905.       61.8       53.4       46.9         1906.       57.6       63.8       53.6         1907.       55.7       59.9       53.8         1908.       55.2       49.5       57.1         1909.       52.9       64.1       55.7	1893	38.6		31.3
1895. $35.9$ $42.6$ $32.1$ 1896. $35.1$ $38.9$ $37.9$ 1897. $38.5$ $36.0$ $41.3$ 1898. $37.9$ $48.2$ $41.8$ 1899. $39.4$ $41.7$ $36.0$ 1000. $39.5$ $37.4$ $37.7$ 1901. $35.5$ $44.3$ $35.5$ 1902. $43.2$ $39.3$ $37.5$ 1903. $43.9$ $36.8$ $32.7$ 1904. $37.7$ $41.3$ $32.0$ 1905. $61.8$ $53.4$ $46.9$ 1906. $57.6$ $63.8$ $53.6$ 1907. $55.7$ $59.9$ $53.8$ 1908. $55.2$ $49.5$ $57.1$ 1909. $52.9$ $64.1$ $55.7$	1894	34.3		34.2
1896.       35.1       38.9       37.9         1897.       38.5       36.0       41.3         1898.       37.9       48.2       41.8         1899.       39.4       41.7       36.0         1000.       39.5       37.4       37.7         1901.       35.5       44.3       35.5         1902.       43.2       39.3       37.5         1903.       43.9       36.8       32.7         1904.       37.7       41.3       32.0         1905.       61.8       53.4       46.9         1906.       57.6       63.8       53.6         1907.       55.7       59.9       53.8         1908.       55.2       49.5       57.1         1909.       52.9       64.1       55.7	1895	35.9	42.6	32.1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1896	35.1		37.9
1898.     37.9     48.2     41.8       1899.     39.4     41.7     36.0       1900.     39.5     37.4     37.7       1901.     35.5     44.3     35.5       1902.     43.2     39.3     37.5       1903.     43.9     36.8     32.7       1904.     37.7     41.3     32.0       1905.     61.8     53.4     46.9       1906.     57.6     63.8     53.6       1907.     55.7     59.9     53.8       1908.     55.2     49.5     57.1       1909.     52.9     64.1     55.7	1897	38.5		41 . 3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1898	37.9		41 . 8
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1899	39.4		36.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1900	39.5		37 7
1902.     43.2     39.3     37.5       1903.     43.9     36.8     32.7       1904.     37.7     41.3     32.0       1905.     61.8     53.4     46.9       1906.     57.6     63.8     53.6       1907.     55.7     59.9     53.8       1908.     55.2     49.5     57.1       1909.     52.9     64.1     55.7	1901	35.5		35 5
1903.     .43.9.     .36.8.     .32.7       1904.     .37.7.     .41.3.     .32.0       1905.     .61.8.     .53.4.     .46.9       1906.     .57.6.     .63.8.     .53.6       1907.     .55.7.     .59.9.     .53.8       1908.     .55.2.     .49.5.     .57.1       1909.     .52.9.     .64.1.     .55.7	1902	43.2		37 5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1903	43.9		32 7
1905     .61.8     .53.4     .46.9       1906     .57.6     .63.8     .53.6       1907     .55.7     .59.9     .53.8       1908     .55.2     .49.5     .57.1       1909     .52.9     .64.1     .55.7	1904	37.7		39 A
1906.     .57.6.     .63.8.     .53.6       1907.     .55.7.     .59.9.     .53.8       1908.     .55.2.     .49.5.     .57.1       1909.     .52.9.     .64.1.     .55.7	1905	61 . 8	53. 4	40.0
1907.     .55.7.     .59.9.     .53.8       1908.     .55.2.     .49.5.     .57.1       1909.     .52.9.     .64.1.     .55.7.	1906	57 . 6	63.8	. EQ &
1908	1907	55.7		59 0
1909	1908			57 1
191042.640.5.	1909		64 . 1	55 7
	1910	42.6	40.5,	39 9

In every one thousand of the colored population there were, in 1910:

Of Births.	Of Persons Married.	Of Deaths.
2.34		

The following exhibit will show the number of living births, marriages, and deaths among the colored population of Rhode Island, during ten years, from 1861 to 1870, inclusive; ten years, from 1871 to 1880, inclusive; ten years, from 1881 to 1890, inclusive; ten years, from 1891 to 1900, inclusive; for the years 1901, 1902, 1903, 1904, 1905, 1906, 1907, 1908, 1909 and 1910 and the aggregate of the same:


10 years, 1861–1870	,131 births	,153 deaths,
10 years, 1871–18801	,615 births	573 deaths.
10 years, 1881–1890	,954 births	,860 deaths.
10 years, 1891–1900	2,080 births	,218 deaths.
1901	252 births103 marriages	257 deaths.
1902	211 births116 marriages	243 deaths.
1903	208 births124 marriages	279 deaths.
1904	242 births113 marriages	285 deaths.
1905	221 births128 marriages	291 deaths.
1906	237 births107 marriages	255 deaths.
1907	245 births114 marriages	254 deaths.
1908	243 births138 marriages	239 deaths.
1909	258 births111 marriages	245 deaths.
1910	230 births127 marriages	246 deaths.
Total, 50 years9	.127 births4,482 marriages9	,398 deaths.







DEATH RATES.

Diagram II. - Showing the Number of Deaths in every 1,000 of the Population, in each Town and each County in the State, during the Year 1910.







The spaces are fractional parts of one. For instance, the heavy horizontal line against Barrington, at the top of this diagram, reaches across eight tenths of the space between theperpen-The figures at the top of the perpendicular lines indicate, in whole numbers, the number of deaths during the year in every 1.000 persons. dicular lines 11 and 12. It shows the death rate of Barrington, in 1910, was eleven and eight-tenths in every 1,000 of the population



## CAUSES OF DEATH, 1910.

The statistics of the causes of death in Rhode Island, in 1910, may be found in Tables VII, VIII, IX, and X. The whole number of deaths, as previously stated, was 9,298, which was larger by 1,021 than the number returned in 1909. The number of which the cause of death was reported was 9,262, and the number of which the cause was not stated was 36.

1. Typhoid Fever. The following table exhibits, for the last forty-five years, the number and percentage, the sex and parentage, of the decedents from typhoid fever, and the number in each division of the State:

Mortality in the State from Typhoid Fever, 1866 to 1910, inclusive.

	n <sup>o</sup>		SE	x.	PAREN	TAGE.	1	oivisio	NS OF	THE 8	TATE.	
YEARS.	Number of Denths.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866–1875	1,381	3.8	664	717	817	564	47	82	111	506	483	152
1876-1885	1,635	3.4	802	. 833	809	826	70	118	87	596	653	111
1886-1895	1,462	2.2	805	657	570	892	59	118	103	507	597	78
1896–1905	910	1.1	539	371	348	562	35	55	96	282	377	65
1906	81	0.9	45	36	35	46.	1	3	7	24	40	6
1907	57	0.6	36	21	20	37	2	4	1	31	17	2
1908	66	0.8	36	30	33	33	1	4	4	19	35	3
1909	67	0.8	38	29	24	43	2	8	1	27	28	1
1910	75	0.8	51	24	28	47		5	10	18	40	2
1906-1910	346	0.8	206	140	140	206	6	24	23	119	160	14
Total, 45 years	5,734	2.1	3,016	2,718	2,684	3,050	217	397	420	2,010	2,270	420

<sup>\*</sup>Exclusive of Providence city.

During 1910, of the 75 decedents from typhoid fever, there were 51 males and 24 females.

During the period of forty-five years, 1866 to 1910, inclusive, the proportions of the sexes of the decedents from typhoid fever in the State were 90 females to every 100 males.

The following table shows the number of decedents from typhoid fever, in each division of ages, in the last forty-five years, in the State of Rhode Island in four ten year periods, and for each of the last five years.

Mortality from Typhoid Fever in Age Periods.

An and a second				Periods of Life.										
YEARS.	Under 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 and over,	Not stated.			
1866-1875	176	112	232	342	159	120	98	70	57	13	2			
1876-1885	248	139	242	421	205	103	88	96	61	24	8			
1886-1895	167	112	225	471	194	107	91	56	31	5	3			
1896-1905	110	58	103	269	180	97	40	28	19	4	2			
1906	9 5 10 6 11	3 3 6 5	10 9 7 10 9	20 11 14 19 22	19 14 14 10 8	9 9 8 8 9	10 3 8 7 7 7	1 2 2 1 3	1					

Comparative Exhibit of the Percentage of Deaths from Typhoid Pever to Total Deaths from specified causes, in Six New England States for thirty-five years, 1876 to 1910.

.0161	0.8	87	9.6	6.0	∞.	6.
.6061	00	.0.	0.70.	0	.80.	
.8061	0 8	.3	-10	1.1 0.	1.00.	
	0 9		Prof.	61	61.	
2061	90.		7.0.	1 0.	0.0	3 1.
.9061	0.0	4 1.5	70.7		0.00	3.1
.3061		21.4		91.71.	0.1.0	
.4061	6.00	2.2	1.1	1.9		1.61.
.5091		1.7	2-	1.01		<del>4</del>
.2061	1.11	9.	<del>-</del>	.0. 1.	2 1.1 1.	, jo
.1001	1 00	2.11	.0.	.6		.9
.0061	21.41.	2		9 1.		
.6681	3	71.7		0	<del>_</del>	- <del>-</del>
	<del> </del>	<u></u> -		71.	4	<del>ن</del> —
.8681	9 1.	.3		31.71		===
.7981	50.6	₩.		61.3	5 1.3	51.1
.9681	1 10	1.7	4 1.9	1.6	4 1.5	
.3981	21.711.	1.9	4.4	0 1.7 1.	1.4	00
.4681	2.2	2.5	P-	2.0	1.61.	00
1893.	9	9	4.	70	.5 1.	00
.2681		<u>4.</u>		1.4	1.71.	-0-
.1681	5		<u>4</u>	9	8	63
	22		0 2	61.	9 1.	- 63
.0681	1 2 :		4	.7	2 1.	2.5
.6881	62.			61	61	23
.8881	, %	:	67	6,	63	6,
.7881	2.0	:	2.1	23	2.3	1.2
.9881	2.9	:	3.0	2.5	2.1	2.2
1885.	2.9	:	2.2	61 67	2.0	=
,4881	67		27	0	4	تن 
.5881	3 00	:	2	c	-8	2.12
	4.7.4			4.3	9 2	-
1882.	4,		-	- 50 60	- 6	. 5
.1881	4 2.	<u> </u>	:	ಪ್	52	- 5 -
.0881	33	:	: _	- 63	9 2 .	2
.6781	. %	:		€.	3.1.8	1.8
.8781	3.4	:	:	60 4.	6,	2.7
.7781	3.0	:	:	8.4	2.7	e0 C0
.9781	3.0	:	:	4.2	5.	3.6
.states.	RHODE ISLAND	Maine	w Hampshire	Vermont	Massachusetts	Connecticut
	RHC	Ma	New	Ver	Ma	Cor

- 4. Malarial Fever. There were but 4 deaths from malarial fever, in 1910, 4 males and 2 females. One of these deaths occurred in Kent county, one in Providence county, one in Providence city, and one in Woonsocket. Few deaths are at present reported from malaria, and the most of these deaths are probably due to some other cause.
- 6. Measles. There were 186 decedents from measles as a cause of death in 1910, as against 63 in 1909. This number represents 2.0 per cent. of all causes. Of the 186, there were 90 males and 96 females. Of parentage, there were 53 of native and 133 of foreign. During the last ten years the proportion of mortality from measles has been about 41 of native to every 100 of foreign parentage. The number of decedents under 5 years of age was 172. The number in the different divisions of the State may be found in the following table:

Mortality in the State from Measles, 1866 to 1910, inclusive.

	Deaths.		SE		PAREN	TAGE.		DIVISIO	ONS OF	THE S	TATE.	
YEARS.	Number of De	Per cent.	Males.	Females.	Native.	Foreign,	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866-1875	194	.55	87	107	79	115	11	16	19	74	70	4
1876–1885	225	.46	111	114	78	147	3	18	6	88	107	3
1886–1895,	484	.71	250	234	177	307	3	50	16	131	269	15
1896-1905	573	.72	289	284	193	380	16	56	10	186	<b>2</b> 82	23
1906	126	1.46	79	47	39	87	2	9	1	27	85	2
1907	35	.39	25	10	9	26			1	6	26	2
1908	90	1.09	47	43	32	58	1	2		29	53	5
1909	63	0.76	35	28	13	50	1	2		19	41	
1910	186	2.00	90	96	53	133	20	29	. 1	57	79	
	500	1.14	276	224	146	354	-24	42	3	138	284	9
Total, 45 years	1,976	.72	1,013	963	673	1,303	57	182	54	617	1;012	54

<sup>\*</sup>Exclusive of Providence city.

7. Scarlet Fever. The number of deaths returned as having been caused by scarlet fever, in 1910, was 22. The number is nine less than that of 1909. This number represents 0.2 per cent. of all causes, and a proportion of .04 to every 1,000 of the population.

The following table will present the statistics of scarlet fever for the last fifty-five years, from 1856 to 1910, inclusive, the number and percentage and sex of the decedents from scarlet fever, and the number from scarlet fever in each division of the State. It also shows, from 1866 to 1910, inclusive, the parentage of the decedents from scarlet fever:

Mortality in the State from Scarlet Fever, 1856 to 1910, inclusive.

	The.		SE	x.	PAREN	TAGE.	DIVISIONS OF THE STATE.							
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign,	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.		
1856-1865	1,440	5.2	700	740	†	t	57	79	191	414	634	65		
1866-1875	1,549	4.1	734	815	723	826	66	85	78	444	770	106		
1876-1885	1,412	3.0	675	737	633	779	57	79	75	345	776	80		
1886–1895	1,151	1.7	554	597	288	401	19	103	34	413	568	14		
1896-1905	383	0.5	207	176	180	203	10	30	23	121	183	16		
1906	79	0.9	35	44	16	63			1	4	74			
1907	139	1.5	66	73	48	91	1	1	4	28	105			
1908	33	0.4	22	11	5	28		1		10	21	1		
1909	31	0.4	21	10	14	17			6	15	10			
1910	22	0.2	5	17	10	12	1		1	5	15			
1906-1910	304	0.8	149	155	93	211	2	2	12	62	. 225	1		
Total 55 years	6,239	2.3	3,019	3,220	2,066	2,733	211	378	413	1,799	3,156	282		

<sup>\*</sup>Exclusive of Providence city.

<sup>†</sup>Records incomplete.

8. Whooping Cough. The following table shows the deaths from this disease for 45 years, in periods of five years, 1866–1910, inclusive, with the death rate, sex, parentage, etc., of the decedents. In 1910, there were 56 deaths, which was 7 less than in 1909. All of the decedents but 2 were under 5 years of age.

Mortality in the State from Whooping Cough, 1866 to 1910, inclusive.

	aths.		sı 	EX.	PARE	NTAGE.		DIVISIO	ONS OF	THE S	TATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native,	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866–1870	153	.99	78	75	68	85	2	13	14	54	63	7
1871-1875	160	.78	65	95	64	96	4	11	13	56	73	3
1876–1880	197	.88	90	107	85	112	5	15	5	49	116	7
1881-1885	233	.90	112	121	114	119	6	7	8	69	136	7
1886–1890	261	.82	118	143	104	157	7	20	14	82	134	4
1891-1895	299	.84	128	171	135	164	7	29	27	76	152	8
1896–1900	383	1.01	150	233	177	206	13	25	26	109	191	19
1901–1905	324	.78	132	192	156	168	11	29	29	116	131	8
1906	104	1.21	40	64	47	57	9	1	13	30	51	
1907	90	1.00	44	46	42	48	2	6	2	33	40	7
1908	33	.40	15	18	15	18	1	2	7	11	12	
1909	63	.76	-33	30	34	29	7	. 4	3	18	25	6
1910	56	.60	27	29	29	27		9	3	15	29	
1906-1910	346	.79	159	187	167	179	19	22	28	107	157	13
Total, 45 years	2,356	.86	1,032	1,324	1,070	1,286	74	171	164	718	1,153	

<sup>\*</sup>Exclusive of Providence city.

9. Diphtheria. The number of deaths from diphtheria, in 1910, was 126, which was 26 more than in 1909. This number represents 1.3 per cent. of all causes, or a proportion of .23 to every 1,000 of the population.

There were 31 deaths from diphtheria in the first quarter, 26 in the second, 21 in the third, and 48 in the fourth. Twenty deaths from membranous croup are included in the above number. There were 88 deaths under 5 years of age, 27 between 5 and 10, 7 between 10 and 15, 2 between 20 and 40, and 2 between 40 and 50.

The following table shows the mortality in the State from diphtheria for forty years, in 5-year periods, beginning with 1866, and also for each of the last five years; also the percentage of deaths, the sex, parentage, etc.:

Mortality in the State from Diphtheria, 1866 to 1910.

	ber of causes.	Deaths eria.		SE	x.	PAREN	TAGE.	Di	IVISIO	NS OI	FTHE	STATE	
YEARS.	Whole number of Deaths, all causes	Number of Deat from Diphtheria.	Per cent.	Males.	Females.	Native,	Foreign,	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866-1870	15,391	181	1.18	83	98	103	. 78	5	28	30	40	44	. 34
1871-1875	20,540	242	1.18	118	124	154	88	4	35	20	54	105	24
1876-1880	22,308	1,497	6.71	734	763	721	776	44	100	56	415	818	64
1881–1885	25,902	630	2.43	305	325	313	317	24	32	30	186	313	45
1886-1890	31,976	1,101	3.44	512	589	463	638	52	54	63	378	495	59
1891-1895	36,151	821	2.24	415	406	355	466	7	29	41	423	292	29
1896-1900	37,800	883	2.34	461	422	345	538	14	82	38	363	359	27
1901-1905	40,882	774	1.89	389	385	302	472	21	51	42	254	389	17
1906	8,612	120	1.39	64	56	48	72	7	4	5	55	48	1
1907	9.010	115	1.28	53	62	48	67	1	6	5	37	61	5
1908	8,267	152	1.84	83	69	58	94	9	9	5	44	82	3
1909	8,277	100	1.20	44	56	37	63	2	4	3	35	55	1
1910	9,298	126	1.36	63	63	50	76	4	5	3	66	46	2
1906-1910	43,464	613	1.41	307	306	241	372	23	28	21	237	292	12
Total, 45 vrs.	974 414	6,742	2.82	3,324	3,418	2,997	3,745	194	439	341	2,350	3,107	31

<sup>\*</sup>Exclusive of Providence city.

10. Influenza. The event, during the first four months of the year 1890, of a very extraordinary and perhaps unprecedented prevalence of a form of influenza, which was unlike that of ordinary occurrence in that it affected indiscriminately all the functions and nearly all the organs of the body, varying with the individuals attacked, and the re-appearance of the same, although in greatly lessened numbers, in 1891, warrants a continued notice, not given previous to 1890 in the Registration Reports, to the affection so named.

The following table will show the proportionate nativity, sex, and locality of the disease for the past twenty-one years.

The greatest mortality appears to be among females, there being 152 females to every 100 males. The parentage appears to be nearly equally divided between native and foreign, there being 103 foreign to 100 native.

The largest number of deaths occurred in Providence city, but this is not out of proportion to the proportionate number and density of population.

Mortality in the State from Influenza, 1890 to 1910, inclusive.

	Deaths.		SE	х.	PAREN	TAGE.		DIVISI	ONS OF	THE	STATE.	
YEARS.	Number of De	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1890	168	2.42	72	96	68	100	6	14	12	61	70	5
1891	177	2.67	67	110	91	86	7	14	14	60	69	13
1892	366	4.54	142	194	170	166	11	27	13	115	144	26
1893	85	1.14	34	51	47	38	7	3	5	33	32	5
1894	166	2.32	62	104	88	78	6	9	15	48	75	13
1895	115	1.53	48	67	63	52	3	10	9	42	41	10
1896	42	0.56	15	27	16	26	2	1	2	30	6	1
1897	153	2.15	52	101	72	81	3	6	3	72	64	5
1898	75	1.09	29	46	40	35	8	3	5	30	26	3
1899	219	2.94	82	137	104	115	9	6	14	94	80	16
1900	255	2.89	108	147	120	135	8	.14	16	112	98	7
1901	146	1.83	55	91	79	67	8	6	3	52	67	10
1902	37	0.47	17	20	17	20	3	2	1	18	12	1
1903	142	1.65	61	81	68	74	9	6	1	51	65	10
1904	77	0.95	29	48	36	41	2	4	1	39	27	4
1905	107	1.30	35	72	54	53	6	3	. 4	53	36	5
1906	41	0.48	19	22	15	26	3	2	1	23	12	
1907	110	1.22	44	66	62	48	13	7	3	42	41	4
1908	102	1.23	47	55	53	49	10	6	5	44	32	5
1909	69	0.83	24	45	31	38	5	3		29	26	6
1910	60	0.65	21	39	26	34	4	7	2	26	18	3
1890-1910	2,682	1.63	1,063	1,619	1,320	1,362	133	153	129	1,704	1,041	152

<sup>\*</sup>Exclusive of Providence city.

- 14. Dysentery. There were 37 deaths with dysentery given as the cause in 1910. It has been the custom to place dysentery in table with diarrhea and enteritis, and that table will be found under numbers 105 and 106 of this report.
- 18. Erysipelas. There were 17 deaths from erysipelas in 1910. Of these 9 were males and 8 were females. Of the parentage, 7 were native and 10 foreign.
- 19. Other Epidemic Diseases. Under this heading has been placed 3 deaths, 1 from parotitis, 1 from varicella, and 1 from rubcola.
- 20. Purulent Septicemia and Infection. There were but 7 deaths from this cause, in 1910, for which no cause was known.
- 26. There were 4 deaths from pellagra, all of which occurred at the State Institutions.
- 28. Tuberculosis of Lungs. There were 831 deaths from this cause in 1910. Of these 3 were from tuberculous laryngitis.
- 28, 29, 30, 31, 32, 33, 35, 35. Tuberculous Diseases. There were 151 deaths from tuberculous diseases other than tuberculosis of lungs, in 1910. These include tuberculosis of meninges, abdominal tuberculosis, Pott's disease, tuberculosis of other organs, and general tuberculosis. This makes the total number of deaths from tuberculosis, in 1910, 982. This number is larger by 35 than in 1909. The whole number, 982, represents 10.6 per cent. of all causes, and a proportion of 1.8 to every 1,000 of the population. Of these 982 decedents, 532 were males and 450 were females. There were 258 decedents of native parentage and 724 of foreign. The largest number, 100, occurred in April; the next largest, 98, in May; the smallest, 64, in September. During 1910, of the decedents from tuberculous diseases, 216, or nearly one-fifth, were between the ages of 30 and 40.

In order to show more concisely the relation of age to mortality from consumption, during 1910, the following age periods and numbers are presented:

Under 10 years of age	136
Between 10 and 20 years	88
Between 20 and 30 years	216
Between 30 and 40 years	221
Between 40 and 50 years	153
Between 50 and 70 years	147
Over 70 years	21
——————————————————————————————————————	082

The following table shows the total deaths from all reported known causes, with the number and parentage of deaths from consumption, of the same in each of the large divisions of the State, and in the whole State, in each of the last ten years, and also the aggregate for a period of fifty years, from 1861 to 1910, inclusive:

TUBERCULOUS DISEASES (CONSUMPTION)—Number, Locality and Parentage.

Locality.	1901.	1 902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	Total, 50 years, 1861-1910
BRISTOL COUNTY.											
Total deaths, stated causes.	239	249	276	264	294	256	262	249	240	325	10,232
Tuberculosis	25	27	27	19	26	35	23	22	21	22	1,119
Percentage	10.46	10.84	9.78	7.20	8.84	13.67	8.78	8.84	8.75	6.71	10.94
KENT COUNTY.											
Total deaths, stated causes.	598	545	570	591	566	566	580	579	580	669	19,664
Tuberculosis	55	43	45	79	86	94	80	111	113	103	2,646
Percentage	9.20	7.89	7.89	13.37	13.43	16.61	13.79	19.17	19.48	15.40	13.45
NEWPORT COUNTY.											
Total deaths, stated causes.	544	602	529	491	566	509	618	505	550	574	20,926
Tuberculosis	55	55	55	50	55	40	50	49	58	42	2,328
Percentage	10.11	9.14	10.40	10.18	9.72	7.86	8.09	9.74	10.55	7.31	11.12
PROVIDENCE COUNTY.*											
Total deaths, stated causes.	2,726	2,836	2,947	2,757	2,889	3,079	3,176	2,947	2,976	3,334	95,331
Tuberculosis	337	325	365	348		370	406			381	12,641
Percentage	12.36	11.46	12.39	12.63	13.29	12.02	12.78	14.15	12.06	11.43	13.26
PROVIDENCE CITY.											
Total deaths, stated causes.	3,425	3,353	3,866	3,571	3,453	3,800	3.985	3.548	3,506	3.958	118,025
Tuberculosis	474	461	502	448	442	422	420	412		407	16,236
Percentage	13.84	13.75	12.99	12.55	12.80	11.11	10.54				13.84
WASHINGTON COUNTY.											
Total deaths, stated causes.	392	311	408	391	407	360	350	405	372	402	14,863
Tuberculosis	44	23	27	37	38	37	33	39		27	1,965
Percentage	11.22	7.40	6.62			10.28					13.22
WHOLE STATE.											
Total deaths, stated causes.	7,924	7,896	8,596	8,065	8.175	8.570	8 971	8 233	8 994	0.262	970.041
Tuberculosis	990		1,021		1,031			1,050		982	279,041
Percentage	12.49										36,935 13,24
									-2.01	.0.00	10.24

<sup>\*</sup>Exclusive of Providence city.

Mortality in the State from Tuberculous Diseases (Consumption), with the Percentage of the Whole Number of Deaths, from all Causes, and the Sex,

Parentage, and Locality, in the Aggregate of Different Periods,

1866–1910.

	from		SF	ex.	PAREN	TAGE.	-	DIVI	SIONS	OF THE	STATE.	
YEARS.	Total Deaths Consumption.	Per cent,	Males.	Females,	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866 · 1875	7,000 7,680 9,425 998 1,012 1,050 947	15.84 14.50 11.33 11.96 11.59 11.23 12.70 11.44 10.56	2,511 3,127 3,696 4,878 515 544 578 548 532	3,090 3,873 3,984 4,547 483 468 472 399 450	2,071 2,900 2,602 2,985 300 312 306 276 258	2,530 4,100 5,078 6,440 698 700 744 671 724	216 217 225 247 35 23 22 21 22	444 402 468 592 94 80 111 113 103	382 430 454	1,844 2,270 2,630 3,311 370 406 417 359 381	2,285 3,249 3,498 4,378 422 420 412 371 407	430 432 405 344 37 33 39 25 27
1906-1910	4,989	11.50	2,717	2,272	1,452	3,537	123	501	239	1,933	2,032	161
Total, 1866-1910.	34,695	12.64	16,929	17,766	13,010	21,685	1,028	2,407	2,058	11,988	15,442	1,772

<sup>\*</sup>Exclusive of Providence city.

The proportion of deaths from tuberculosis to the *population* in the different localities of the State, during the last five years, may be seen in the following summaries, and in the year 1910:

For five years, 1906 to 1910, inclusive.

	Persons,		In every 1,000
	One Death to every		of population.
Bristol County	696	, or	
Kent County			
Newport County		or	0.05
Newport City			
Providence County			
Central Falls		or	1.85
Pawtucket			
Providence City			
Woonsocket			
Washington County			
Whole State			
	1910		
	Persons.	ž	In every 1.000
	One Death to every		of population.
Bristol County	800	or	
Kent County			
Newport County			
Newport City			
Providence County			
Central Falls			
Pawtucket			
Providence City			
Woonsocket			
Washington County			

- 37. Syphilis. There were 33 deaths from syphilis, in 1910, and of these, 20 were specified as congenital.
- 38. Gonococcus Infection. Two deaths occurred from this cause in 1910, both of infants, and a result of opthalmia.

39 to 45. Cancer. There were 474 decedents, in 1910, whose deaths were caused by cancer, according to the returns. This number represents 5.10 per cent. of all causes, and a proportion of .87 to every one thousand of the population. The varieties of cancer, as reported, may be found in Tables VII and VIII, and they are classed in Table IX, as follows: Cancer of the buccal cavity, 29; cancer of stomach and liver, 158; cancer of peritoneum, intestines, and rectum, 72; cancer of the female genital organs, 75; cancer of breast, 49; cancer of skin, 23; cancer of other organs, 68.

The following Table will show the facts of mortality from cancer, in relation to sex, parentage, and locality, for forty years, by periods of ten years, and for each of the last five years:

Mortality in the State from Cancer, 1866 to 1910, inclusive.

	ths.		SE	х.	PAREN	TAGE.		DIVISIO	NS OF	THE S	FATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866–1875	777	3.31	241	536	587	190	34	65	83	214	337	44
1876–1885	1,405	2.90	400	1,005	860	545	53	109	108	397	662	76
1886-1895	1,879	2.75	575	1,304	1,053	826	88	111	145	559	830	146
1896–1905	3,124	3.95	1,012	2,112	1,528	1,596	119	185	240	952	1,399	229
1906	377 451	4.38 5.01	126 143	251 308	140	237		13	28	116		16
1908	418	5.06	144	274	196	255	18	36	29	126	223	19
1909	461	5.57	158		181	237	17	21	42	126	184	28
1910	474	5.10		303	185	276	21	25	27	136	220	32
2010	3/1	0.10	163	311	214	260	13	28	43	139	226	25
1906–1910	2,181	5.02	734	1,447	916	1,265	84	123	169	643	1,042	120
Total, 45 years	9,366	3.41	2,962	6,404	4,944	4,422	378	593	745	2,765	4.270	615

<sup>\*</sup>Exclusive of Providence city.

47 and 48. Rheumatism. There were 24 deaths from acute articular rheumatism, and 10 from chronic rheumatism and gout, recorded in 1910.

50. Diabetes. In 1910 there were 103 deaths from diabetes, as against 81 in 1909 and 72 in 1908.

56. Alcoholism. There were 58 deaths in 1910 from alcoholism, 6 more than the number in 1909. The following Table shows the mortality in the State from alcoholism for forty-five years, in five-year periods, with percentage to deaths from all causes, sex, parentage, etc., from 1866 to 1910, inclusive:

Mortality in the State from Alcoholism, with the Percentage of the Whole Number of Deaths, Sex, Parentage, and Locality, for forty-five years, from 1866 to 1910, inclusive.

		ļ			-	·						
	Deaths olism.		SE:	ж.	PAREN	TAGE.	, 1	DIVISIO	NS OF	THE A	STATE.	
YEARS.	Number of Death from Alcoholism.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington   County.
1866–1870	62	.40	53	9	32	30	5	6	6	18	25	2
1871-1875	93	.45	73	20	37	56	2	6	9	25	48	3
1876-1880	79	.35	52	27	25	54	2	4	6	18	45	4
1881-1885	130	.50	85	45	36	94	3	3	6	46	67	5
1886-1890	100	.31	76	24	31	69	7	3	6	37	45	2
1891–1895	172	.48	135	37	48	124	. 3	8	17	55	82	7
1896-1900	211	.56	164	47	51	160	3	11	21	55	109	12
1901-1905	271	.66	227	44	77	194	4	15	19	78	141	14
1906	90	1.05	72	18	24	66	2	6	3	30		3
1907	90	1.00	69	21	26	64	1.	5	3	20		
1908	65	.79	55	10	17	48	1	2	4	22		
1909	64	.77	53	11	25	39		1	4	26		6
1910	.58	.62	46	. 12	18	40	1	6	7	17	24	
1906-1910	367	.85	295	72	110	257	5	20	21	115	188	
Total, 45 years	1,485	.54	1,106	325	447	1,038	34	76	111	447	750	67

<sup>\*</sup> Exclusive of Providence city.

61 a. Cerebro-Spinal Meningitis. In 1910, 34 deaths were reported from this cause. Of these there were 15 males and 19 females. The parentage of 12 was native, and of 22 was foreign.

64. Apoplexy. There were 535 deaths from apoplexy, including cerebral hemorrhage, in Rhode Island, in 1910, according to the returns. The number reported is 19 more than in the year 1909.

The whole number of deaths from apoplexy represents 5.75 per cent. of all causes, and a proportion of .99 to every one thousand of the population.

The following Table will present the sex, parental and local relations of apoplexy, including cerebral hemorrhage, as cause of death, during forty years, from 1866 to 1905, in periods of five years, and for each year since 1905:

Mortality in the State from Apoplexy, 1866 to 1910, inclusive.

	for			81	EX.		GE.	D	IVISI	ONB C	)F TH	E STA	TE.
YEARS.	Total Deaths for Year.	Number from Apoplexy.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866–1870	15,391	574	3.73	284	290	464	110	52	43	77	145	224	38
1871–1875	20,540	737	3.59	357	380	571	166	57	57	75	181	304	68
1876–1880	22,308	969	4.77	493	476	701	268	65	59	101	297	375	72
1881-1885	25,902	1,371	5.29	672	699	889	482	80	104	127	417	551	92
1886–1890	31,976	1,692	5.29	806	886	1,087	605	105	133	135	533	635	151
1891–1895	36,151	1,966	5.71	972	994	1,110	856	87	148	167	665	741	138
1896–1900	37,800	2,267	6.00	1,089	1,178	1,248	1,019	87	163	215.	786	845.	171
1901–1905	40,882	2,266	5.54	1,006	1,260	1,134	1,132	109	186	215	753	867	136
1906	8,612		5.09	190	248	218	220	15	34	32	159	176	22
1907	9,010		5.45	214	277	239	252	19	24	50	187	192	19
1908. 1909.	8,267		6.06	233	268	216	285	28	30	34	167	218	24
1910	8,277		6.23	227	289	230	286	16	40	53	176	208	23
	9,298	535	5.75	246	289	259	276	24	42	34	167	231	37
1906-1910	43,464	2,481	5.72	1,110	1,371	1,162	1,319	102	170	203	856	1,025	125
Total 45 years	274,414	14,323	5.22	6,789	7,534	8,366	5,957	744	1063	1,315			981

<sup>\*</sup> Exclusive of Providence city.

67, 68. *Insanity*. There were 72 deaths from insanity, in 1910, of which 54 were specified as general paralysis of the insane; 1 confusional insanity; 1, delusional insanity; 8, acute mania; 3, chronic mania; 4, paretic dementia; 1, dementia precox.

The following table shows the mortality, in the State, from insanity, for forty-five years, with the percentage to deaths from all causes, sex, parentage, etc., from 1866 to 1910, inclusive:

Mortality in the State from Insanity, 1866 to 1910, inclusive.

	Deaths.		SE	х.	PAREN	TAGE.		DIVISI	ONS OF	THE S	TATE.	
YEARS.	Number of Da	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
5 years,1866-1870	72	.47	33	39	52	20		5	4	7	55	1
1871–1875	106	.52	55	51	76	30	3	2	8	33	58	2
1876-1880	89	.39	39	50	57	32	1	4	4	20	55	5
1881-1885	155	.59	69	86	99	56	4	7	5	69	65	5
1886-1890	208	.65	110	98	113	95	6	4	3	153	36	6
1891-1895	208	.57	97	111	110	98	7	3	1	111	81	.5
1896-1900	358	.95	188	170	176	182	7	8	9	278	43	13
1901-1905	240	.58	122	118	110	130	3	9	3	206	18	1
1906	101 64 63 42 72	1.17 .71 .76 .51 .77	55 37 41 26 45	46 27 22 16 27	43 21 12 15 27	58 43 51 27 45	1	1 1 2 1 2	1	94 55 51 37 48	5 .7 9 4 19	2
1906-1910	342	.78	204	138	118	224	2	7	2	285	44	2
Total, 45 years .	1,778	. 65	917	861	911	867	33	49	65	1,143	448	40

\*Exclusive of Providence city.

60, 61, 61a, 65, 69, and 71. Deaths under the foregoing numbers have been placed in the following Table, as has been the custom for forty-five years, under the heading "Brain Diseases." The number in 1910 was 144. This number represents 1.55 per cent. of all causes, and .26 to every one thousand of the whole population.

Brain diseases occur largely in children. Of the 144 decedents from those causes, 86 were under five years of age. The following Table will present the statistics of mortality from diseases of the brain for forty-five years in four periods of ten years each, and for each of the last five years:

Mortality in the State from Brain Diseases, with the Percentage, Sex, Parentage, and Locality, for forty-five years, from 1866 to 1910, inclusive.

	Deaths		SI	EX	PARE	NTAGE.	:	DIVISIO	ONS OF	THE 8	TATE.	
YEARS.	Number of Dear from Brain Diseases.	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866–1875	1,072	2.98	580	492	632	440	33	56	73	306	559	45
1876–1885	1,670	3.46	904	766	881	789	38	105	124	515	842	46
1886-1895	2,207	3.23	1,195	1,012	1,076	1,131	74	174	177	834	874	74
1896-1905	2,725	3.49	1,430	1,295	1,144	1,581	59	217	250	1,374	767	58
1906	295	3.43	158	137	126	169	4	14	19	167	87	4
1907	189	2.10	113	76	74	115	3	7	9	76	89	5
1908	134	1.62	84	50	59	75	2	10	10	58	49	5
1909	131	1.58	59	72	54	77	2	11	6	64	44	4
1910	144	1.55	77	67	55	89	6	13	8	59	53	5
1906-1910	893	2.06	491	402	368	525	17	55	52	424	322	23
45 years, 1866-1910.	8,567	3.12	4,600	3,967	4,101	4,466	221	607	676	3,453	3,364	246

<sup>\*</sup>Exclusive of Providence city.

77, 78, 79, 80. Diseases of the Heart. The number of decedents from the various forms of diseases of the heart, as reported in 1910, was 914. The number is larger by 57 than that of 1909. This number represents 9.8 per cent. of all causes, and a proportion of 1.8 to every one thousand of the population.

Mortality from Diseases of the Heart, 1866 to 1910, inclusive.

	Deaths.		8	EX.	PARE	NTAGE.		DIVIS	ions o	F THE	STATE	
YEARS.	Number of D	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866-1875	1,512	4.16	766	746	990	522	43	94				86
1876-1885	2,425	4.98	1,218	1,207	1.457	968	78	177	206	609	1,210	145
1886–1895	4,569	6.69	2,291	2,278	2,422	2,147	157	343	371	1,399	1,992	307
1896–1905	6,593	8.36	3,317	3,276	3,106	3,487	210	453	543	2,209	2,731	447
1906	812		396		376	436	24	51	74	283	331	49
1907		10.12	476	436	424	488	13	67	87	. 298	393	54
1908	754		378	376	314	440	17	51	70	245	314	57
1909	857	10.35	435	422	367	490	18	52	72	284	379	
1910	914	9.83	470	444	358	556	27	59	58	281	434	55
1906-1910	4,249	9.77	2,155	2,094	1,839	2,410	99	280	361	1,391	1,851	267
45 y'rs,1866-1910	19,348	7 09	9,747	9,601	9,814	9,534	587	1,347	1,611	6,040	8.511	1.252

<sup>\*</sup> Exclusive of Providence city.

89, 90. Bronchitis. The number of decedents, whose deaths were reported as having been caused by bronchitis in 1910 was 184, as against 160 in 1909. This number represents 1.9 per cent. of all causes, and a proportion of .34 to every one thousand of the population.

The following Table will show various facts, in relation to the mortality from bronchitis, for forty-five years, in periods of five years, and for the last five years:

Mortality in the State from Bronchitis, forty-five years, 1866 to 1910, inclusive.

	ths.		81	EX.	PARE	NTAGE.		DIVISIO	ONS OF	THE	STATE.	
YEARS.	Number of Deaths.	Per cent.	Males.	Females.	Native,	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866-1870	99	.64	43	56	47	52	1	4	7	29	56	2
1871-1875	172	.84	86	86	74	98	1	2	4	45	116	4
1876–1880	359	1.61	165	194	173	186	4	12	18	93	228	4
1881–1885	581	2.24	283	298	268	313	20	8	32	205	308	8
1886-1890	1,113	3.48	538	575	426	687	18	<b>2</b> 6	78	463	503	25
1891–1895	1,398	3.87	664	734	491	907	34	69	93.	566	609	27
1896–1900	1,274	3.37	636	638	449	825	33	98	65	484	543	51
1901–1905	1,221	2.96	589	632	406	815	30	94	43	500	505	49
1906	204 178	2.37 1.98	83	121 97	74 133	130 45	10 2	16 7	5 10	96 72	69 85	8 2
1908	179	2.17	92	87	59	120	8	20	4	69	71	7
1909	160	1.94	70.	90	54	106	4	11	9	68	64	4
1910	184	1.97	81	103	56	128	7	7	7	83	69	11
1906-1910	905	2.09	407	498	376	529	31	61	35	388	358	32
45 years, 1866–1910.	7,122	2.60	3,411	3,711	2,710	4,412	172	374	375	2,773	3,226	202

<sup>\*</sup>Exclusive of Providence city.

91, 92. Pneumonia. There were 312 deaths reported, in 1910, from broncho-pneumonia and 781 from pneumonia, making a total of 1,093. All have been placed under pneumonia, as there are many cases of broncho-pneumonia which are reported simply as prieumonia.

Broncho-pneumonia and pneumonia may be found considered separately in Table IX of this report, but in the following Table they are tabulated together.

There were, of broncho-pneumonia and pneumonia, 1,093 deaths in 1910, which number is larger by 266 than that of the previous year. This number represents 11.7 per cent. of all causes, and a proportion of 1.1 to every one thousand of the population.

By season, 618, or more than one-half of the deaths from pneumonia, occurred during the first four months of the year; the largest mortality being in March.

The following Table presents, in periods of five years, for forty-five years, the number and the percentage, with the sex and the parentage, of the decedents from pneumonia in each division of the State:

Mortality in the State from Pneumonia, 1866 to 1910, inclusive.

	Deaths.		SE	ж.	PARE	NTAGE.		DIVISIO	ONS OF	THE 8	TATE.	
YEARS.	Number of Des	Per cent.	Males.	Females,	Native.	Foreign,	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866–1870	928	6.0	467	461	556	372	43	56	66	287	407	69
1871–1875	1,331	6.5	667	664	783	584	54	71	62	385	662	97
1876–1880	1,557	7.0	739	818	805	752	66	72	81	483	749	106
1881–1885	1,899	7.3	928	971	1,014	885	64	99	125	556	953	102
1886–1890	2,529	7.9	1,309	1,220	1,148	1,381	80	166	164	849	1,109	161
1891–1895	3,349	9.2	1,701	1,648	1,425	1,924	99	235	242	1,098	1,469	206
1896–1900	3,498	9.3	1,838	1,660	1,450	2,048	93	273	221	1,242	1,513	156
1901–1905	4,221	10.3	2,169	2,052	1,605	2,616	130	278	236	1,485	1,867	225
1906		11.0	480	470	336	614	19	53	55	321	465	37
1907		10.2	477	445	320	602	32	61	48	304		
1908	800		424	376	275	525	24	62	48	275	359	32
1909		10.0	422	405	277	550	26	47	53	288	385	
1910	1,093	11.7	583	510	404	689	47	73	74	384	468	47
	4,592	10.5	2,386	2,206	1,612	2,980	148	296	278	1,572	2,113	185
45 years, 1866-1909.	23,904	10.5	12,204	11 700	10,398	13,506	777	1,546	1,475	7,957	10,842	1,307

<sup>\*</sup>Exclusive of Providence city.

104. Diarrhea and Enteritis (under 2 years). There were, in 1910, 811 deaths from these causes. This number represents 8.72 per cent. of deaths from all causes, and a proportion of 1.49 to every one thousand of the population. Of sex, there were 441 males and 370 females; and of parentage there were 256 of native and 555 of foreign. As may be seen in the following Table, the number of deaths from cholera infantum (diarrhea and enteritis) during the forty-five years, from 1866 to 1910, inclusive, was 18,295. The proportion to the whole mortality was 6.67 per cent.

The following Table shows the whole number of reported deaths from diarrhea and enteritis (under 2 years), or *cholera infantum*; the sex and parentage of the decedents; and the number in each of the larger divisions of the State, by periods of five years for forty-five years, and for each of the last five years:

Mortality in the State from Cholera Infantum, 1866 to 1910, inclusive.

	Deaths.		SI	e <b>x.</b>	PARE	NTAGE,		DIVISI	ons o	F THE	STATE.	
YEARS.	Number of D	Per cent.	Males.	Females,	Native.	Foreign,	Bristol County.	Kent County.	Newport County.	Providence.	Providence City.	Washington
1866–1870	745	4.84	403	342	352	393	39	44	46	245	324	47
1871–1875	1,431	6.97	724	707	684	747	71	70	74	528	582	106
1876–1880	1 085	4.86	577	508	454	631	45	66	76	. 372	476	50
1881–1885	1,411	5.45	754	657	606	805	57	75	97	542	570	70
1886-1890	2,177	6.81	1,109	1,068	806	1,371	75	169	131	1,017	713	72
1891–1895	2,778	7.55	1,469	1,309	883	1,895	77	360	181	1,269	801	90
1896-1900	2,468	6.53	1,333	1,135	822	1,646	82	295	166	1,168	676	81
1901–1905	2,845	6.95	1,551	1,294	922	1,923	109	282	156	1,148	1,100	50
1906	674	7.83	370	304	198	476	21	44	19	302	270	18
1907	672	7.46	367	305	253	419	26	58	24	275	275	14
1908	584	7.06	304	280	193	391	12	59	27	239	236	11
1909	614	7.42	315	299	186	428	18	58	31	286	209	12
1910	811	8.72	441	370	256	555	32	60	51	383	262	23
	3,355	7.70	1,797	1,558	1,086	2,269	109	279	152	1,485	1,252	78
45 years, 1866-1910	18,295	6.67	9,717	8,578	6,615	11,680	664	1,640	1,079	4,774	6,494	644

<sup>\*</sup>Exclusive of Providence city.

deaths from these causes in 1910. Of the 108, 49 were males and 59 were females; and of parentage, 34 were native and 74 were foreign. As to age, 28 of the decedents were under 5 years, and 58 were over 50 years, leaving 22 between the ages of 5 and 50 years. 48 of the above deaths occurred in July, August, and September. It has been the custom to include all deaths from dysentery in the following Table. The deaths from dysentery in 1910 numbered 37, and 9 of these decedents were under two years of age.

The following Table will show the deaths from diarrhea and dysentery, with percentage, sex, parentage, etc., by periods of five years for forty-five years, and for each of the last five years:

Mortality in the State from Diarrhea (Enteritis) and Dysentery, 1866 to 1910, inclusive,

	Deaths.	-	SE	×.	PAREN	TAGE.	1	DIVISIO	NS OF	THE 8	STATE.	
YEARS.	Number of De	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.
1866-1870	677	4.40	353	324	323	354	26	46	89	215	254	47
1871–1875	580	2.60	-317	263	305	275	27	. 46	23	183	289	12
1876–1880	552	2.47	269	283	273	279	29	32	33	188	243	27
1881–1885	732	2.89	352	380	331	401	28	26	64	306	287	21
1886-1890	856	2.68	397	459	378	478	25	56	47	367	315	46
1891–1895	726	2.01	347	379	265	461	21	60	35	284	293	33
1896-1900	517	1.37	248	269	192	325	11	60	39	207	167	33
1901-1905	931	2.27	433	498	357	574	25	68	28	356	412	42
1906	152	1.76	69	83	57	95.	4	22	3	57	55	11
1907	172	1.97	- 83	89	57	115	4	11	5	85	58	. 9
1908	147	1.78	78	69	46	101	4	13	7	65	52	6
1909	147	1.78	71	76	55	92	6	8	9	68	42	14
1910	145	1.56	66	79	43	102	4	9	2	72	48	10
1906–1910	763	1.77	367	396	258	505	22	63	26	347	255	50
45 yrs., 1866-1910	6,334	2.31	3,083	3,251	2,682	3,652	214	457	384	2,453	2,515	311
	- '							1				

<sup>\*</sup> Exclusive of Providence City.

108. Appendicitis. During 1910 there were 55 deaths from this cause, and of this number operations were performed in 46 cases. Of the 55 deaths from appendicitis, 32 were males and 23 females; 18 were of native and 37 of foreign parentage.

109. Hernia. There were 26 deaths attributed to hernia in 1910. Of these, 1 was femoral; 8, inguinal; 5, umbilical; and 12 with the location not given.

Of sex, 14 were males and 12 were females, and operations were performed in 16 cases.

111, 113, 114, and 115 have been combined under one heading to make up the table of *Liver Diseases*, as has been the custom heretofore. There were 104 deaths from diseases of the liver in 1910, as against 94 in 1909. This number represents 1.12 of all causes, and a proportion of .19 to every one thousand of the population.

The following Table will present various facts in relation to diseases of the liver for forty-five years, in four periods of ten years each, and for each of the last five years:

Mortality from Diseases of the Liver, 1866 to 1910, inclusive.

	ths.		SE	x.	PAREN	TAGE.	DIVISIONS OF THE STATE.							
YEARS.	Number of Deaths,	Per cent.	Males,	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County.		
1866–1875	403	1.14	204	199	237	166	30	28	48	103	158	36		
1876–1885	524	1.09	267	257	293	231	35	35	59	134	228	33		
1886-1895	759	1.11	388	371	322	437	24	52	67	257	322	37		
1896–1905	993	1.26	538	455	344	649	28	68	83	301	449	64		
1906	116	1.58	60	56	32	84	2	7	3	43	54	7		
1907	119	1.32	65	54	29	90	4	11	8	39	53	4		
1908	108	1.31	52	56	44	64	4	4	3	41	48	8		
1909	94	1.14	50	44	28	66	2	3	1	28	55	5		
1910	104	1.12	58	46	29	75	2	3	6	36	54	3		
1906-1901	541	1.29	285	256	162	379	14	28	21	187	264	27		
45 yrs., 1866–1910	3,220	1.17	1,682	1,538	1,358	1,862	131	-211	278	982	1,421	197		

<sup>\*</sup>Exclusive of Providence city,

- 117. Peritonitis. There were, in 1910, 10 deaths from peritonitis, in which no cause was specified or known. Of this number 5 were males and 5 were females; of parentage, 3 were native and 7 were foreign.
- 119. Acute Nephritis. There were 99 deaths from acute nephritis in 1910, as against 93 in 1909.
- 120. Chronic Nephritis. In 1910 there were 563 deaths from chronic nephritis.
- 122. Other Diseases of the Kidneys. In 1910, 4 deaths were tabulated under this title: perinephritic abscess, 2; and pyelonephrosis, 2.
- 119, 120, and 122 have been combined in the following Table under the title of *Kidney Diseases*, which Table will present various facts, in relation to the mortality from diseases of the kidneys in Rhode Island by periods of five years, for forty-five years, and for the last five years:

Mortality in the State from Kidney Diseases, 1866 to 1910, inclusive.

	Deaths.		SE	<b>x.</b>	PAREN	TAGE.		DIVISIO	NS OF	THE S	FATE.	
YEARS.	Number of I	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington
5 years,18661870	135	.88	94	41	91	44	6	7	25	23	66	8
1871-1875	295	1.44	167	128	187	108	11	11	17	67	172	17
1876-1880	367	1.65	215	152	211	156	9	13	21	95	213	16
1881-1885	571	2.20	307	264	318	253	27	33	60	125	302	24
1886–1890	976	3.05	514	462	536	440	47	47	98	247	490	47
1891-1895	1,459	3.90	740	720	725	734	82	77	136	403	688	78
1896–1900	2,246	5.94			1,070		101	130	147	741	1,002	125
1901–1905	2,897	7.08		1,369	1,250	1,647	117	178	171	957	1,332	142
1906 1907	589	6.84	303	286	219	370	23	39	34	190	272	31
1908	710	7.88	393	317	266	444	33	35	44	263	314	21
1909	622	7.52	314	308	238	384	26	41	42	207	262	44
1910	611	7.38	299	312	225	386	22	39	38		257	31
	666	7.16	361	305	264	402	21	27	35	235	308	4(
	3,198	7.36	1,670	1,528	1,212	1.986	125	181	193	1,113	1,413	178
45yrs., 1866-1910.	12,144	4.42	6,351	5,793	5,600	6,544	525	677	868	3,771	5,678	628

<sup>\*</sup>Exclusive of Providence city,

- 129. Uterine Tumor. There were 12 deaths from this cause in 1910, all due to fibroid tumors.
- 131. Cysts and other Tumors of the Ovary. In 1910, 10 deaths were tabulated under this title, all of which were given as ovarian cysts.
- 134. Accidents of Pregnancy. There were 6 deaths under this cause recorded in 1910, of which 4 were due to miscarriage, 1 to per nicious vomiting of pregnancy, and 1 to ruptured tubal pregnancy.
- $135.\ Puerperal\ Hemorrhage.$  There occurred 6 deaths from this cause in 1910, 3 deaths from post-partum hemorrhage, and 3 from placenta previa.
- 136. Other Accidents of Labor. Of the 5 deaths recorded under this title, 2 were from rupture of uterus, 1 from rupture of vagina, 1 from inversion of uterus, and 1 from cæsarean section.
- 137. Puerperal Septicemia. From this cause there were 28 deaths in 1910: 21 from septicemia; 6 from peritonitis, and 1 from puerperal pelvic cellulitis.
- 138. Puerperal Albuminuria and Convulsions. There were 34 deaths from this cause.
- 139. Puerperal Phlegmasia Alba Dolens, Embolus, Sudden Death. Three deaths occurred from puerperal embolism in 1910.
- 140. Other Puerperal Accidents. Under this title 2 deaths, not otherwise defined, were tabulated in 1910.
- 134, 135, 136, 137, 138, 139, and 140 have been combined to make up the total of deaths under childbirth, and may be found, in the following Table, for the year 1910, and for the last forty-five years.

Mortality in the State from Child-birth, with the Percentage of the Whole Number of Deaths, Percentage, and Locality, for forty-five years, from 1866 to 1910, inclusive.

	aths th.		PARE	NTAGE.	DIVISIONS OF THE STATE.								
YEARS.	Number of Deaths from Child-birth.	Per cent.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington			
1866-1870	155	1.01	62	93	7	6	16	59	56	11			
1871–1875	245	1.19	111	· 134	7	21	12	76	110	10			
1876-1880	231	1.04	106	125	14	18	14	60	111	14			
1881–1885	262	1.04	108	154	2	17	20	86	125	12			
1886-1890	274	.86	92	182	4	24	18	99	117	12			
1891-1895	291	.77	91	200	1	28	10	90	139	23			
1896-1900	332	.88	94	238	6	34	9	119	145	19			
1901-1905	415	1.02	112	303	5	31	31	128	203	17			
1906	84 100 86 88 87	.98 1.11 1.03 1 06 .93	17 21 22 29 34	67 79 64 59 53	1 1 2 2	4 5 7 6 8	5 2 10 1	35 28 37 31 24	39 61 39 35 49	4 2 4 3			
	445	1.02	123	322	6	30	18	155	223	13			
45 years, 1866-1910.	2,650	.97	899	1,751	52	209	148	872	1,229	140			

<sup>\*</sup>Exclusive of Providence city

- 142. Gangrene. Of the 15 deaths from this cause in 1910: 14 were from gangrene of foot, of which 13 were senile, and 1 from gangrene of leg.
- 144. Acute Abscess. Phlegmon. There were 4 deaths under this head in 1910.
- 145. Diseases of the Skin. There were 8 deaths from this cause in 1910; 3, dermatitis, with exfoliation; 3 pemphigus neonatorum; 1, cellulitis of neck; and 1 scabies with general septicemia.
- 146. Diseases of the Bones. There were 10 deaths tabulated under this title, specified as follows: mastoiditis, 5; osteomyelitis, 1; periostitis, 1, and necrosis of jaw, 3.
- 150. Congenital Malformations. In 1910 there were 87 deaths in this class. Of these, 2 were specified as hydrocephalus; 1, meningocele; 1, anencephalus; 64, malformation of heart, of which number thirty-two were open foramen ovale; 8, spina bifida; 3, malformation

- of mouth; 3, imperforate anus; 2, malformation of kidney; 2, malformation of esophagus; and 1 malformation of bile duct.
- 151. Premature Birth. In 1910 there were 232 deaths from this cause. The number of deaths from this cause has greatly increased in the last few years, and this is probably due to greater accuracy in registration.
- 151–2. Congenital Debility. Deaths of children under one year of age only are tabulated under this title. There were 194 tabulated under this head in 1910: 93, to malassimilation; 18, to icterus neonatorum; and 83, congenital debility, with no cause known or obtainable.
- 152. Other Diseases of Early Infancy. There were 91 deaths tabulated under this title in 1910. Of these, 17 were due to asphyxia neonatorum; 15 to atelectasis pulmonum; 4, to septic inflammation of umbilicus; 6, to umbilical hemorrhage; 4, to hemorrhage from intestines; 2, to hemorrhage from stomach; 4, to spontaneous and general hemorrhage, and 39 to difficult and prolonged labor.
- 154. Old Age. Senile Debility. The number of deaths, in 1910, attributed to old age as a cause, was 195; of these, 26 were recorded as senile dementia. The number of deaths (195) represents 2.10 per cent. of all causes, and a proportion of .36 to every one thousand of the population. As to sex, 74 were males and 121 were females; and of parentage, 101 were of native, and 94 of foreign.
- 155. Suicide by Poison. Of the 12 deaths tabulated under this title, 1 was ascribed to arsenate of lead; 1 to carbolic acid; 5 to cyanide potassium; 2 to Paris green; 1 to "rat poison;" 1 to strychnine; and 1 to sulphuric acid.
- 156. Suicide by Asphyxia. All of the deaths, in 1910, placed under this title were from illuminating gas. The number was 14.
- 157. Suicide by Hanging. There were 14 suicides by hanging, in 1910.
- 158. Suicide by Drowning. The suicides by drowning numbered 11, in 1910.
- 159. Suicide by Firearms. In 1910, 24 people committed suicide by shooting.
- 160. Suicide by Cutting-Instruments. There were 7 suicides by cutting the throat.
- 161. Suicide by Jumping from High Places. There was 1 death from this cause, in 1910, by jumping from window.

Mortality in the State	from Suicide	, 1886 to 1910,	inclusive.
------------------------	--------------	-----------------	------------

	Deaths.		SE	x.	PARE	NTAGE.	DIVISIONS OF THE STATE.								
YEARS.	Number of De	Per cent.	Males.	Females.	Native.	Foreign.	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence. City.	8			
5 years,1866-1870	86	.56	67	19	66	20	2	7	6	31	34	6			
5 years,1871-1875	89	.43	61	28	57	32	3	9	6	20	43	8			
5 years, 1876-1880	84	.38	62	22	46	36	3	5	3	26	38	9			
1881-1885	121	.47	96	25	73	48	2	11	15	25	58	10			
1886–1890	97	.30	84	13	56	41	5	6	13	30	38	5			
1891-1895	156	.46	118	38	72	84	6	9	14	42	76	9			
1896-1900	221	.58	171	50	104	117	4	12	19	67	108	11			
1901–1905	282	.69	216	66	111	171	10	21	23	95	117	16			
1906	75 71	.87	58 54	17	28 25	47	2	4 3	8 2	21	37				
1908	94	1.14	64	30	34	60	2	2	3	24 30	40 54				
1909	76	.92	60	16	28	. 48	3	4	3	24	36				
1910	83	.89	68	15	37	46	2	3	2	33	39				
1906–1910	399	.92	304	95	152	247	10	16	18	132	206	17			
45 yrs., 1866-1910	1,535	.56	1,179	356	737	798	45	96	117	468	718	91			

<sup>\*</sup>Exclusive of Providence city.

165. Acute Poisonings. There were 16 deaths from this cause in 1910. Of these 3 were due to drinking wood alcohol; 2 to carbolic acid; 3 to taking oil of wintergreen, instead of essence; 1 by Paris green, mistaken in the dark for ginger; 1 by overdose of chloroform taken to induce sleep; 1 by extract of colchicum; 1 by overdose of cough medicine; 1 child swallowed a solution of caustic potash, another ate strychnine pills, and 2 children swallowed some kind of poison taken from a dump.

167. Burns and Scalds. There were 55 deaths tabulated under this title in 1910, which were described as follows: By clothes taking fire from stove, 7; from fireplace, 1; playing with matches, 9; in burning building, 4; from camp fire, 1; by bonfire, 4 (1 adult and 3 children); in grass fire, 1 (adult); while lighting fire with kerosene, 3; from overturned kerosene lamp, 5; by clothes taking fire from match while lighting lamp, 1; while thawing a frozen water-pipe, 1; by explosion of gasoline while cleaning clothes, 1; from explosion of tank, 1; by red hot iron which slipped and passed through thigh, 1 (an iron

worker); burned by potash in bleachery, 1; by steam from broken steam-pipe, 1; by falling into tub of hot water, 7 (children); by upset kettle of hot water, 4 (children); burned by hot water bottle, 1; and 1, circumstances unknown.

- 168. Absorption of Deleterious Gases. Of the deaths from this cause in 1910 there were 19, all due to illuminating gas.
- 169. Accidental Drowning. There occurred in Rhode Island in 1910, 71 deaths from accidental drowning. These have been classed as follows: While bathing or swimming, 14 (five of these were under 20 years of age); through ice, 2; diving, struck head against a stump, 1; from canoe which became impaled upon a stake, 1; from motor-boat, 1; from capsized boats, 12; in attempting to rescue another man, 1; fishing from boats, 3; fishing from rock, 1; off dock, 2; while gathering quahaugs, slipped into deep water, 1; children playing on bank or pier, 10; by falling into well, 1 (child); by falling into cistern, 1 (child); by falling into abandoned gasometer, 1 (child); by falling into catch-basin while looking for lost ball, 1; new-born into water closet, 1; and 17 found in water, circumstances of drowning unknown.
- 170. Traumatism by Firearms. The 4 deaths in this class were described as follows: Boy out hunting was accidentally shot by companion; a boy playing with rifle shot himself in breast; another boy accidentally shoots younger brother; and a young man while cleaning revolver shoots himself in breast.
- 172. Traumatism by Fall. There were 96 deaths in 1910 caused by falls, which were specified as follows: Downstairs or steps, 17; on ice, 3; from building or staging, 8; from ladder, 2; from window, 11 (ten adults and one child); from tree, 5; from bridge, 2; from bed, 3; from chair, 2; on floor, ground or sidewalk, 33; from electric pole, 1; from load of hay, 1; from hay mow, 1; into coal pocket, 1; into hold of vessel, 1; in boat over oar-lock, 1; from platform to coal barge, 1; off coal run, 1; from boiler, 1; from loaded team, 1. Of the forty-four persons over 60 years of age who died as the result of falls, thirty-four sustained fractured hips.
- 174. Traumatisms by Machines. There were 7 deaths ascribed to this cause in 1910. Two persons were whirled over shafting in mill; 1 was caught in fly-wheel; 1 was killed by bursting of fly-wheel; 1 by falling into machinery; 1 crushed by heavy piece of machinery; and 1 was hit in abdomen by stick while shifting belt.
  - 175. Traumatism by Other Crushing.
- A. Railroad Accidents. There were 30 deaths from this cause in 1910. Of the employees, 4 (a conductor and three brakemen) while switching were run over; 1 was struck by overhead bridge; 3 were

struck by train; 22 classed as trespassers were killed; this includes men and boys walking on tracks or stealing rides on cars, children playing on tracks and two women walking on or near tracks.

- B. Electric Car. There were 17 deaths from electric car accidents in 1910. Six were run over by cars (3 adults and 3 children); 2 were struck by car; 3 fell from moving car; 1 in collision of cars; 1 in collision with car while riding motorcycle; in collision of car with cart, driver thrown, 1; trying to board moving car, 1; hit by pole or tree while riding on car, 1; by running in front of car, 1 (child).
- C. Automobile. Under this title 20 deaths were recorded in 1910. Struck and knocked down by automobile, 12; run over, 3; by stepping from moving machine, 1; by overturned machine, 1; 1 was thrown from automobile, and 2 children were killed by running in front of machines.
- D. Other Vehicles. Under this head 17 deaths were recorded. Thrown from teams they were driving, 4; from carriage in runaway, 2; run over or thrown from heavy teams, 6; in trying to stop runaway teams, 2; besides these 3 elevator accidents have been included in this class; crushed by elevator, 1; fell down elevator well, 1; and 1 caught between floor and elevator.
- E. Landslide. By caving of sand bank into ditch man was digging, 1.
- 176. Injuries by Animals. There were 6 deaths from this cause in 1910. Five were from kicks by horses and one in playing poloreceived injuries causing death by colliding with another mount.
- 178. Excessive Cold. From exposure to cold and its results are recorded the deaths of 6 people.
- 179. Effects of Heat. Fifteen deaths were recorded in 1910 as caused by excessive heat.

Mortality in the State from Accidents, with the Percentage of the Whole Number of Deaths, Sex, Parentage, and Locality for forty-five years, from 1866 to 1910, inclusive, in five periods of five years each, and for each of the last five years.

				VAF	RIETI	ES.				SI	ex.		ENT-		STA'	TE D	IVIS	ions.	
YEARS. Number.		Burns and Sealds	Drowning.	Falls,	Poisoning.	Railroad.	Suffocation.	Various and Un- specified.	Per cent,	Males.	Females.	Native,	Foreign,	Bristol County.	Kent County.	Newport County.	Providence County.*	Providence City.	Washington County
1866-1870.	490	77	124	89	14	43		143	2.18	375	115	238	252	22	34	46	187	162	39
1871-1875.	610	78	164	90	21	71		186	2.97	493	117	283	327	26	46	50	200	240	8
1876–1880.	607	75	166	69	28	58	14	197	2.72	450	157	249	358	17	53	47	178	281	4
1881-1885.	856	90	179	127	37	83	59	281	3.26	636	220	357	499	24	59	58	306	361	48
1886-1890.	1052	107	266	117	43	123	52	344	3.29	789	263	426	626	34	59	90	361	443	65
1891-1895.	1333	121	260	165	66	170	86	465	3.69	1016	317	443	890	34	99	89	443	595	73
1896-1900.	1467	148	248	303	46	154	125	443	3.88	1127	340	525	942	53	104	114	440	672	84
1901–1905.	1661	153	286	356	40	206	140	480	4.05	1253	408	594	1067	60	109	125	496	783	88
1906 1907 1908	338 406 344 358	35 30 26 47	59 74 69 64	71 71 76 82	6 11 9 6	34 34 34 36	32 24 27 23	162 103	3.92 4.51 4.16 4.33	257 309 257 260		114 114 126 117	241	7 11 11 9	29 19 14 20	25 106 20 22	105 122 123 115	138 153 178	21 10 23 14
1910	423	55 ——	71	96	16	30	19	136 —	4.55	306	117	139	284	22	29	37	119	198	18
1906-1910.	1869	193	337	396	48	168	125	602	4.29	1389	480	610	1259	-60	111	210	584	818	 
45 years, 1866-1910.	9945	1042	2030	1712	343	1076	601	3141	3.62	7528	2417	3725	6220	330	674	829	3195	4355	562

<sup>\*</sup> Exclusive of Providence city.

182, 183, 184. *Homicide*. There were 20 homicides in 1910 in the State of Rhode Island. Of these 17 were males and 3 were females; of parentage 4 were native and 16 were foreign.

See medical examiners' report in last part of this report.

189. Causes of Death, Unspecified or Ill-Defined. The number of deaths, in 1910, of which the cause was not stated, was 36. The following table shows the number of deaths, in 1910, in each large division of the State, and the number and proportion in each division from which causes were reported unknown:

	Bristol County.	Kent County.	Newport County Towns.	Providence County Towns.	Washington County.	Newport City,	Central Falls	Cranston City.	Pawtucket.	Providence City.	Woonsocket.	Whole State,
Number of deaths.	325	670	191	996	402	383	355	543	825	3,982	626	9298
Cause not stated		1		4				2	3	24	2	36
One in	• • • • •	670		249				271	275	166	313	258

Deaths in Rhode Island from Twenty-six Principal Causes.

20		EATH.	OF D	JSES	CA
1	оппиннинноп	10	172	22	Scarlet Fever.
	<b>∞</b> ∞470000 :000H70	10 23	21	33	Pleurisy.
	4100F00000H0H	12 22	15	34	Rheumatism.
ars.	: MH : MM T & O MM :	288	17 20	37	Dysentery.
2 ye		37	232	55	Appendicitis.
over	WH01:0074VFW	29	27 29	56	Whooping Cough.
ses (	00-10000040040	18	46	58	Alcoholism.
)isea	46404	26	21 39	09	Influenza.
‡ Includes Diarrheal Diseases over 2 years	40004 : - 0011100	28	51	75	Typhoid Fever.
rrhe	70071-07-004000	37	68	83	Suicide.
Dig	71 00 00 00 01 01 01 01	56	44	103	Diabetea.
ndes	22000002rr48H	29	58	104	Liver Diseases.
Incl	400000000000	34	49	108	Enteritis.t
++	110101000000000000000000000000000000000	50 76	63	126	Diphtheria,
	811 00 00 48 10 10 10 10 10 10 10 10 10 10 10 10 10	55	77	144	Brain Diseases.
	222242110 1040881	56	81		Bronchitis.
	2242401001122	53	96	195 186 184	Measles.
	9451104111 104111111111111111111111111111	101	74	195	Old Age.
hage	232200222002222222222222222222222222222	139	306	423	Accidents.
morr	24-0848484848 4-084848484	214	163	474	Cancer.
He	52 23 33 33 52 33 33 52 52	259	246	535	Apoplexy.†
Includes Cerebral Hemorrhage	000 000 000 000 000 000 000 000 000 00	264	361	999	Kidney Disease (Bright's).
les C	111 111 122 204 113 246 109 8	256	441 370	811	Cholera Infantum.*
clud	96 886 988 69 69 55 87 71 87 87 87 87 87 87 87 87 87 87 87 87 87	358	470	914	Heart Disease.
† In	1158 1134 1181 145 145 145 30 30 30 21 21 108	404	583	1,093	Pneumonia.
	88211111 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	101	898	151 1,	Other Tuberculous Diseases.
	67 74 71 71 71 88 83 63 69 69	208	464	831	Tuberculosis.
ars.	1000 1000 175 175 175 175 175 175 175 175 175 175	258 724	532	982	All Tuberculous Diseases. Pulmonary
* Includes Diarrheal Diseases under 2 years.	Season January  Rebruary  March  April  May  June  June  October  October  November  December	Parentage   Native	Sex., Kales.	TOTAL MORTALITY	

\* Includes Diarrheal Diseases under 2 years.

Deaths in Rhode Island from Twenty-six Principal Causes.—Concluded.

Scarlet Fever.	· 984444 : : : :	n:::488::54:
Pleurisy.	001:04400400:	: :: :: :: : : : : : : : : : : : : : :
Rheumatism.	0000004-017-0040	0101 : 104440 to :
Dysentery.	0::::::::::::::::::::::::::::::::::::::	.uuu40004
Appendicitie.	10484711088 : :	H : 4 : H : H 9 H H
Whooping Cough.	₹ <u></u> =	:0:00H004:
Alcoholism.	::::::::::::::::::::::::::::::::::::::	H0040H0014:0
Influenza.	VH :-18880-084	47-1-40000 :0
Typhoid Fever.	47202280781:	:00000484008
Suicide,		्राथल : ळ्लाकक्छेश्रम •
Diabetes.	21106248	20000000000000000000000000000000000000
Liver Diseases.	222 223 6 14 6	0204F2005448
Enteritis.‡	22 10 10 10 10	49 : 2112 - 6.9
Diphtheria.	25. 25. 27. 27. 27. 27. 27. 27. 27. 27. 27. 27	470H222447042
Brain Diseases.	86775846479F	2 44 22 23 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25
Bronchitis.	20 m - H 20 4 20 70 20 0	22 23 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
hleasles.	27	20 29 11 11 13 79 79 79
Old Age.	1423	222 223 223 224 11
Accidents.	255 255 255 255 255 255 255 255 255 255	110 110 110 110 110 110 110 110 110 110
Cancer.	22 22 23 23 23 23 23 23 23 23 23 23 23 2	123 224 224 224 234 234 234 234 234 234 2
Apoplexy.†		224 113 221 226 255 255 118 37
Kidney Disease (Bright's).	84 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	122 122 126 144 147 164 164 164 164 164 164 164 164 164 164
Cholera Infantum.*	11:::::::::::::::::::::::::::::::::::::	25 25 26 26 26 26 26 26 26 26 26 26 26 26 26
Heart Disease.	116 116 116 1163 1163 1163 1163 1163 88	227 228 228 228 228 238 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25
Pneumonia.	082 082 082 044 044 083 083 083 083 083 083 083 083 083 083	477 73 20 154 141 42 30 100 468 47
Other Tuberculous	91 21 22 123 14 15 15 15 15 15 15 15 15 15 15 15 15 15	842 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Pulmonary Tuberculosia.	2004 113 2009 12009 171 170 171 170	26 20 8 20 8 20 8 20 8 20 8 20 8 20 8 20
All Tubereulou⊪ Diseases.	125 11 18 70 221 221 153 87 87 80 18	103 103 8 34 8 29 93 407 78 78
	AGES.  Gulder 5 years.  5 to 10 years.  10 to 15 years.  15 to 20 years.  20 to 30 years.  30 to 40 years.  40 to 50 years.  50 to 60 years.  60 to 70 years.  70 to 80 years.	Bristol County   Kent County   Newport County   Newport County   Newport County   Providence County Towns   Central Falls   Central Falls   Providence City   Woonsocket   Washington County   Washington County   County

\*Includes Diarrheal Diseases under 2 years.

† Includes Cerebral Hemorrhage.

‡ Includes Diarrheal Diseases over 2 years.

## BIRTHS.

# Occupations of the Fathers.—1910.

OCCUPATIONS.	Number.	OCCUPATIONS.	Number.
Acrobats	1	Paper Makers	2
Actors	2	Pattern	14
Agents and Canvassers	22	Pin	1
Architects	3	Reed	1
Artists	3	Rug	1
Automobile Demonstrators	3	Sail and Awning	4
Automobile Repairers	9	Screw	4
Bacteriologists	1	Shoe	98
Baggage Masters	3	Soap	1
Bakers	111	Tool	59
Ball Players	1	Trunk	1
Bankers	5	Wringer	3
Bank Officers	4	Yeast	2
Barbers and Hair Dressers	167	Bill Posters	2
Bartenders		Blacksmiths	119
Beamers		Bleachers and Fullers	24
Belt Makers		Boat Builders	5
Bobbin		Boatmen	5
Boiler		Bookbinders	4
Bolt		Bookkeepers	62
Box		Bootblacks	7
Brick		Bottlers	13
Brush and Broom		Braiders	3
Butterine		Brakemen	32
Cabinet		Brewers	19
Cap and Hat		Brick and Stone Layers	23
Card-Board	- 1	Bridge Builders	3
Carriage, and Trimmers		Brokers	12
Cigar		Butchers and Marketmen	55
Clock and Watch		Butlers	6
Comb		Buyers	9
Core		Cab Drivers and Hackmen	3
Frame		Calenderers.	3
Harness and Saddle	- 11	Carders	35
			00

206

# Occupations of the Fathers.—Continued.

OCCUPATIONS.	Number.	OCCUPATIONS.	Number.
Carpenters	475	Commission Merchants	2
Carpet Layers	1	Compositors	5
Car Repairers	11	Concreters	3
Caulkers	2	Conductors (Electric Car)	69
Chasers	5	Confectioners	23
Chauffeurs	46	Contractors and Builders	34
Chefs	8	Cooks and Caterers	37
Chemists	9	Coopers	9
Chiropodists	1	Coppersmiths	4
Civil Engineers	7	Cutters, Velvet	6
Clergymen	15-	Dairymen	2
Clerks and Salesmen	620	Decorators	3
Bank	3	Dentists	14
Postal		Designers	16
Clothiers	10	Detectives	1
Coachmen		Die Cutters	7
Coal and Wood Dealers		Die Sinkers	4
Fish and Oysters		Draughtsmen	28
Furniture		Dresser-tenders	26
Grain and Hay		Drillers	9
Hardware		Drivers	97
Ice	4	Druggists and Apothecaries	30
Junk	18	Dyers	51
Leather	1	Electricians	93
Liquor	50	Electrical Engineers.	5
Lumber	1	Electric Light Trimmers	1
Milk	8	Elevator Men	4
News	7	Enamelers	1
Oil		Engineers.	115
Paper	1.	Marine.	2
Picture	1	Stationary	14
Poultry		Engravers	
Provision	7	Expressmen.	17
Shoe		Farmers	29
Cobblers		File Cutters	320
Collectors		File Forgers	25
Colorers, Jewelry			6
Commercial Travelers	37	Finishers	7
	- 01	Brass	3

# Occupations of the Fathers.—Concluded.

OCCUPATIONS.	Number.	OCCUPATIONS.	Number.
Finishers, Cloth		Laundrymen	31
Fire Company Members		Lawyers	21
Firemen			
Fishermen and Oystermen	. 6		1
Florists	. 1		5
Folders	. 24	li .	_
Foresters		Linemen	18
Foundrymen	. 2:		1
Freight Agents		Lithographers	
Fruiterers	1		1
Furriers		Longshoremen	12
Gardeners		Loomfixers	104
Glass Workers		Lumbermen	3
Glaziers			1
Gold Leaf Workers	1		694
Grocers	131	Mail Carriers	, 21
Gunners, U. S. N			24
Horse Traders and Dealers	4		29
Hostlers	23	Manufacturing Jewelers	11
Hotel and Inn Keepers	8		3
Saloon and Restaurant	34		93
Icemen	14	Mechanics	36
Inspectors	18		1
Car	5	Merchants	100
Cloth	8	Tea	3
Gas.,	2	Messengers, Express	1
Telephone	1	Metal Workers	11
Tool	2	Milkmen	14
Insurance Agents	61	Millers	2
Real Estate	15	Milliners, Wholesale	1
Iron Rollers and Workers	20	Millwrights	8
Janitors	25	Miners	3
Jewelers	319	Molders	125
Jobbers	1	Motormen	61
Journalists (Editors and Reporters)	7	Musicians	24
Knitters	10		2
Laborers	2,852	Officers, Army	3
Lathers	9	Navy	6

#### Occupations of the Fathers.—Continued.

OCCUPATIONS.	Number.	OCCUPATIONS.	Number.
Oilers	4	Quillers	4
Operatives		Railroad Conductors	4
Opticians	9	Employees	21
Organists	1	Refiners	3
Oyster Openers	5	Riggers	3
Painters	252	Roll Coverers	4
Automobile and Carriage	3	Roofers	6
Paper Hangers	5	Rubber Workers	118
Pavers	1	Sailors	24
Pearl Workers	3	U. S. N	37
Peddlers	142	Sculptors	3
Perchers	~ 8	Sea Captains and Ship Masters	10
Photographers	-	Secretaries	3
Physicians	18	Section-hands	6
Piano Tuners	5	Sextons	4
Picture Framers	2	Sheriffs, Constables, and Policemen	34
Pilots	1	Shovelers	2
Pipe Coverers	1	Sign Painters	2
Pipers, Locomotive	1	Silversmiths	40
Plasterers and Stucco Workers	11	Slasher-tenders	8
Platers, Electro	3	Slaters	4
Gold	3	Soldiers	29
Plumbers	91	Speeder-tenders	4
Polishers	36	Spinners	130
Marble	1	Stable Keepers	7
Silver	12	Stablemen	1
Pork and Meat Cutters and Pork	23	Stampers	6
Porters	28	Starchers	2
Postmasters	3	Station Agents	4
Poultry Raisers	2	Steam Pipers	37
Pressers, Clothes	4	Steel Workers	5
Pressmen	11	Stenographers	3
Printers	43	Stereotypers	2
Calico	1	Stevedores	1
Proofreaders	1	Stewards	1
Public Officers		Stone Cutters and Marble Workers	46
Publishers	2	Store Keepers	35
Quarrymen		Students	4

## Occupations of the Fathers.—Concluded.

OCCUPATIONS.	Number.	OCCUPATIONS.	Number.
Superintendents and Overseers	199	Varnishers	1
Switchmen and Gatemen	5	Veterinaries	. 2
Tailors	123	Waiters	22
Tanners and Curriers	1	Watchmen	33
Taxidermists	1	Weavers	646
Teachers and Professors	. 26	Lace	5
Teamsters	435	Well Diggers	1
Telegraph Operators	13	Wheelwrights	4
Theatrical Managers	5	Winders	. 2
Tinsmiths	29	Window Dressers	3
Tabacconists	2	Wire Workers	21
Towermen (Railroad)	3	Wood Choppers	4
Treasurers	1	Wood Finishers	6
Truckmen	3	Wood Sawyers	4
Twisters	13	Wood Turners	17
Typists	1	Workers	14
Undertakers	8	Wool Combers	5
Upholsterers	10	Wool Sorters	25
Valets	1	Yachtsmen	1

## MARRIAGES.

## Occupations of the Grooms.—1910.

OCCUPATIONS.	Number.	OCCUPATION.	Number.
Actors	4	Paper Bag Makers	1
Advertising Agents	7		10
Agents and Canvassers	_ 8	Pin	2
Architects	4	Reed	1
Artists	1		1
Automobile Builders	1		5
Automobile Repairers	3		21
Baggage Masters	1		1
Bakers	32		1
Ball Players	2	Suspender	1
Bankers	5	Tool	44
Bank Officers	1	Toy	1
Barbers	42	Umbrella	1
Bartenders	17	Wringer	2
Basket Makers	2	Beamers.	. 2
Belt	1	Blacksmiths	30
Bobbin	9	Bleachers and Fullers.	
Boiler	4	Boatmen	27
Bolt	3	Beokbinders	2
Box	11	Bookkeepers	2
Broom and Brush	1	Bottlers.	37
Buckle	1	Braiders	8
Butterine	1		1
Cabinet	4	Brakemen	11
Cap and Hat	1	Bridge Builder	2
Carriage, and Trimmers	3	Bridge Builders	2
Chain		Brick and Stone Layers	5
Cigar		Brokers.	11
Clock and Watch		Building Movers	1
Comb.		Butchers and Marketmen	_ 16
Emblems		Butlers	7
Gas	1'	Buyers	5
Harness and Saddle	1	Cab Drivers and Hackmen	1
Lace		Calenderers	4
Paper		Carders	23
	2	Card Grinders	3

# Occupations of the Grooms.—Continued.

OCCUPATIONS.	Number	OCCUPATIONS.	Number.
Carpenters	144	Concreters	1
Ship	1	Conductors, Electric Car	26
Car Repairers	3	Confectioners	5
Caulkers	1	Contractors and Builders	14
Chasers	3	Cooks and Caterers	17
Chauffeurs	30	,Coppersmiths	1
Chefs	2	Coremakers	4
Chemists	3	Cutters	1
Chiropodists	2	Cloth	3
Civil Engineers	10	1	2
Clergymen	11	Shoe	3
Clerks	336	Decorators	4
Bank	6	Dentists	13
Hotel	1	Designers	7
Postal	5		8
Clothiers	6	Divers	2
Clothing Pressers and Cleaners	2	Draughtsmen	20
Coachmen	18	Dresser-Tenders	14
Coal and Wood Dealers	9	Drillers	5
Fish and Oysters	5	Drivers	20
Furniture	2	Druggists and Apothecaries	19
Hardware		Dyers	38
Hay and Grain	3	Electrical Engineers	3
Ice	4	Electricians	52
Junk	1		1
Kerosene Oil.	1		3
Leather	1	Embalmers	3
Liquor	7		7
Lumber		Engineers	29
Milk	5		15
News		Engravers	12
Piano	1		1
Poultry	2		1
Provision		Expressmen	6
	9	Farmers	105
Collectors		File Cutters	17
Colorers, Jewelry		Finishers	12
Commercial Travelers	40		1

# Occupations of the Grooms.—Continued.

			<del></del>
OCCUPATIONS.	Number.	OCCUPATIONS.	Number.
Finishers, Cloth	5	Knitters	7
Fire Company Members	•3	Laborers	371
Firemen	33	Lace Weavers	2
Fishermen and Oystermen	9	Lapidaries	5
Floor Walkers	1	Lathers	5
Florists	11	Laundrymen	14
Folders	6	Lawyers	19
Cloth	8	Leather Workers	3
Foresters	4	Librarians	3
Foundrymen	24	Life Saving Service Men	2
Fruiterers or Fruit Peddlers	9	Linemen	8
Furriers	1	Locksmiths	2
Gardners	27	Longshoremen	10
Gas Fitters	3	Loom Fixers	23
Gatemen and Flagmen	1	Machine Operators	6
Glass Cutters and Workers	3	Machinists	297
Gold Leaf Workers	1	Mail Carriers.	8
Gold Melters	1	Managers	15
Grocers	32	Theatrical	1
Gunners, U. S. N.	2	Manufacturers	16
Hatters	1	Manufacturing Jewelers	4
Hostlers	7	Mariners	11
Hotel and Inn Keepers	6	Marines, U. S. N.	3
Saloon and Restaurant	12	Masons	35
House Cleaners	1	Masseurs	1
Icemen	7	Mechanics.	27
Importers, Wine	1	Merchants.	34
Inspectors	13	Messengers, Bank	2
Car	2	Metal Workers	
Cloth	2	Milkmen	16
Meat	1	Millwrights	7
Telephone	1	Miners	5
Insurance Agents	13	Motormen	4
Real Estate	11	Molders	20
Iron Workers	12	Moving Pictures	34
Janitors	6		1
Jewelers	130	Musicians	22
Journalists (Editors and Reporters)	3		1
		Nurses	7

# Occupations of the Grooms.—Continued.

OCCUPATIONS.	Number.	OCCUPATIONS.	Number.
Oilers	4	Roll Coverers	4
Operatives	168	Roofers	6
Opticians	7	Rubber Workers	55
Organists	1	Sailors	2
Oyster Openers	5		4
Packers, China	1	Sea Captains and Ship Masters	6
Painters and Glaziers		Seamen	9
Painters, Carriage		Section Hands.	7
Painters, Sign	2		1
Paper Hangers	2	Sheriffs, Constables, and Policemen	14
Paymasters	2		1
Pearl Workers	3		1
Peddlers	16	Silversmiths	28
Perchers	2	Slasher Tenders	1
Photographers and Lithographers	7	Soldiers	10
Physicians	19	Speeder Tenders	5
Piano Movers	1	Spinners	54
Picture Framers	1	Stablekeepers	2
Plasterers and Stucco Workers	7	Station Agents	4
Platers, Electro	11	Stampers	13
Gold	4	Steam Pipers	24
Plumbers	35	Steel Workers	2
Polishers		Stenographers	3
Silver	9	Stereotypers	1
Pork and Meat Cutters and Pork	11	Stevedores	•3
Packers	15	Stewards	3
Pressmen		Stone Cutters and Marble Workers	11
Printers	17	Storekeepers	10
Calico	1	Stove Mounters	1
Public Officers	1	Students	4
Publishers	2	Superintendents and Overseers	58
Quarrymen	2	Tailors	41
Quillers	1	Tanners and Curriers	4
Rag Pickers	1	Teachers and Professors	19
Railroad Conductors	5	Teamsters	120
Employees	18	Telegraph Operators	8
Refiners, Gold	2	Telephone	3
Riggers		Tinsmiths	15

# Occupations of the Grooms.—Concluded.

Truckmen. 2 Weighers Twisters. 8 Wheelwrights Undertakers. 4 Window Dres Upholsterers. 5 Wire Workers Ushers. 1 Wood Turner		257
Twisters 8 Wheelwrights Undertakers 4 Window Dres Upholsterers 5 Wire Workers Ushers 1 Wood Turner		
Undertakers. 4 Window Dres Upholsterers. 5 Wire Workers Ushers. 1 Wood Turner		1
Upholsterers 5 Wire Workers 1 Wood Turner		1
Ushers 1 Wood Turner	sers	2
		16
Valets 1 Wood Worker		4
THE COLUMN TO TH	5	9
Veterinary Surgeons 5 Wool Comber	3	5
Waiters 10 Sorters		11
Watchmen		

Occupations and Ages of Decedents, from June 1, 1852, to January 1, 1910, comprising a period of fifty-eight years and seven months. Alphabetically Arranged.

(OCCUPATIONS UNDER 10, AND AGES UNDER 20, EXCLUDED.)

OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.
Actors	31	1,168	37.68	MALES.	10	468	46.80
Agents and Canvassers	316	15,793	49.94	Boiler	129	5,789	44.88
Insurance	103	6,014	58.39	Вох	40	1,847	36.17
Real Estate	98	5,392	62.71	Broom and Brush	22	1,073	48.77
Architects	200	1,829	29.00	Cabinet	205	12,111	59.08
Army Officers	11	999	60.54	Carriage, and Trimmers	171	10,083	58.38
Artists	63	3,335	52.94	Cigar	140	6,749	48.21
Assayers and Analytical Chemists	21	1,210	57.62	Harness and Saddle	184	602'6	52.77
Auctioneers	11	610	55.45	Pattern	128	7,576	59.19
Authors	12	824	68.67	Pump and Block	15	826	55.07
Baggage Masters	12	589	49.09	Reed	11	616	56.00
Bakers	278	16,530	59.46	Rope	25	1,672	66.88
Bankers and Brokers	256	15,410	60.19	Sail	48	2,845	59.27
Bank Officers	84	5,398	64.26	Sash and Blind	12	614	51.17
Barbers	451	17,243	38.23	Shoe	844	49,078	58.15
Bartenders	148	5,706	38,55	Tool	102	5,151	50.50
Beamers	10	340	34.00	Watch and Clock	62	3,528	56.90
Belt Makers	27	1,457	53.96	Blacksmiths and Farriers	1,028	57,390	55.82

Occupations by Ages of Decedents, etc.—Continued.

S T T T	11			A CONTRACTOR OF THE PERSON OF			
OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.	OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.
MALES				MALES			
Bleachers and Fullers	118	2,967	50.57	Clergymen	375	23,917	. 63.78
Boatmen	47	2,603	55.38	Clothiers	19	1,058	56.25
Boat Builders	37	2,357	. 63.70	Coachmen	290	13,424	46.29
Bookbinders	32	1,525	47.66	Coal and Wood Dealers	46	2,760	00.00
Bookkeepers	634	30,253	47.72	Fish and Oysters	55	3,380	61.45
Bottlers	23	944	41.04	Furniture	23	1,414	61.48
Brakemen	210	6,481	30.86	Hardware	17	1,000	58.82
Brewers	41	1,860	45.37	Ice	11	603	54.82
Brick and Stone Layers	22	1,010	45.91	Junk	34	1,886	55.47
Butchers and Marketmen	443	23,371	52.76	Liquor	215	10,326	48.03
Butlers	16	641	40.06	Lumber	40	2,468	61.70
Calico Printers	64	3,552	55.50	News	16	776	48.50
Calkers	17	1,178	69.29	Provision.	47	2,891	61.51
Car Conductors and Motormen	159	7,021	44.16	Shoe	14	757	54.07
Carders	- 59	3,299	55.92	Collectors	39	2,028	52.00
Carpenters and Joiners	3,351	193,862	57.85	Commercial Travelers	100	4,827	48.27
Chasers	35	1,569	44.83	Compositors	18	842	46.78
Civil Engineers	73	3,796	52.00	Confectioners	28	3,632	46.56
Clerks and Salesmen	2,395	94,610	39.50	Contractors and Builders	223	13,695	61.41
		and the same of the same of					

Occupations and Ages of Decedents, etc.—Continued.

Cooks and Caterers. 244 1  Coopers. 156 1  Cutters. 11  Deocrators. 11  Deotists. 86  Designers 35  Draughtsmen. 31	11,770 10,223 875 479 690 4,684	48.24				
156 20 11 17 17 86 86 86 35 35	10,223 875 479 690 4,684		MALES.	146	6,353	43.51
ld Sinkers	875 479 . 690 4,684	65.53	Nail	12	490	40.83
nd Sinkers	479 . 690	43.75	Fire Company Members	19	947	49.84
and Sinkers	4,684	43.55	Fishermen and Oystermen	392	21,598	55.10
, , , , , , , , , , , , , , , , , , ,	4,684	40,59	Florists	95	5,307	55.86
Kers.		54.47	Folders	27	1,238	45.85
	1,840	52.57	Founders	64	3,363	52.55
	2,000	50.00	Fruiterers	16	759	47.44
	1,134	36.58	Gardeners	222	33,133	59.48
Dresser Tenders16	825	51.56	Gas Fitters	72	3,204	44.50
Drivers, Cab, Hack, etc 223	9,295	41.68	Gilders	16	092	47.50
Druggists and Apothecaries 204	9,739	47.74	Grocers	694	38,925	56.09
Dyers 253	13,312	52.62	Gun and Locksmiths	32	1,706	53.31
Electricians 72	2,602	36.14	Hatters	29	1,575	54.31
Enamelers 183	9,026	49.32	Hostlers	283	13,563	47.93
Engineers and Firemen 896	45,999	51.34	Hotel and Inn Keepers	230	12,964	56.37
Engravers 194	9,794	50.48	Saloon and Restaurant	278	13,008	46.79
Expressmen152	7,826.	51.49	Stable	116	6,400	55.17
Farmers 8,835 5	596,719	67.54	Store	133	7,318	55.03
Finishers 75	3,942	52.56	House Movers	10	638	63.80

Occupations and Ages of Decedents, etc.—Continued.


DINOTE STATES	Total	Aggregate	Average	Case Case Case Case Case Case Case Case	Total	Aggregate	Average
OCCUPATIONS.	Mortality.	Ages.	Age.	OCCUPATIONS.	Mortality.	Ages.	Age.
MALES.	62	3,207	51.72	Manufacturers.	875	53,896	61.60
Inventors	21	1,327	63.19	Manufacturing Jewelers	14	883	63.07
Iron Rollers and Workers	51	2,429	47.63	Mariners	530	26,436	49.88
Janitors	263	14,523	55.22	Masons	1,340	77,157	57.58
Jewelers	1,831	79,428	43.38	Mechanics	598	31,837	53.24
Journalists (Editors and Reporters)	72	3,580	49.72	Melters	238	12,976	54.52
Judges and Justices	22	1,442	65.54	Merchants	1,800	105,941	58.86
Knitters:	10	297	29.70	Milkmen	34	1,350	39.71
Laborers	15,640	779,796	49.86	Millers	09	3,537	58.95
Lamplighters	24	1.287	53.25	Millwrights	46	3,144	68.35
Lapidaries	18	844	47.44	Miners	26	1,550	59.62
Lathers	14	209	43.36	Molders	578	31,285	54.13
Laundrymen	52	2,299	44.21	Musicians	154	7,270	47.21
Lawyers	284	16,614	58.50	Naval Officers	29	1,434	49.45
Linemen.	26	1,009	38.81	Nursea	36	1,889	52.47
Longshoremen	23	977	42.48	Operatives	3,430	153,009	44,61
Loom Fixers	93	4,868	52.34	Opticians	17	1,000	58.82
Machinists	2,610	130,580	50,03	Painters and Glaziers	1,675	83,920	50.10
Mail Carriers	41	1,916	46.73	Paper Hangers	44	2,386	54.23
Managers	20	995	49.75	Peddlers	311	15,552	50.01


Occupations and Ages of Decedents, etc.—Continued.

Address.  ad Lithographers  463 27,148 58.62  41 2,309 56.32  bucco Workers.  31 1,660 53.55  1,660 53.55  1,660 53.55  1,07 4,813 41.98  Cutters and Packers.  42 2,034 48.43  48.43  13 522 40.15  13 522 40.15  21 104 49.52  22 1,397 53.75  28 1,112 48.35  15 2,071 46.02  28 1,112 48.35  15 2,071 46.02  28 1,112 48.35  15 2,071 46.02  28 1,112 48.35  15 767 51.13		Servants.			1
463 27,148 58.62  41 2,309 56.32  4 500 49.89  31 1,660 53.55  107 4,813 44.98  eat Cutters and Packers 91 42.42  ricials 13 522 40.15  ricials 134 8.364 62.42  ricials 21 1,112 48.35  ricials 286 12,141 42.45  rkers 334 14,086 42.17		Sextons	42	1,888	44.95
d Stucco Workers.  92 4,590 56.32  31 1,660 53.55  107 4,813 41.87  107 4,813 44.98  eat Cutters and Packers 91 4,239 46.58  113 522 40.15  1134 8,364 62.42  1134 8,364 62.42  1134 8,364 62.42  1134 8,364 62.42  1135 2,071 46.02  12 28 1,112 48.35  15 28 12,141 42.45  16 767 51.13  17 767 51.13			23	1,333	57.96
92 4,590 49.89   1,060 221		Sheriffs and Policemen	241	13,249	54.96
Cutters and Packers. 107 4,813 41.87  Cutters and Packers. 12 2,034 48.43  Cutters and Packers. 13 522 40.15  13 522 40.15  13 62.42  Is. 21 1,04 49.52  Is. 28 1,112 48.35  Is. 286 12,141 42.45  Is. 334 14,086 42.17		Ship Carpenters	104	7,180	69.04
at Cutters and Packers. 42 2,034 41.87 107 4,813 44.98  at Cutters and Packers. 42 2,034 48.43 10.58 2.034 46.58 24.015  as a second of the se		Silversmiths	224	10,520	46.96
107 4,813 44.98  14 Cutters and Packers 42 2,034 48.43  13 522 40.15  13 522 40.15  13 16,888 54.48  134 8,864 62.42  134 8,364 62.42  135 2,071 46.02  140.02  15 286 1,397 53.75  15 767 51.13  15 767 51.13		Slaters	15	712	47.47
Packers. 42 2,034 48.43 91 4,239 46.58 13 522 40.15 310 16,888 54.48 21 104 49.52 1,112 48.35 1,314 42.45 15 767 51.13 334 14,086 42.17		Soldiers	190	6,037	31.77
91 4,239 46.58 13 522 40.15 310 16,888 54.48 184 8,364 62,42 191 4,037 46.02 1,397 53.75 26 1,397 53.75 15 767 51.13		Spinners	144	7,588	52.69
13 522 40.15  310 16,888 54.48  311 134 8,364 62,42  312 104 49.52  313 1,112 48.35  314 1,397 53.75  315 15 767 51.13		Steampipers	20	2,991	42.73
310 16,888 54.48 134 8,364 62,42 21 104 49.52 45 2,071 46.02 1,112 48.35 1,112 48.35 1,397 53.75 26 12,141 42.45 15 767 51.13 334 14,086 42.17		Stevedores	26	1,341	51.58
134   8,364   62,42		Stewards	20	2,468	49.36
21 104 49.52 45 2,071 46.02 1,112 48.35 1,112 48.35 1,397 53.75 286 12,141 42.45 15 767 51.13 334 14,086 42.17		Stone Cutters and Marble Workers.	130	7,048	54.22
23 2,071 46.02 24 1,112 48.35 26 1,397 53.75 286 12,141 42.45 15 767 51.13 334 14,086 42.17	_	Students	126	2,952	23.43
28 1,112 48.85 26 1,397 53.75 286 12,141 42.45 15 767 51.13 334 14,086 42.17		Superintendents and Overseers	741	43,375	58.54
286 1,397 53.75 286 12,141 42.45 15 767 51.13 ers 334 14,086 42.17		Switchmen, Gateman, etc	63	3,418	54.25
286 12,141 42.45 15 767 51.13 334 14,086 42.17		Tailors	621	34,502	55.56
15 767 51.13 334 14,086 42.17	_	Tanners and Curriers	78	4,914	63.00
334 14,086 42.17		Teachers and Professors	194	9,950	51.29
		Teamsters	1,353	62,728	46.36
47.54	23,295 47.54	Telegraph and Telephone Operators.	42	1,330	31.67
Sea Captains		Tinsmiths	221	11,257	50.94

Occupations and Ages of Decedents, etc.—Concluded.

	Mortality.	Aggregate Ages,	Average Age.	OCCUPATIONS.	Total Mortality.	Aggregate Ages.	Average Age.
MALES. Tabacconists	23	1,307	56.83	FEMALES. Clerks and Saleswomen	49	1,511	30.84
Traders	289	14,639	50.65	Cooks	109	5,806	53.27
Tradesmen, General	185	8,919	48.21	Dressmakers and Seamstresses	579	24,548	42.40
Treasurers	32	1,801	56.28	Jewelers	50	1,798	31.00
Undertakers	84	4,702	55.98	Laboring	18	783	43.50
Upholsterers	87	3,711	42.66	Laundresses	110	5,419	49.26
Veterinary Surgeons	17	926	56.23	Milliners	92	3,336	36.26
Waiters	245	9,477	38.68	Nurses	212	11,676	55.08
Watchmen	339	19,878	58.64	Operatives	1,478	50,007	33.83
Weavers	775	41,562	53.63	Physicians	17	1,025	60.29
Wheelwrights	151	9,265	61.36	Rubber Workers	45	1,401	31.13
Wire Workers	44	1,872	42.55	Servants	863	40,469	46.89
Wood Finishers	22	1,267	62.29	Sisters of Mercy	55	2,469	44.89
Turners	26	4,935	50.88	Stenographers	13	435	33.46
Wool Sorters	118	6,356	53.80	Storekeepers	17	. 836	49.18
				Tailoresses	174	8,190	47.07
Total	72,847	3,859,931	52.98	Teachers	394	19,285	48,95
FEMALES.				Telegraph and Telephone Operators.	21	623	29.67
Boarding-house Keepers	29	1,751	60.38	Waitresses	25	802	32.08
Bookkeepers	26	1,749	31.23	Weavers	133	5,976	44.93
Box Makers	10	325	32.50	Total	4,570	190,668	41.72
Chain.	13	448	34.46	Grand Total	77,417	4,050,599	52.32







#### THE RETURNS OF THE MEDICAL EXAMINERS.

The number of deaths investigated by the medical examiners during the year 1910, was 767. These deaths resulted from sudden, suspicious, unknown, and violent causes. Of this number, 552 or 72 per cent., were males, and 215 or 28 per cent., were females.

HOMICIDE.—The number of deaths from homicide was 14, or 1.8 per cent., of the whole number investigated. Of these fourteen deaths, 9 were by shooting; 2, by stab-wounds; 1, by violence to head and chest; 1 infant by strangulation; and 1 infant by drowning (the mother at same time committing suicide.)

SUICIDE.—The number of deaths by suicide reported by the medical examiners in 1910, was 76, or 10 per cent. of the whole number examined. Death was caused as follows: by drowning, 9; by hanging, 12; by illuminating gas, 15; by incised wound of throat, 7; by jumping from window, 1; by shooting, 20; by arsenate of lead, 1; carbolic acid, 1; cyanide potassium, 5; Paris green, 2; "rat poison," 1; strychnine, 1; sulphuric acid, 1.

ACCIDENTS.—The returns of the medical examiners show 339 deaths from accidents specified as follows: asphyxia, 28; by automobiles, 21; burns and scalds, 47; drowning, 71; electric car, 16; by electricity (including one from lightning), 3; by elevator, 2; by exposure to cold, 6; by falls, 64; firearms, 4; insolation, 1; machinery, 9; by poison, 11; by railroad, 33, and 23 by various other accidents.

ASPHYXIA.—By bedclothes and overlying, 4; illuminating gas, 16; choked by piece of meat, 1; by piece of dry bread, 1 (infant); by vomitus, 2 (1 infant and 1 adult); by button behind epiglottis, 1 (child); by position of head while intoxicated, 2; and 1 was suffocated in cave-in of bank while digging sewer.

AUTOMOBILE.—Struck by automobile, 10; thrown from automobile, 1; run over by automobile, 8; by overturned machine, 1, and 1 by stepping from moving machine.

Burns and Scalds.—By clothes taking fire from stove, 7; by kindling fire with kerosene oil or gasoline, 3; from rubbish or grass fires, 4; by upset kerosene lamp, 5; explosion of kerosene lamp, 1; from match while lighting lamp, 1; from a camp fire, 1 (girl); while cleaning clothes with gasoline which ignited from a lighted match, 1; by explosion of stove polish while cleaning hot stove with it, 1; in burning building, 4; from fire used to thaw frozen water-pipes, 1; playing with matches, 7; while passing red-hot iron through machine, rod slipped and passed through thigh, 1; while filling tank of car using lighted lamp, oil exploded, 1; by falling into tub of hot water, 3 (children); by overturned pan or kettle of hot water, 4 (children); by steam from bursted steampipe, 1; by steam in bleachery, 1.

Drowning.—Bathing or swimming, 11; through ice, 2; from upset small boats, 12; playing along bank, fell into water, 7 (children); from motorboat, 1; from raft, 1; while trying to recover drifting boat, 1; fishing from boats, 3; from rock, 1; while getting quahaugs, stepped into channel, 1; overboard from steamer, 1; while mooring boat, 1; by canoe becoming impaled on submerged stake, 1; in water within abandoned gasometer, 2 (children); while trying to drink from spring, 1 (old man); trying to recover ball from catch basin, 1 (child); by falling into cistern, 1; by falling into well, 1; in water closet, was born falling into bowl, 1; in privy vault, 2; and 19 were found in water, circumstances unknown.

ELECTRIC CAR.—While walking on or crossing tracks, 7; while trying to board a moving car, 1; while trying to alight from moving car, 2; by falling from ear, 2; in collision of cars, 1; in collision with motorcycle upon which man was riding, 1; in collision with wagon, throwing man from wagon, 1; hit by pole or tree while leaning from car, 1.

ELECTRICAL SHOCK.—In contact with live wire, 2 linemen; by lightning, 1.

ELEVATOR.—There were 2 deaths from elevator accidents in 1910; one being caught between elevator and floor and one was crushed under elevator.

EXPOSURE TO COLD.—The medical examiners recorded 6 deaths from exposure to cold specified as follows: found frozen in barn, 1; found dead on ice and in water, 1 (had been drinking); found dead near railroad tracks, 1; exposure and hunger, 1 (insane); and 2 by exposure.

Falls.—Down stairs or steps, 16; on floor or ground, 11; on iey sidewalk, 2; from building or staging, 8; from window, 6; from platform of coal barge striking barge and fracturing skull, 1; from coalpocket landing, 1; off coal run, 1; from haymow, 1; from tree, 5; from electric light pole, 1; from bridge, 2; from wagon, 2; from sulky, concussion of brain resulting, 1; from boiler on which machinist was working, 1; from bed, 2; into hold of steamer, 1; into ash pit, 1; circumstances unknown in 1 instance.

HEAT.—Prostration by heat and exhaustion, 1.

FIREARMS.—A boy of 12 years, while playing with a rifle, shot himself in breast; boy 5 years old was accidentally shot by older boy; young man shot himself while cleaning revolver; and one out shooting was accidentally shot by young companion.

Machinery.—By clothes catching in set screw of rapidly revolving shaft, 1; by bursting of emery wheel, 1; by falling into machine, 1; crushed under falling machinery, 2; caught in fly wheel, 1; perforation of intestine by stick thrown from circular saw while shifting belt, 1; hurled about shafting by sleeve catching in machine, 1; amputation of finger by machine septicemia following, 1

Poison.—By strychnine pills eaten by child for candy, 1; by oil of wintergreen, 2; overdose of cough syrup administered to infant, 1; by extract of colchicum, 1; chloroform inhaled to induce sleep, 1; carbolic acid mistaken for liquor, 2, and 3 by wood alcohol.

Railroad.—There were 33 deaths caused by railroad accidents which were investigated by the medical examiners.

Accidents, Various Other.—Crushed under boat while launching it, 1; crushed under case which fell from wagon, 1; crushed under pile of lumber, 1; crushed in cave in while working in trenches, 2; thrown from wagon seat, fracturing skull, 1; crushed under sliding cake of ice while riding on ice cart, 1; run over by heavy teams, 3 (children); thrown down by runaway horse, 1; kicked by horse, 3; leg fractured between spokes of wagon, 1 (child); boy coasting, struck tree, 1; struck on head by baseball bat, 1; struck by flying rock from blast, 1; struck on head by piece from bursted grindstone, 1; stepped on rusty nail, tetanus following, 1; injury to foot by stepping on stone, wound becoming infected, 1; hit in abdomen by falling board, 1; by falling backwards over oarlocks while jumping into boat, 1.

Under sudden deaths which were investigated by medical examiners were 12 from alcoholism; acute nephritis, 3; chronic nephritis, 29; uremia, 7; apoplexy, 9; cerebral hemorrhage, 23; organic heart dis-

ease, 89; valvular heart disease, 38; myocarditis, 1; arterioselerosis, 2; aneurism, ruptured, 1; angina pectoris, 3; general tuberculosis, 1; pulmonary tuberculosis, 11; pulmonary embolism, 2; pulmonary hemorrhage, 3; Pott's disease of spine, 1; pneumonia, 11; bronchopneumonia, 3; gastro-enteritis, 5; cholera infantum, 1; chronic bronchitis, 1; typhoid fever (walking typhoid), 1; epilespy, 3; measles, 2; entero-colitis, 1; acute indigestion, 8; acute indigestion and heat, 1; puerperal peritonitis, 2; puerperal septicemia, 4; abscess brain, 1; cancer of abdomen, 1; cancer penis, 1; acromegaly, 1; hernia, 2; appendicitis, 1; general peritonitis, 1; tumor brain, 1; old age, 2; enteritis under 2 years, 2; varicose veins, 1; convulsions, 2 (infants); atelectasis pulmonum, 1; malassimilation, 5; thymus in infant one week old; lack of care, 1 (illegitimate); cause of death unknown, 13 (adults); cause of death unknown, 6 (infants); premature birth, 16; still born, 1.

							1		
	Hom	icide.	Suic	eide.		dent or gence.	Natura Unknown Includir holi	n Causes,	
YEARS.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Total.
1894	9	3.1	45	15.6	141	49.0	93	32.3	288
1895	6	1.7	31	8.5	233	61.4	103	28.4	363
1896	1	0.3	27	8.3	177	54.3	121	37.1	326
1897	12	3.4	_ 32	9.2	157	45.1	147	42.3	348
1898	12	3.1	41	10.7	203	53.0	127	33,2	383
1899	15	3.2	39	8.4	214	45.8	199	42.6	467
1900	15	2.8	59	11.2	258	48.8	197	37.2	529
1901	6	1.1	55	10.2	276	51.0	204	37.7	541
1902	11	2.2	56	11.3	258	52.0	171	34.5	496
1903	7	1.2	48	8.4	288	50.4	229	40.0	572
1904	11	2.0	64	11.5	250	44.8	233	41.7	558
1905	7	1.3	54	10.4	225	43.2	235	45.1	521
1906	16	2.5	. 73	11.5	281	44.3	264	41.7	634
1907	22	3.1	71	10.0	343	48.2	276	38.7	712
1908	17	2,8	92	15.0	256	41.9	246	40.3	611
1909	13	2.1	69	11.0	284	45.1	263	41.8	629
1910	14	1.8	76	9.9	339	44.2	338	44.2	767

# INDEX

SEE ALSO CONTENTS, PAGE V.

Accidents, deaths from, 1910	PAGE.
Accidents, deaths from, for forty-five years	
Ages at time of death, disease, and sex	
Alcoholism	· · · · · · · · · · · · · · · · · · ·
Apoplexy (cerebral hemorrhage)	, , ,
Appendicitis	, , ,
Births, number of in 1910 by towns and counties, s	
Births, by months	
Births, plural	
Births, general results for fifty-seven years	,
Births, comparative number by towns	
Births, ratio and proportion to population	
Births, proportion to population for forty-two year	
Births, diagram of	
Births, sex, fifty-seven years	
Births, sex and localities	
Births, males to each 100 females	
Births, season	
Births, parentage	
Births, colored	
Births, number of child of mother	
Births, ages of fathers and mothers	
Births, nativity of mothers under 19 years	
Births, still-born, in 1910	
Births, still-born, for fifty-seven years	
Births, illegitimate, in 1910	129, 130
Births, proportion of males to every 100 females fo	r fifty-seven years 157
Births, occupations of the fathers	205-209
Brain, diseases of	187, 188
Bronchitis	24, 40, 56, 189
Cancers	
Causes of death, alphabetically arranged	
Canagag of donth by International classification, and	Dercentage for 1910 00-01

·	PAGE
Causes of death by International classification, for fifty-eight years	62
Childbirth27, 42, 58, 19	5, 196
Cholera infantum	2, 191
Consumption, See Tuberculosis.	
Croup	28, 43
Classification (International) of deaths, with percentages for 1910	50-61
Classification (International) of deaths for fifty-eight years	62
Deaths, number of, in 1910, by towns, counties, sex, and nativity	3, 5
Deaths, by months, sex, and divisions of the State	12, 13
Deaths, causes of, arranged alphabetically, by months, sex, nativity, and	
parentage	22-38
Deaths, causes of, arranged alphabetically, by age	39-49
Deaths, classification (International) and percentage in 1910	50-61
Deaths, classification (International) for fifty-eight years	62
Deaths, general summary for fifty-seven years	1, 102
Deaths, comparison of, to births and marriages in each town in 1910 and	
for past six years	3, 104
Deaths, number and ratio per 1,000 of population in each town in 1910.	105
Death rates per 1,000 of population in 1910 and past seven years	107
Deaths, proportion of, to population for forty-two years	108
Deaths, rate per 1,000 of population, by counties, for fifty years	155
Deaths, causes unknown	202
Deaths, from twenty-six principal causes	3, 204
Deaths, diagram of, showing number to each 1,000 of population in each	
town and county of the State in 1910	0. 171
Decedents, sex, number of males to every 100 females for fifty-eight	-,
years	156
Decedents, season and mortality	
Decedents, nativity	160
Decedents, parentage.	160
Decedents, age	
Decedents, colored	
Diabetes	
Diarrhœa and enteritis	
Diarrhœa and dysentery	192
Diphtheria and membranous croup	
Divorces, number granted in 1910.	
Divorces, statute causes for	147
Divorces, applications and causes alleged in each county	146
Divorces, causes of application where divorce was granted	147
Divorces, length of time married.	148
Divorces, summary for thirty-eight years	148
AZAT ZANDON ZIMILITIGI V TVI UTIN UVERISI VENIS	1/16

INDEX. 229

	PAGE.
Divorces, proportion of applications to each divorce granted	150
Divorces, proportion of marriages to, in each county and whole State for	
forty-two years15	0, 151
Divorces, ratio of divorces to marriages by counties for forty-two years	151
Divorces, number of marriages to every decree of divorce to each New	
England State for thirty-four years15	2, 153
Dysentery	2, 181
Fever, malarial (Malaria)	2, 176
Fever, typhoid	
Heart, diseases of	5, 188
Hernia31, 4	
Influenza, grippe	9. 180
Insanity	
Kidney, diseases of, including Bright's32, 45, 5	7, 194
Kidney, Bright's disease. See Kidney diseases.	
Liver, diseases of	57, 193
Locomotor ataxia	46, 54
Malaria. See Fever, malarial.	
Marriages, number of, in 1910, by towns and counties	2, 4
Marriages, by months	10
Marriages, in comparison with births and deaths	01-104
Marriages, ratio to population in each division of the State10	05, 107
Marriages, ratio to population for forty-two years	108
Marriages, season	133
Marriages, nativity	134
Marriages, denominational	135
Marriages, ages of the married1	36–138
Marriages, proportion of age to sex	39–141
Marriages, number of times married	142
Marriages, occupations of the grooms	10-214
Marriages, colored	143
Marriages of the divorced	.44,145
Marriages and education	145
Measles	52, 176
Occupations and ages at death	
Occupations and causes of death.	76-98
Occupations and causes of death	
Occupations and ages of decedents for inty-eight years	, 47, 60

## INDEX.

Paralysis	PAGE.
Paralysis	
Peritonitis, simple	30, 41, 01, 101
Pertussis (whooping cough)	110
Penumonia	35, 47, 56, 190
Population, proportion of births, marriages, and deaths	to, for forty-two
years, professional section and the section of the	
Returns of medical examiners.	
Rheumatism	
Scarlet fever	
Still-born children in 1910.	
Still-born children, for fifty-seven years.	
Suicide	
Syphilis	
Tuberculosis (consumption)	37, 38, 49, 53, 181–183
Whooping cough. See Pertussis.	







